



SEAT POST CLAMPS



QR Quick-release “Clip-in” Clamp  To fit ø18.5 ~ 22.2 mm seat post. (Exclusively made for SW-669R)	SW-64A2 Hinged Clamp  To fit ø25 ~ 32 mm seat post.	SW-64F2 (Standard)  To fit ø25 ~ 32 mm seat post.	SW-64F3 Clamp  To fit ø32 ~ 40 mm seat post.
SW-64D2 Clamp with Fixed Bridge  To fit ø25 ~ 32 mm seat post.	SW-64H2 Quick-release “Strap” Clamp  To fit ø25 ~ 38 mm seat post.	SW-64H3 Quick-release “Adjustable” Clamp with plastic screw  To fit ø25 ~ 38 mm seat post.	SW-64H3-1 Quick-release “Adjustable” Clamp with plastic screw  To fit ø25 ~ 38 mm seat post.
SW-64H5 Quick-release “Strap” Clamp with Rubber  To fit ø25 ~ 38 mm seat post.			


Extension Connector


64C1 (Standard) Length: 70 mm. 	64C2 Length: 100 mm. 	64C3 Length: 130 mm. 	64C4 Length: 70 mm. 	64C5 Length: 100 mm. 
--	--	--	--	--

MUDGUARD CONNECTOR & BRACKETS

 SB1 Inner Head-tube Connector To fix with DHKA and/or DHKB brackets. Head tube ø18.5~22.2 mm / ø22.2~25.4 mm STEP 1 STEP 2 STEP 3 	 DHKA / DHKB Front Brackets To connect with Down-hill front fender S and/or L. (Compatible also with SB1)
 J1 Front Bracket To fix to the front of uni-crown fork. (For 18" ~ 26" bikes)	 J3 Rear Bracket To fix to seat stay bridge with caliper or V-brakes.
 J2 Bracket To fix to the rear of uni-crown fork or on seat stay bridge without brake. Angle 116° (For 18" & 20" bikes)	 J4 Bracket To fix to the rear of uni-crown fork or on seat stay bridge without brake. Angle 108° (For 20", 24" & 26" bikes)



  SB1-D Inner Head-tube Connector For SW-FI-661NF / 669F1/ 669NF / 671NF / 133F / 153F Head tube ø18.5~~34.5mm	  SB5-01 Inner Head-tube “Quick-release” connector (Fit inner diameter ø18.5 / 22.2 / 25.4 / 31.8~34.5mm) For SW-661NF / SW-669F1 / SW-669NF / SW-671NF
--	---

 SB113 Inner Head-tube Connector Head tube ø 22.2mm / ø18.5~22.2mm / ø22.2~25.4mm / ø31.8~34.5mm (D) STEP 1 STEP 2 STEP 3 
--

 SB9 Inner Head-tube Connector For SW-FI-155FR-A / SW-FI-155F/R-B Head tube ø18.5~~34.5mm 
--



SW-663F(FN)/CR(HR) Quick-release Mudguard

- Material: PP
- SW-663F front mudguard with rubber strap to quickly wrap on any fork.
- SW-663FN front mudguard with stainless steel connetor.
- SW-663CR rear mudguard with 64F2 fixed clamp to fit ø32 ~ 40mm seat-post.
- SW-663HR rear mudguard with 64H2 quick-release clamp to fit ø25 ~ 38mm tubes.
- Lightweight and durable.
- Rear mudguard angle adjustable.



SW-670F(QF)/R(QR) Quick-release Mudguard

- Material: PP
- SW-670F/R combined with 67S1F stainless steel connector.
- SW-670QF/QR combined with 67Q1F stainless steel connector.
- Quick setup and release to fork sleeve.
- Lightweight and durable.
- SW-6705L bracket designed for Shimano BR 5800 Dual pivot system.



FENDER STAY MOUNTING (FIXED)

ø3.2mm

ø3.9mm

SELECTIVE STAY THICKNESS

All fender stay are available in ø3.2mm and ø3.9mm thickness to meet different needs.

Material: • 204 / 304 (Natural. ED): ø3.2 and ø4.0mm
• Steel (CP. ED): ø4.0mm

SELECTIVE STAY EYELET DIAMETER

 ø5mm +0.3 -0.1	 ø6mm +0.3 -0.1	 ø8mm +0.3 -0	 ø10mm +0.3 -0.1
-----------------------	-----------------------	---------------------	------------------------

MSB

FENDER STAY + SAFETY QR FASTENER 804N

Fender stay mounted to the interior of fenders with SW-804N under bracket.
For SW-FI-151FR / SW-FI-171FR / SW-FI-173FR / SW-FI-175FR / SW-FI-117FR

POI

SINGLE-STAY + SAFETY QR FASTENER

Widely used for front fender installation.
Stay accompanies selective QR fastener: (POPOFF 5)

POV

V-STAY + SAFETY QR FASTENER

For both front and rear fender installation.
Stay accompanies selective QR fastener: (POPOFF 5)
*stand 9:40

POP OFF 5

Auto detach When Jammed

SAFETY QR FASTENER (For ø3.2 / ø4 mm FENDER-STAY)

Material: POM
Safety design to detach in accident and prevent jamming the wheel.
(QR) quick release, easy installation and allows 20mm stay length adjustment.

FENDER STAY HARDWARE

804N Pat.

Easy installation

Polyester nameplate
Fit ø4mm fender stay.
For SW-FI-151FR / SW-FI-171FR
SW-FI-173FR / SW-FI-117FR

Optional

Color: BLACK

804N-01

Material: TPR

Pad underneath the 804N
in order to fit curved surface.

FENDER STAY SAFETY POP-OFF

STAY SAFETY	MODEL	FIT STAY	STAY
 POPOFF5	SAFETY QR FASTENER (For ø3.2 / ø3.9 mm FENDER-STAY) INJECTED FENDER ONLY Safety design to detach in accident and prevent jamming the wheel. (QR) quick release, easy installation and allows 20mm stay length adjustment. Designed for : SW-655, SW-656, FI-117, FI-173, SW-615, SW-668, FI-111, FI-171	POI POV	 Auto-detach When Jammed
	FV-515 Patented FENDER STAY SAFETY POP-OFF Applicable to MSB fender-stays to pop-off when jammed.	MSB	

MUDGUARD

04 MUDGUARD | 2025

WWW.SUNNYWHEEL.COM

2025 | MUDGUARD 03

SW-FI-157 Down-tube Mudguard (For Road-bike)


- Material: PP / TPR
- Soft TPR material to fit different shape of down-tubes.
- Special buckle with Velcro-tie fixation for easy installation and release.



Design for Roadbike



Special buckle fixation



Elastic material to fit all tubes



Packaged Size:
L 710 x W 200mm.

SW-PS1F/R Refoldable Quick-release Mudguard

- Material: PA6




"Clip-in" Front Mudguard




Adjustable Rear Mudguard



Safety Reflective Stickers



Refoldable Design



SW-FI-119F(F1)/R(R1) Quick-release Mudguard

- Material: PP
- Minimal design to suit all style of bikes.
- Effective mud stop.
- Easy installation.
- Tough and durable.
- Optional SW-FI-119F1/R1 with wider mudguard-tail.



Front Fender



Rear Fender



SW-FI-119F/R



FI-119F/R Mudguard Tail




FI-119F1/R1 Mudguard Tail



SW-FI-119F1/R1
(Wider mudguard-tail)

SW-FI-131CR(HR) Quick-release Mudguard

- Material: PP
- Minimal design to suit all style of bikes.
- Effective mud stop.
- Easy installation.
- Tough and durable.
- FI-131CR with 64F2 fixed clamp to fit ø25 ~ 32mm seat-post.
- FI-131HR with 64H2 quick-release clamp to fit ø25 ~ 38mm tubes.



Rear Mudguard



SW-FI-131CR

SW-FI-131HR



64F2
Fixed Clamp

- Fit ø25 ~ 32mm seat-post.



64H2
Quick-release "Strape" Clamp

- Fit ø25 ~ 38mm seat-post.



64H3
Quick-release "Adjustable" Clamp
with Plastic Screw

- Fit ø25 ~ 38mm seat-post.



QR
Slide-release Clamp

- Fit ø25 ~ 32mm seat-post.

64H5
Quick-release "Strape" Clamp

- Fit ø25 ~ 38mm seat-post.

SW-DH7 Down-hill Mudguard

- Material: PP
- Aerodynamic design.
- Effective over-width mud stop.
- Easy installation.
- Tough and durable.



Front Mudguard



Rear Mudguard



SW-613F/R Mudguard

- Material: PP
- Fit uni-crown fork Cantilever brake style.
- Fit ø28.6 ~ ø31.8mm seat-tube.
- Slide in and fix.



Front Mudguard



Rear Mudguard



SW-613 Slide-fix Hanger



SW-DH5 Down-hill Mudguard

- Material: PP
- Muscular look.
- Easy installation.
- Tough and durable.
- Widest combination to fit from 16" ~ 26" bikes.



DHKA + DHKB



SW-DH5L+S
Fit ø18.5~25.4mm Inner Stem



SW-64A2



Fit ø25~32mm Seat Post



SW-64D2



Fit ø25~32mm Seat Post
w/ Built-in Clamp on Bridge



SW-64F2(F3) + C1



SW-64F2 - Fit ø25~32mm
SW-64F3 - Fit ø32~40mm



SW-64H2(H3) + C2




Fit ø25~38mm Seat Post



SW-DH5R - with J3 Bracket
to Fit on Seat-stay Bridge



SW-DH5L+S
with J1 & J4 Brackets
to Fit on Uni-crown Fork



J1~J4 Brackets for DH5

Wheel Size	Mudguard Selection	Fitting
12"	DH5T	Fit on seat post (Rear Mudguard)
16"	DH5S+T	
20"	DH5R	Fit on bridge (Rear Mudguard)
	DH5L	
	DH5S	Front Mudguard
24"~26"	DH5L+S+R	Front & Rear Mudguards

SW-651F/R Mudguard

- Material: PP
- Tough, durable and effective mud stop.
- Selective hardware for variety of bikes.
- Hardware bendable to fit.



Front Mudguard



Rear Mudguard



SW-651 REAR MUDGUARD HARDWARE

• Material: ED Steel

Standard

- Fit rear cantilever brake.
- Mount bridge or bridge-plate.
- Fit ATB recommended.

SW-651-V1

- Fit rear cantilever / long arm V-brake.
- Mount bridge or bridge-plate.

SW-651-V3 / 659

- Fit rear V-brake.
- Mount bridge or bridge-plate.

SW-651-D1

- Fit rear drum brake.
- Mount bridge or bridge-plate.

SW-651-L1

- Fit side lock bikes only.
- Mount bridge or bridge-plate.

SW-654(640)F/R Mudguard


- Material: PP
- For full-suspension XC bikes.
- Angle adjustable rear mudguard hardware.
- Front mudguard length adjustable.



Front Mudguard



Rear Mudguard



Front Mudguard Hanger	Rear Mudguard Seat Post Bracket
SW-640 Slide-fix Hanger • Material: ED Steel • Fit uni-crown fork with Cantilever & V-brake. • Slide-in and fix. • 4-position adjustable.	SW-64A2 • Hinged clamp for ø25 ~ 32mm seatpost. SW-64D2 • Hinged clamp for ø25 ~ 32mm seatpost. SW-64F2 / SW-64F3 • SW-64F2: ø25~32mm clamp Mounting on seat post • SW-64F3: ø32~40mm clamp Mounting on seat post.

SW-641F/R Mudguard

- Material: PP
- Fit uni-crown fork Cantilever brake style.
- Fit ø28.6 ~ ø31.8mm seat-tube.
- Slide in and fix.
- 4 position adjustable.



Front Mudguard



Rear Mudguard



SW-616 Slide-fix Hanger

SW-642F/R(RL) Mudguard

- Material: PP
- Angle adjustable rear mudguard hardware SW-64A2 to fit ø25~32mm seat post.
- Optional SW-642RL extendable rear mudguard for better mud stop.



Front Mudguard



Rear Mudguard



Extendable Rear Mudguard



SW-642RL

SW-669CR Quick-release Mudguard

- Material: PP
- Angle adjustable.
- Optional **64C** series mudguard bridge.



Rear Mudguard



Selective Color (MOQ: 500sets)



64F2

Fixed Clamp

- Fit ø25 ~ 32mm seat-post.



QR

Slide-release Clamp

- Fit ø25 ~ 32mm seat-post.



64H2

Quick-release "Strape" Clamp

- Fit ø25 ~ 38mm seat-post.



64H5

Quick-release "Strape" Clamp

- Fit ø25 ~ 38mm seat-post.



64H3

Quick-release "Adjustable" Clamp with Plastic Screw

- Fit ø25 ~ 38mm seat-post.



64H3-1

Quick-release "Adjustable" Clamp with Plastic Screw


- Fit ø25 ~ 38mm seat-post.

SW-669F1/R1 Quick-release Mudguard

- Material: PP
- Suitable for suspension fork.



Easy to install with SB1-D



Leather Texture



Front Mudguard



Rear Mudguard



64F2

Fixed Clamp

- Fit ø25 ~ 32mm seat-post.



64H2

Quick-release "Strape" Clamp

- Fit ø25 ~ 38mm seat-post.



64H3

Quick-release "Adjustable" Clamp with Plastic Screw

- Fit ø25 ~ 38mm seat-post.



64H3-1


Quick-release "Adjustable" Clamp with Plastic Screw

- Fit ø25 ~ 38mm seat-post.

SB1-D Exclusive Hardware

- Click fix on the BOTTOM of inner head tube.

Use Head tube(mm)				
ø22.2	•			
ø25.4	•	•		
ø28.6	•		•	
ø31.8	•			•
ø34.5	•	•		•



SB5-01
Exclusive Hardware

- Click fix on the BOTTOM of inner head tube.
- Fit ø18.5 ~ 22.2mm / ø22.2 ~ 25.4mm / ø31.8 ~ 34.5mm.

SW-655F/R(R1/RL) Mudguard

- Material: PP
- Fit uni-crown fork Cantilever & V-brake.
- Cable-friendly seat-tube clip design.
- Fit 5/8" or 1/2" seat-stay bridge.
- Cable-friendly clip to fit ø28.6 ~ 31.8mm seat tube.
- Mud-flap design for better mud stop.
- Optional SW-655R1(without steel clip) and SW-655RL(Larger mud-flap) rear mudguard.



Easy-release Knob



Front Mudguard



Cable-friendly Seat-tube Clip



Rear udguard



2-way Mudguard Bracket



SW-655R

SW-655F



SW-655RL
(Larger TPR mud-flap)



SW-655R1
(without steel clip)



SW-661NF+CR Quick-release Mudguard

- Material: PP + TPR
- Suitable for suspension fork.
- Quick-release front mudguard.
- Angle adjustable rear mudguard with fixed clamp.



Easy to install with SB1-D



Front Mudguard



Rear Mudguard



64F2

Fixed Clamp

- Fit ø25 ~ 32mm seat-post.



64H2

Quick-release "Strape" Clamp

- Fit ø25 ~ 38mm seat-post.



SB5-01
Exclusive Hardware

- Click fix on the BOTTOM of inner head tube.
- Fit ø18.5 ~ 22.2mm / ø22.2 ~ 25.4mm / ø31.8 ~ 34.5mm.



64H3

Quick-release "Adjustable" Clamp with Plastic Screw

- Fit ø25 ~ 38mm seat-post.



64H3-1

Quick-release "Adjustable" Clamp with Plastic Screw

- Fit ø25 ~ 38mm seat-post.




64H5

Quick-release "Strape" Clamp

- Fit ø25 ~ 38mm seat-post.

Use Head tube(mm)				
ø22.2	•			
ø25.4	•	•		
ø28.6	•		•	
ø31.8	•			•
ø34.5	•	•		•



SW-1001

Down-tube Mudguard

- Material: PP / ABS
- Selective fix types:
 - SW-1001A:** Pre-bolted fix.
 - SW-1001C:** Rubber tie fix.
- Quick and easy setup.
- Lightweight and durable.

MTB

ATB

TOOL FREE

FITTING
24 26
SIZE

WITHIN
2.125"
TYRE WIDTH



Pre-bolted



Rubber Tie



- SW-1001T**
- For pre-bolted down tubes only.

KID

FITTING
16 20
SIZE

WITHIN
1.5"
TYRE WIDTH



- SW-1001S**
- For pre-bolted down tubes only.

KID

FITTING
12 16
SIZE

WITHIN
1.5"
TYRE WIDTH

FI-113F

Quick-release Mudguard (match to sw-669R)

- Material: PP
- Multiple Color Selection
- 4-position Adjustable (17.5mm)

MTB

TOOL FREE

FITTING
24 26
SIZE

WITHIN
3"
TYRE WIDTH




Front Mudguard



SB-113
Exclusive Hardware

- Click fix on the BOTTOM of inner head tube.
- Fit $\varnothing 18.5 \sim 22.2\text{mm}$ / $\varnothing 22.2 \sim 25.4\text{mm}$ / $\varnothing 31.8 \sim 34.5\text{mm}$.



SW-669NF

Quick-release Mudguard

- Material: PP

MTB

FITTING
24 26
SIZE

WITHIN
3"
TYRE WIDTH



Front Mudguard




SB5-01
Exclusive Hardware

- Click fix on the BOTTOM of inner head tube.
- Fit $\varnothing 18.5 \sim 22.2\text{mm}$ / $\varnothing 22.2 \sim 25.4\text{mm}$ / $\varnothing 31.8 \sim 34.5\text{mm}$.

SB1-D Exclusive Hardware

- Click fix on the BOTTOM of inner head tube.

Use Head tube(mm)				
$\varnothing 22.2$	•			
$\varnothing 25.4$	•	•		
$\varnothing 28.6$	•		•	
$\varnothing 31.8$	•			•
$\varnothing 34.5$	•	•		•



SW-671NF/HR

Quick-release Mudguard

- Material: PP + TPR
- Suitable for suspension fork.

MTB

TOOL FREE

FITTING
24 26
SIZE

WITHIN
3"
TYRE WIDTH



Easy to install with SB1-D



Soft Tail for Safety



Front Mudguard



Front Mudguard



64F2
Fixed Clamp

- Fit $\varnothing 25 \sim 32\text{mm}$ seat-post.



64H2
Quick-release "Strape" Clamp

- Fit $\varnothing 25 \sim 38\text{mm}$ seat-post.



64H3
Quick-release "Adjustable" Clamp with Plastic Screw

- Fit $\varnothing 25 \sim 38\text{mm}$ seat-post.




SB5-01
Exclusive Hardware

- Click fix on the BOTTOM of inner head tube.
- Fit $\varnothing 18.5 \sim 22.2\text{mm}$ / $\varnothing 22.2 \sim 25.4\text{mm}$ / $\varnothing 31.8 \sim 34.5\text{mm}$.

SB1-D Exclusive Hardware

- Click fix on the BOTTOM of inner head tube.

Use Head tube(mm)				
$\varnothing 22.2$	•			
$\varnothing 25.4$	•	•		
$\varnothing 28.6$	•		•	
$\varnothing 31.8$	•			•
$\varnothing 34.5$	•	•		•



64H5
Quick-release "Strape" Clamp

- Fit $\varnothing 25 \sim 38\text{mm}$ seat-post.

SW-FI-137 Series Quick-release Mudguard

• Material: PP

Fixation Type



Pre-bolted



Rubber Tie



FI-137-1
Carbon Sticker
(PP)



FI-137-2
Double-Injection
(PP / TPR)



FI-137-3
Double-Injection with Logo
(PP / TPR)

SW-FI-151F/R Mudguard

- Material: PP
- Fit uni-crown fork Cantilever brake style.
- Fit $\varnothing 28.6 \sim \varnothing 31.8$ mm seat-tube.
- Slide in and fix.
- 4 position adjustable.



Seat-tube Clamp



Front Mudguard



Rear Mudguard



804N
Easy installation
Polyester nameplate
Fit $\varnothing 4$ mm fender stay.



SW-FI-117F/R Mudguard

- Material: PP
- Length adjustable up to 25mm.
- 2 sizes of clamps included for $\varnothing 28 \sim 32$ mm & $\varnothing 32 \sim 36$ mm seat-tubes.



Length Adjustable +25mm



Seat-tube Clamp



Front Mudguard



Rear Mudguard



SW-FI-133F/R Quick-release Mudguard

- Material: PC
- Available color: Black / Smoky / White.



Easy to install with SB1-D



Front Mudguard



Easy to install with 64H3



with Carbon Sticker



Mudguard Angle Adjustable



Bridge Angle Adjustable



SB1-D Exclusive Hardware

- Click fix on the BOTTOM of inner head tube.

Use Head tube(mm)				
$\varnothing 22.2$	•			
$\varnothing 25.4$		•		
$\varnothing 28.6$	•		•	
$\varnothing 31.8$	•			•
$\varnothing 34.5$	•	•		•



SB5-01 Exclusive Hardware

- Click fix on the BOTTOM of inner head tube.
- Fit $\varnothing 18.5 \sim 22.2$ mm $\varnothing 22.2 \sim 25.4$ mm / $\varnothing 31.8 \sim 34.5$ mm.

SW-FI-177F/R Mudguard

- Material: PP
- Fit uni-crown fork Cantilever brake style.
- Fit ø28.6 ~ ø31.8mm seat-tube.
- Slide in and fix.
- 4 position adjustable.



Seat-tube Clamp



Front Mudguard



Rear Mudguard



60mm



POP OFF5

SAFETY QR FASTENER
INJECTED FENDER ONLY

Safety design to detach in accident
and prevent jamming the wheel.

804N

Easy installation
Polyester nameplate
Fit ø4mm fender stay.



SW-FI-151F/RL Mudguard

- Material: PP / TPR
- Fit uni-crown fork Cantilever brake style.
- Fit ø28.6 ~ ø31.8mm seat-tube.
- Slide in and fix.
- 4 position adjustable.



Seat-tube Clamp



Front Mudguard



Rear Mudguard



60mm



POP OFF5

SAFETY QR FASTENER
INJECTED FENDER ONLY

Safety design to detach in accident
and prevent jamming the wheel.

804N

Easy installation
Polyester nameplate
Fit ø4mm fender stay.



SW-FI-153F/R Quick-release Mudguard

- Material: PP+TPR
- Special soft material to provide better safety
- Front-mudguard fit up to ø34.5mm inner Head-tube
- Rear-mudguard fit up to ø32mm Seat-post
- **FI-153F**: L 500 x W 75 x H 85 mm / 65g.
- **FI-153R**: L 550 (590 extended) x W 90 x H 120 mm / 185g.



Easy to install with SB1-D



Front Mudguard



Tool-free Rear Clamp



Angle Adjustable



Bridge Length Adjustable
Four adjusting points



Customizable Logo Plate




Selective Color:
Black / Yellow / Blue

SB1-D Exclusive Hardware

- Click fix on the BOTTOM of inner head tube.

Use Head tube(mm)	Use				
ø22.2	•				
ø25.4	•	•			
ø28.6	•		•		
ø31.8	•			•	
ø34.5	•	•			•



SB5-01 Exclusive Hardware

- Click fix on the BOTTOM of inner head tube.
- Fit ø18.5 ~ 22.2mm
- ø22.2 ~ 25.4mm / ø31.8 ~ 34.5mm.

SW-FI-159 Mudguard


- Material: PP / TPR
- Soft TPR material to fit different shape of down-tubes.
- For aggressive ride.



Pre-bolted



Anti-slip design



Elastic material to fit all tubes



SW-FI-173 F/R Mudguard

- Material: PP
- Fit 650B~29" Mountain-bikes.
- Slide in and fix.



Seat-tube Clamp



Front Mudguard



Rear Mudguard



OPTIONAL

POP OFF5

SAFETY QR FASTENER INJECTED FENDER ONLY

Safety design to detach in accident and prevent jamming the wheel.

Slide-fix Hanger

FI-171R / FI-171F

804N

Easy installation

Polyester nameplate

Fit ø4mm fender stay.

SW-FI-155F/R-A Quick-release Mudguard

- Material: PP
- Quick-release design on front mudguard to fit ø18.5 ~ 34.5mm Inner Head-tube.
- Length adjustable, 3-position rear bridge to fit up to 29" wheel. (30mm adjusting range, 15mm for each position)
- Best coverage for maximum mud stop effect.



Front Mudguard



Easy to install with **SB1-D1**



Angle Adjustable



Slip-proof Strap Clamp



3-Position Adjustment



30mm 3-Step Adjustment

SB1-D1 Exclusive Hardware

• Click fix on the BOTTOM of inner head tube.

Use Head tube(mm)	ø22.2	ø25.4	ø28.6	ø31.8	ø34.5
•	•	•	•	•	•

Packaged Size: L 670 x W 114mm.

SW-FI-155F/R-B Quick-release Mudguard

- Material: PP
- Quick-release design on front mudguard to fit ø18.5 ~ 34.5mm Inner Head-tube.
- Length adjustable, twist-knob rear bridge to fit up to 29" wheel. (40mm free adjusting range)
- Best coverage for maximum mud stop effect.



Front Mudguard



Easy to install with **SB1-D1**



Angle Adjustable



Slip-proof Strap Clamp



Twist-knob Adjustment



40mm Free Adjustment

SB1-D1 Exclusive Hardware


• Click fix on the BOTTOM of inner head tube.

Use Head tube(mm)	ø22.2	ø25.4	ø28.6	ø31.8	ø34.5
•	•	•	•	•	•

Packaged Size: L 660 x W 114mm.

SW-FX-119D Quick-release Mudguard (Down-tube)

- Material: PP
- Fits most down-tubes.
- Mudguard graphic can be easily custom-designed.
- L 368 x W 112 x H 60 mm. / Weight: 70 g.



Packaged Size:
L 470 x W 190 x H 35 mm.

SW-FX-119R Quick-release Mudguard (Rear)



- Material: PP
- Fits up to Ø 32.5 mm seatposts.
- Angle adjustable.
- Mudguard graphic can be easily custom-designed.
- L 560 x W 114 x H 97 mm . / Weight: 200 g.



Packaged Size:
L 550 x W 190 x H 50 mm.

SW-FI-175F/R Mudguard

- Material: PP



SW-FI-175D/R Down-tube Mudguard (For Snow-bike)

- Material: PP
- Rubber Tie to fit all sizes of down tubes.
- Quick and easy setup.
- Lightweight and durable.



Rubber Tie

SW-FX-119DC

Quick-release Mudguard (Down-tube)

- Material: PP
- Fits most down-tubes.
- Tool-free assembly for easier and faster installation.
- Innovative “One-piece-made” package design.
- Customizable graphic and die-cut.
- L 420 x W 140 x H 70 mm. / 93 g.



Fast Install & Release

Rubber-tie Fixation



Integrated Package Design



SW-FX-119RC

Quick-release Mudguard

- Material: PP
- Fits up to ø32.5mm seatposts.
- Angle adjustable.
- Tool-free assembly for easier and faster installation.
- Innovative “One-piece-made” package design.
- Customizable graphic and die-cut.
- Fit 24~26" wheels.
- L 614 x W 78 x H 142 mm. / 155.5g.




Tool-free Assembly

Easy to Install with 64H3



Easy Install & Release



Angle Adjustable



Integrated Package Design



SW-FX-119DS

Quick-release Mudguard (Down-tube)

- Material: PP
- Fits most down-tubes.
- Tool-free assembly for easier and faster installation.
- Innovative “One-piece-made” package design.
- Customizable graphic and die-cut.
- L 400 x W 120 x H 55 mm. / 80g.



Fast Install & Release

Rubber-tie Fixation



Pre-bolted Fixation



Integrated Package Design



SW-FX-119RS

Quick-release Mudguard

- Material: PP
- Fits up to ø32.5mm seatposts.
- Angle adjustable.
- Tool-free assembly for easier and faster installation.
- Innovative “One-piece-made” package design.
- Customizable graphic and die-cut.
- Fit 26~29" wheels.
- L 573 x W 109 x H 90 mm. / 200g.



Tool-free Assembly

Easy to Install with 64H3



Easy Install & Release



Angle Adjustable



Integrated Package Design



SW-FI-111F/R Mudguard

- Material: PP
- Length adjustable up to 25mm.
- 2 sizes of clamps included for ø28~32mm & ø32~36mm seat-tubes.



Length Adjustable +25mm



Seat-tube Clamp



Front Mudguard




Rear Mudguard



POP OFF5
SAFETY QR FASTENER
INJECTED FENDER ONLY
Safety design to detach in accident
and prevent jamming the wheel.

SW-FI-171 F/R Mudguard

- Material: PP
- Fit 650B~29" City-bikes.
- Slide in and fix.
- Cable-friendly Clip to fit ø28.6 ~ 31.8mm seat tube.



Seat-tube Clamp



Front Mudguard



Rear Mudguard



POP OFF5
SAFETY QR FASTENER
INJECTED FENDER ONLY
Safety design to detach in accident
and prevent jamming the wheel.



804N
Easy installation
Polyester nameplate
Fit ø4mm fender stay.

SW-668F/R Mudguard

- Material: PP
- Fit uni-crown fork Cantilever & V-brake.
- Fit ø28.6 ~ ø31.8mm seat-tube.
- Fit 5/8" or 1/2" seat-stay bridge.
- Cable-friendly Clip to fit ø28.6 ~ 31.8mm seat tube.



Front Mudguard



Rear Mudguard



POP OFF5
SAFETY QR FASTENER
INJECTED FENDER ONLY
Safety design to detach in accident
and prevent jamming the wheel.

SW-664F/R Mudguard

- Material: PP



Front Mudguard



Rear Mudguard



SW-CF-065F/R Mudguard

- Material: PP
- Front mudguard fits kid's bikes with suspension fork, v-brake and uni-crown fork.
- Slide-fix front mudguard hanger for easy installation & positioning.
- Mudguard hanger bendable for angle-adjusting.



Front Mudguard



Rear Mudguard



SW-647FS Mudguard

- Material: PP
- Fit kid's bike with uni-crown.
- Slide-fix mudguard hanger for easy installation & positioning.
- Mudguard hanger bendable for angle-adjusting.



Slide-fix Hanger



SW-FI-115F(FH)/R Quick-release Mudguard

- Material: PP
- Trendy & stylish.
- Multi-style selection.
- Effective mud stop.
- Easy installation.
- Tough and durable.
- Optional FI-115FH front mudguard with forehead.



Optional Alloy Strap



Optional Reflective Strap



Rear Mudguard



Front Mudguard



Optional Alloy / 3M Reflective Strap



SW-FI-115FH
(with forehead)

SW-PS3F/PS1R Refoldable Quick-release Mudguard

- Material: PA6




"Clip-in" Front Mudguard



Adjustable Rear Mudguard



Safety Reflective Stickers




Refoldable Design




SW-FI-179A Mudguard

- Material: PP
- Finish: Etched
- Fit for ROCK SHOX front fork, [MY21_SLD_35](#).
- Easy installation & positioning by fastened on front fork.



SW-FI-179B Mudguard

- Material: PP
- Finish: Etched
- Fit for ROCK SHOX front fork, [MY21_SLD_35](#).
- Easy installation & positioning by fastened on front fork.



SW-650F/R Mudguard

- Material: PP
- Fit kid's bikes with uni-crown and cantilever or caliper brake style.
- Slide-fix mudguard hanger for easy installation & positioning.
- Mudguard hanger bendable for angle-adjusting.



SW-651FS/RS Mudguard

- Material: PP
- Front mudguard fits kid's bikes with uni-crown fork.
- Various ED steel hardware of rear mudguard to meet different fitting needs.



Front Mudguard



Rear Mudguard



SW-651 REAR MUDGUARD HARDWARE

• Material: ED Steel



Standard

- Fit rear cantilever brake.
- Mount bridge or bridge-plate.
- Fit ATB recommended.



SW-651-V1

- Fit rear cantilever / long arm V-brake.
- Mount bridge or bridge-plate.



SW-651-V3 / 659

- Fit rear drum brake.
- Mount bridge or bridge-plate.



SW-651-D1

- Fit rear V-brake.
- Mount bridge or bridge-plate.



SW-651-L1

- Fit side lock bikes only.
- Mount bridge or bridge-plate.

SW-FI-191R Mudguard

- Material: PP
- Fits 26-29 Inches Bike
- Adjustable rear mudguard
- Easy Installation: Quick release design easy to install
- Flexible Adjustment: Adjustable gear angle for engagement and fixation






SW-FI-193R Mudguard

- Material: PC
- The key feature is the quick fitting and removal process of the guard. Once initially installed, it can be mounted and removed in a matter of seconds, offering full coverage for the front or rear of your bike.
- The unique design allows the guard to only touch your frame at the dropout, so no brackets, O-rings or pads to scratch your ride.



SW-FI-179C Mudguard

- Material: PP
 - Finish: Etched
 - Fit for ROCK SHOX front fork:
- SW-FI-179C:**
[MY21_ZEB_38.](#)
SW-FI-179C1:
[MY21_35_35.](#)
[MY21_Recon_32.](#)
- Easy installation & positioning by fastened on front fork.



SW-FI-179D Mudguard

- Material: PP
 - Finish: Etched
 - Fit for ROCK SHOX front fork:
- SW-FI-179D:**
[MY21_ZEB_38.](#)
SW-FI-179D1:
[MY21_35_35.](#)
[MY21_Recon_32.](#)
- Easy installation & positioning by fastened on front fork.

