SEAT POST CLAMPS

QR
Quick-release *"Clip-in"* Clamp



To fit ø18.5 ~ 22.2 mm seat post.
(Exclusively made for **SW-669R**)

SW-64A2
Hinged Clamp



To fit ø25 ~ 32 mm seat post.

SW-64F2 (Standard)



To fit ø25 ~ 32 mm seat post.

SW-64F3
Clamp



To fit ø32 ~ 40 mm seat post.

SW-64D2
Clamp with Fixed Bridge



To fit ø25 ~ 32 mm seat post.

SW-64H2
Quick-release *"Strap"* Clamp



To fit ø25 ~ 38 mm seat post.

SW-64H3
Quick-release *"Adjustable"* Clamp with plastic screw



To fit ø25 ~ 38 mm seat post.

SW-64H3-1
Quick-release *"Adjustable"* Clamp with plastic screw



To fit ø25 ~ 38 mm seat post.

SW-64H5
Quick-release *"Strap"* Clamp with Rubber



To fit ø25 ~ 38 mm seat post.

Extension Connector

64C1 (Standard)
Length: 70 mm.



64C2
Length: 100 mm.



64C3
Length: 130 mm.



64C4
Length: 70 mm.



64C5
Length: 100 mm.



MUDGUARD CONNECTOR & BRACKETS



SB1 **Inner Head-tube Connector**
To fix with **DHKA** and/or **DHKB** brackets.
Head tube ø18.5~22.2 mm / ø22.2~25.4 mm



DHKA / DHKB **Front Brackets**
To connect with Down-hill front fender S and/or L.
(Compatible also with SB1)



J1 **Front Bracket**
To fix to the front of uni-crown fork.
(For 18" ~ 26" bikes)



J3 **Rear Bracket**
To fix to seat stay bridge with caliper or V-brakes.




J2 **Bracket**
To fix to the rear of uni-crown fork or
on seat stay bridge without brake. Angle 116°
(For 18" & 20" bikes)




J4 **Bracket**
To fix to the rear of uni-crown fork or
on seat stay bridge without brake. Angle 108°
(For 20", 24" & 26" bikes)





SB1-D **Inner Head-tube Connector**
For SW-FI-661NF / 669F1/ 669NF / 671NF
/ 133F / 153F
Head tube ø18.5~~34.5mm







SB5-01 **Inner Head-tube *"Quick-release"* connector**
(Fit inner diameter ø18.5 / 22.2 / 25.4 / 31.8~34.5mm)
For SW-661NF / SW-669F1 / SW-669NF / SW-671NF




SB113 **Inner Head-tube Connector**
Head tube ø 22.2mm
/ ø18.5~22.2mm
/ ø22.2~25.4mm
/ ø31.8~34.5mm (D)







SB9 **Inner Head-tube Connector**
For SW-FI-155FR-A / SW-FI-155F/R-B
Head tube ø18.5~~34.5mm



SW-663F(FN)/CR(HR) Quick-release Mudguard

- Material: PP
- SW-663F front mudguard with rubber strap to quickly wrap on any fork.
- SW-663FN front mudguard with stainless steel connetor.
- SW-663CR rear mudguard with 64F2 fixed clamp to fit ø32 ~ 40mm seat-post.
- SW-663HR rear mudguard with 64H2 quick-release clamp to fit ø25 ~ 38mm tubes.
- Lightweight and durable.
- Rear mudguard angle adjustable.

ROAD | TOOL FREE | FITTING 26" ~ 700C SIZE | WITHIN 35C TYRE WIDTH









SW-663FN
(with 67S1F stainless steel connector)



SW-663HR
(with 64H2 quick-release clamp)



64F2
Fixed Clamp
- Fit ø25 ~ 32mm seat-post.



64H2
Quick-release "Strape" Clamp
- Fit ø25 ~ 38mm seat-post.



64H3



64H3-1
Quick-release "Adjustable" Clamp with Plastic Screw
- Fit ø25 ~ 38mm seat-post.



64H5
Quick-release "Strape" Clamp
- Fit ø25 ~ 38mm seat-post.


SW-670F(QF)/R(QR) Quick-release Mudguard

- Material: PP
- SW-670F/R combined with 67S1F stainless steel connector.
- SW-670QF/QR combined with 67Q1F stainless steel connector.
- Quick setup and release to fork sleeve.
- Lightweight and durable.
- SW-6705L bracket designed for Shimano BR 5800 Dual pivot system.

ROAD | TOOL FREE | FITTING 26" ~ 700C SIZE | WITHIN 35C TYRE WIDTH










SW-6705L
Designed for Shimano BR 5800 Dual pivot system.

FENDER STAY MOUNTING (FIXED)



SELECTIVE STAY THICKNESS
All fender stay are available in ø3.2mm and ø3.9mm thickness to meet different needs.

Material: • 204 / 304 (Natural. ED): ø3.2 and ø4.0mm
• Steel (CP. ED): ø4.0mm

SELECTIVE STAY EYELET DIAMETER





MSB
FENDER STAY + SAFETY QR FASTENER 804N
Fender stay mounted to the interior of fenders with SW-804N under bracket.
For SW-FI-151FR / SW-FI-171FR / SW-FI-173FR / SW-FI-175FR / SW-FI-117FR




POI
SINGLE-STAY + SAFETY QR FASTENER
Widely used for front fender installation.
Stay accompanies selective QR fastener: (POPOFF5)



POP OFF 5



Auto detach When Jammed





POV
V-STAY + SAFETY QR FASTENER
For both front and rear fender installation.
Stay accompanies selective QR fastener: (POPOFF5)
*stand θ:40

SAFETY QR FASTENER (For ø3.2 / ø4 mm FENDER-STAY)
Material: POM
Safety design to detach in accident and prevent jamming the wheel.
(QR) quick release, easy installation and allows 20mm stay length adjustment.

FENDER STAY HARDWARE



804N Pat.
Easy installation
Polyester nameplate
Fit ø4mm fender stay.
For SW-FI-151FR / SW-FI-171FR
SW-FI-173FR / SW-FI-117FR



Optional
Color: BLACK

TOOL FREE







804N-01
Material: TPR

Pad underneath the 804N
in order to fit curved surface.



FENDER STAY SAFETY POP-OFF

STAY SAFETY	MODEL	FIT STAY	STAY
 POP OFF5	**SAFETY QR FASTENER (For ø3.2 / ø3.9 mm FENDER-STAY) INJECTED FENDER ONLY** Safety design to detach in accident and prevent jamming the wheel. (QR) quick release, easy installation and allows 20mm stay length adjustment. Designed for : SW-655, SW-656, FI-117, FI-173, SW-615, SW-668, FI-111, FI-171	POI POV	 Auto-detach When Jammed
	 **FV-515 Patented** **FENDER STAY SAFETY POP-OFF** Applicable to MSB fender-stays to pop-off when jammed.	MSB	


SW-FI-157 Down-tube Mudguard (For Road-bike)

- Material: PP / TPR
- Soft TPR material to fit different shape of down-tubes.
- Special buckle with Velcro-tie fixation for easy installation and release.

ROAD | TOOL FREE | FITTING 26" 700C SIZE | WITHIN 35C TYRE WIDTH


Design for Roadbike


Special buckle fixation


Elastic material to fit all tubes





Packaged Size:
L 710 x W 200mm.

SW-PS1F/R Refoldable Quick-release Mudguard


- Material: PA6


ROAD | ATB | FOLDING BIKE | TOOL FREE | FITTING 22" 26" SIZE


"Clip-in" Front Mudguard



Adjustable Rear Mudguard


Safety Reflective Stickers


Refoldable Design




FRONT MUDGUARD FIX



Fix to the BACK of fork sleeve



Fix to the FRONT of fork sleeve



Fix to the INSIDE of steer tube

SW-FI-119F(F1)/R(R1) Quick-release Mudguard

- Material: PP
- Minimal design to suit all style of bikes.
- Effective mud stop.
- Easy installation.
- Tough and durable.
- Optional SW-FI-119F1/R1 with wider mudguard-tail.

ROAD | TOOL FREE | FITTING 26" 700C SIZE


Front Fender


Rear Fender


SW-FI-119F/R


FI-119F/R Mudguard Tail



FI-119F1/R1 Mudguard Tail


SW-FI-119F1/R1
(Wider mudguard-tail)

SW-FI-131CR(HR) Quick-release Mudguard

- Material: PP
- Minimal design to suit all style of bikes.
- Effective mud stop.
- Easy installation.
- Tough and durable.
- FI-131CR with 64F2 fixed clamp to fit ø25 ~ 32mm seat-post.
- FI-131HR with 64H2 quick-release clamp to fit ø25 ~ 38mm tubes.

ROAD | TOOL FREE | FITTING 26" 700C SIZE | WITHIN 35C TYRE WIDTH


Rear Mudguard



64F2
Fixed Clamp
• Fit ø25 ~ 32mm seat-post.

64H2
Quick-release "Strape" Clamp
• Fit ø25 ~ 38mm seat-post.

64H3 **64H3-1**
Quick-release "Adjustable" Clamp with Plastic Screw
• Fit ø25 ~ 38mm seat-post.

QR
Slide-release Clamp
• Fit ø25 ~ 32mm seat-post.

64H5
Quick-release "Strape" Clamp
• Fit ø25 ~ 38mm seat-post.

SW-DH7 Down-hill Mudguard

- Material: PP
- Aerodynamic design.
- Effective over-width mud stop.
- Easy installation.
- Tough and durable.

MTB | DOWNHILL | FITTING 24"~26" SIZE | WITHIN 3" TYRE WIDTH


Front Mudguard


Rear Mudguard



SW-613F/R Mudguard

- Material: PP
- Fit uni-crown fork Cantilever brake style.
- Fit ø28.6 ~ ø31.8mm seat-tube.
- Slide in and fix.

MTB | ATB | FITTING 24" OR 26" SIZE | WITHIN 2.125" TYRE WIDTH


Front Mudguard


Rear Mudguard



SW-613 Slide-fix Hanger



SW-DH5 Down-hill Mudguard

- Material: PP
- Muscular look.
- Easy installation.
- Tough and durable.
- Widest combination to fit from 16″ ~ 26″ bikes.

MTB | DOWNHILL | FITTING 12"~26" SIZE | WITHIN 3" TYRE WIDTH



DHKA + **DHKB**


SW-DH5L+S
Fit ø18.5~25.4mm Inner Stem


SW-64A2


Fit ø25~32mm Seat Post


SW-64D2


Fit ø25~32mm Seat Post
w/ Built-in Clamp on Bridge


SW-64F2(F3) + C1


SW-64F2 - Fit ø25~32mm
SW-64F3 - Fit ø32~40mm


SW-64H2(H3) + C2


Fit ø25~38mm Seat Post


SW-DH5R - with **J3** Bracket
to Fit on Seat-stay Bridge


SW-DH5L+S
with **J1** & **J4** Brackets
to Fit on Uni-crown Fork




J1 **J2** **J3** **J4**
J1~J4 Brackets for DH5

Wheel Size	Mudguard Selection	Fitting
12"	DH5T	Fit on seat post (Rear Mudguard)
16"	DH5S+T	
20"	DH5R	
	DH5L	Fit on bridge (Rear Mudguard)
	DH5S	Front Mudguard
24"~26"	DH5L+S+R	Front & Rear Mudguards

SW-651F/R Mudguard

MTB | ATB | FITTING 24"~26" SIZE | WITHIN 2.125" TYRE WIDTH

- Material: PP
- Tough, durable and effective mud stop.
- Selective hardware for variety of bikes.
- Hardware bendable to fit.


Front Mudguard


Rear Mudguard



SW-651 REAR MUDGUARD HARDWARE

- Material: ED Steel



Standard
- Fit rear cantilever brake.
- Mount bridge or bridge-plate.
- Fit ATB recommended.



SW-651-V1
- Fit rear cantilever / long arm V-brake.
- Mount bridge or bridge-plate.



SW-651-V3 / 659
- Fit rear V-brake.
- Mount bridge or bridge-plate.



SW-651-D1
- Fit rear drum brake.
- Mount bridge or bridge-plate.



SW-651-L1
- Fit side lock bikes only.
- Mount bridge or bridge-plate.

SW-654(640)F/R Mudguard

MTB | ATB | FITTING 24"~26" SIZE | WITHIN 2.5" TYRE WIDTH

- Material: PP
- For full-suspension XC bikes.
- Angle adjustable rear mudguard hardware.
- Front mudguard length adjustable.


Front Mudguard


Rear Mudguard




SW-640

Front Mudguard Hanger	Rear Mudguard Seat Post Bracket



SW-640
Slide-fix Hanger

- Material: ED Steel
- Fit uni-crown fork with Cantilever & V-brake.
- Slide-in and fix.
- 4-position adjustable.



SW-64A2
- Hinged clamp for ø25 ~ 32mm seatpost.



SW-64D2
- Hinged clamp for ø25 ~ 32mm seatpost.



SW-64F2 / **SW-64F3**
- SW-64F2: ø25~32mm clamp Mounting on seat post
- SW-64F3: ø32~40mm clamp Mounting on seat post.

SW-641F/R Mudguard

MTB | ATB | FITTING 26"~28" SIZE | WITHIN 1.75" TYRE WIDTH

- Material: PP
- Fit uni-crown fork Cantilever brake style.
- Fit ø28.6 ~ ø31.8mm seat-tube.
- Slide in and fix.
- 4 position adjustable.


Front Mudguard


Rear Mudguard



SW-616 Slide-fix Hanger



SW-642F/R(RL) Mudguard

MTB | ATB | FITTING 24"~26" SIZE | WITHIN 2.125" TYRE WIDTH

- Material: PP
- Angle adjustable rear mudguard hardware SW-64A2 to fit ø25~32mm seat post.
- Optional SW-642RL extendable rear mudguard for better mud stop.


Front Mudguard


Rear Mudguard


Extendable Rear Mudguard




SW-642RL

MUDGUARD

SW-669CR Quick-release Mudguard

- Material: PP
- Angle adjustable.
- Optional **64C** series mudguard bridge.

MTB | TOOL FREE | FITTING 24"~26" SIZE | WITHIN 3" TYRE WIDTH


Rear Mudguard


Selective Color
(MOQ: 500sets)




64F2
Fixed Clamp
- Fit ø25 ~ 32mm seat-post.


QR
Slide-release Clamp
- Fit ø25 ~ 32mm seat-post.


64H2
Qucik-release “Strape” Clamp
- Fit ø25 ~ 38mm seat-post.


64H5
Quick-release “Strape” Clamp
- Fit ø25 ~ 38mm seat-post.


64H3


64H3-1
Quick-release “Adjustable” Clamp
with Plastic Screw
- Fit ø25 ~ 38mm seat-post.

SW-669F1/R1 Quick-release Mudguard

- Material: PP
- Suitable for suspension fork.

MTB | TOOL FREE | FITTING 24"~26" SIZE | WITHIN 3" TYRE WIDTH


Easy to install with SB1-D


Leather Texture


Front Mudguard


Rear Mudguard




64F2
Fixed Clamp
- Fit ø25 ~ 32mm seat-post.



64H2
Quick-release “Strape” Clamp
- Fit ø25 ~ 38mm seat-post.

64H3


64H3-1
Quick-release “Adjustable” Clamp
with Plastic Screw
- Fit ø25 ~ 38mm seat-post.

SB1-D Exclusive Hardware
- Click fix on the BOTTOM of inner head tube.

Use / Head tube(mm)				
ø22.2	•			
ø25.4	•	•		
ø28.6	•		•	
ø31.8	•			•
ø34.5	•	•		•




SB5-01
Exclusive Hardware
- Click fix on the BOTTOM of inner head tube.
- Fit ø18.5 ~ 22.2mm / ø22.2 ~ 25.4mm / ø31.8 ~ 34.5mm.

SW-655F/R(R1/RL) Mudguard

- Material: PP
- Fit uni-crown fork Cantilever & V-brake.
- Cable-friendly seat-tube clip design.
- Fit 5/8″ or 1/2″ seat-stay bridge.
- Cable-friendly clip to fit ø28.6 ~ 31.8mm seat tube.
- Mud-flap design for better mud stop.
- Optional SW-655R1(without steel clip) and SW-655RL(Larger mud-flap) rear mudguard.

MTB | ATB | FITTING 24"~26" SIZE | WITHIN 2.125" TYRE WIDTH


Easy-release Knob


Front Mudguard


Cable-friendly Seat-tube Clip


Rear udguard


2-way Mudguard Bracket

OPTIONAL



POP OFF5
SAFETY QR FASTENER
INJECTED FENDER ONLY
Safety design to detach in accident and prevent jamming the wheel.


SW-655R
SW-655F


SW-655RL
(Larger TPR mud-flap)


SW-655R1
(without steel clip)

SW-661NF+CR Quick-release Mudguard

- Material: PP + TPR
- Suitable for suspension fork.
- Quick-release front mudguard.
- Angle adjustable rear mudguard with fixed clamp.

MTB | TOOL FREE | FITTING 24"~26" SIZE | WITHIN 3" TYRE WIDTH


Easy to install with SB1-D


Front Mudguard


Rear Mudguard




64F2
Fixed Clamp
- Fit ø25 ~ 32mm seat-post.


64H2
Quick-release “Strape” Clamp
- Fit ø25 ~ 38mm seat-post.

SB5-01
Exclusive Hardware
- Click fix on the BOTTOM of inner head tube.
- Fit ø18.5 ~ 22.2mm
ø22.2 ~ 25.4mm / ø31.8 ~ 34.5mm.



64H3


64H3-1
Quick-release “Adjustable” Clamp
with Plastic Screw
- Fit ø25 ~ 38mm seat-post.


64H5
Quick-release “Strape” Clamp
- Fit ø25 ~ 38mm seat-post.

SB1-D Exclusive Hardware
- Click fix on the BOTTOM of inner head tube.

Use / Head tube(mm)				
ø22.2	•			
ø25.4	•	•		
ø28.6	•		•	
ø31.8	•			•
ø34.5	•	•		•



SW-1001 Down-tube Mudguard

- Material: PP / ABS
- Selective fix types:
  SW-1001A: Pre-bolted fix.
  SW-1001C: Rubber tie fix.
- Quick and easy setup.
- Lightweight and durable.

MTB | ATB | TOOL FREE | FITTING 24~26" SIZE | WITHIN 2.125" TYRE WIDTH





Pre-bolted



Rubber Tie



SW-1001T
- For pre-bolted down tubes only.

KID | FITTING 16~20 SIZE | WITHIN 1.5" TYRE WIDTH



SW-1001S
- For pre-bolted down tubes only.

KID | FITTING 12~16 SIZE | WITHIN 1.5" TYRE WIDTH

FI-113F Quick-release Mudguard (match to sw-669R)

- Material: PP
- Multiple Color Selection
- 4-position Adjustable (17.5mm)


MTB | TOOL FREE | FITTING 24~26" SIZE | WITHIN 3" TYRE WIDTH


Front Mudguard





SB-113
Exclusive Hardware
- Click fix on the BOTTOM of inner head tube.
- Fit ø18.5 ~ 22.2mm / ø22.2 ~ 25.4mm / ø31.8 ~ 34.5mm.



SW-669NF Quick-release Mudguard

- Material: PP

MTB | FITTING 24~26" SIZE | WITHIN 3" TYRE WIDTH


Front Mudguard






SB5-01
Exclusive Hardware
- Click fix on the BOTTOM of inner head tube.
- Fit ø18.5 ~ 22.2mm / ø22.2 ~ 25.4mm / ø31.8 ~ 34.5mm.

SB1-D Exclusive Hardware
- Click fix on the BOTTOM of inner head tube.

Use / Head tube(mm)				
ø22.2	●			
ø25.4	●	●		
ø28.6	●		●	
ø31.8	●			●
ø34.5	●	●		●



SW-671NF/HR Quick-release Mudguard

- Material: PP + TPR
- Suitable for suspension fork.

MTB | TOOL FREE | FITTING 24~26" SIZE | WITHIN 3" TYRE WIDTH


Easy to install with SB1-D



Front Mudguard


Front Mudguard



SB1-D Exclusive Hardware
- Click fix on the BOTTOM of inner head tube.

Use / Head tube(mm)				
ø22.2	●			
ø25.4	●	●		
ø28.6	●		●	
ø31.8	●			●
ø34.5	●	●		●



SB5-01
Exclusive Hardware
- Click fix on the BOTTOM of inner head tube.
- Fit ø18.5 ~ 22.2mm
  ø22.2 ~ 25.4mm / ø31.8 ~ 34.5mm.



64F2
Fixed Clamp
- Fit ø25 ~ 32mm seat-post.



64H2
Quick-release "Strape" Clamp
- Fit ø25 ~ 38mm seat-post.



64H3 **64H3-1**
Quick-release "Adjustable" Clamp with Plastic Screw
- Fit ø25 ~ 38mm seat-post.



64H5
Quick-release "Strape" Clamp
- Fit ø25 ~ 38mm seat-post.

SW-FI-137 Series Quick-release Mudguard

• Material: PP

ALL BIKE | TOOL FREE | WITHIN 3" TYRE WIDTH

Fixation Type



Pre-bolted



Rubber Tie





Carbon Sticker
(PP)



Double-Injection
(PP / TPR)



Double-Injection with Logo
(PP / TPR)

SW-FI-151F/R Mudguard

• Material: PP
• Fit uni-crown fork Cantilever brake style.
• Fit ø28.6 ~ ø31.8mm seat-tube.
• Slide in and fix.
• 4 position adjustable.

MTB | ATB | FITTING 24"~27.5" SIZE | WITHIN 2.125" TYRE WIDTH


Seat-tube Clamp


Front Mudguard


Rear Mudguard



804N TOOL FREE
Easy installation
Polyester nameplate
Fit ø4mm fender stay.





SW-FI-117F/R Mudguard

• Material: PP
• Length adjustable up to 25mm.
• 2 sizes of clamps included for ø28~32mm & ø32~36mm seat-tubes.

MTB | ATB | TREKKING | FITTING 24"~28" SIZE | WITHIN 2.125" TYRE WIDTH



Length Adjustable +25mm


Seat-tube Clamp


Front Mudguard


Rear Mudguard

SAFETY QR FASTENER INJECTED FENDER ONLY
Safety design to detach in accident and prevent jamming the wheel.

SW-FI-133F/R Quick-release Mudguard

• Material: PC
• Avaliable color: Black / Smoky / White.

MTB | TOOL FREE | FITTING 24"~26" SIZE | WITHIN 2.125"~3" TYRE WIDTH


Easy to install with SB1-D


Front Mudguard


Easy to install with 64H3


with Carbon Sticker



Mudguard Angle Adjustable


Bridge Angle Adjustable



SB1-D Exclusive Hardware
• Click fix on the BOTTOM of inner head tube.

Use / Head tube(mm)				
ø22.2	●			
ø25.4	●	●		
ø28.6	●		●	
ø31.8	●			●
ø34.5	●	●		●




SB5-01
Exclusive Hardware
• Click fix on the BOTTOM of inner head tube.
• Fit ø18.5 ~ 22.2mm
ø22.2 ~ 25.4mm / ø31.8 ~ 34.5mm.

SW-FI-177F/R Mudguard

- Material: PP
- Fit uni-crown fork Cantilever brake style.
- Fit ø28.6 ~ ø31.8mm seat-tube.
- Slide in and fix.
- 4 position adjustable.

MTB | ATB | FITTING 20" ⇔ 24" SIZE | WITHIN 2.125" TYRE WIDTH


Seat-tube Clamp


Front Mudguard


Rear Mudguard



OPTIONAL



POP OFF5

SAFETY QR FASTENER INJECTED FENDER ONLY

Safety design to detach in accident and prevent jamming the wheel.

804N TOOL FREE

Easy installation

Polyester nameplate

Fit ø4mm fender stay.



SW-FI-151F/RL Mudguard

- Material: PP / TPR
- Fit uni-crown fork Cantilever brake style.
- Fit ø28.6 ~ ø31.8mm seat-tube.
- Slide in and fix.
- 4 position adjustable.

MTB | ATB | FITTING 24" ⇔ 27.5" SIZE | WITHIN 2.125" TYRE WIDTH


Seat-tube Clamp


Front Mudguard


Rear Mudguard



OPTIONAL

POP OFF5

SAFETY QR FASTENER INJECTED FENDER ONLY


Safety design to detach in accident and prevent jamming the wheel.

804N TOOL FREE

Easy installation

Polyester nameplate

Fit ø4mm fender stay.



SW-FI-153F/R Quick-release Mudguard

- Material: PP+TPR
- Special soft material to provide better safety
- Front-mudguard fit up to ø34.5mm inner Head-tube
- Rear-mudguard fit up to ø32mm Seat-post
- **FI-153F**: L 500 x W 75 x H 85 mm / 65g.
- **FI-153R**: L 550 (590 extended) x W 90 x H 120 mm / 185g.

MTB | TOOL FREE | FITTING 24" ⇔ 26" SIZE | WITHIN 3" TYRE WIDTH


Easy to install with SB1-D


Front Mudguard


Tool-free Rear Clamp



Angle Adjustable



Bridge Length Adjustable
Four adjusting points



Customizable Logo Plate


Selective Color:
Black / Yellow / Blue

SB1-D Exclusive Hardware

- Click fix on the BOTTOM of inner head tube.

Use / Head tube(mm)				
ø22.2	●			
ø25.4	●	●		
ø28.6	●		●	
ø31.8	●			●
ø34.5	●	●		●





SB5-01

Exclusive Hardware


- Click fix on the BOTTOM of inner head tube.
- Fit ø18.5 ~ 22.2mm ø22.2 ~ 25.4mm / ø31.8 ~ 34.5mm.


SW-FI-159 Mudguard

- Material: PP / TPR
- Soft TPR material to fit different shape of down-tubes.
- For aggressive ride.

MTB | ATB | TOOL FREE | FITTING 26"~29" SIZE


Pre-bolted


Anti-slip design


Elastic material to fit all tubes



SW-FI-173 F/R Mudguard

- Material: PP
- Fit 650B~29" Mountain-bikes.
- Slide in and fix.

MTB | FITTING 650B~29" SIZE | WITHIN 2.125" TYRE WIDTH


Seat-tube Clamp


Front Mudguard


Rear Mudguard



OPTIONAL




POP OFF5

SAFETY QR FASTENER INJECTED FENDER ONLY

Safety design to detach in accident and prevent jamming the wheel.

Slide-fix Hanger

FI-171R / FI-171F



804N TOOL FREE

Easy installation

Polyester nameplate

Fit ø4mm fender stay.





SW-FI-155F/R-A Quick-release Mudguard

- Material: PP
- Quick-release design on front mudguard to fit ø18.5 ~ 34.5mm Inner Head-tube.
- Length adjustable, 3-position rear bridge to fit up to 29" wheel. (30mm adjusting range, 15mm for each position)
- Best coverage for maximum mud stop effect.

MTB | ATB | TOOL FREE | FITTING 26"~29" SIZE | WITHIN 2.25" TYRE WIDTH


Front Mudguard


Easy to install with SB1-D1


Angle Adjustable


Slip-proof Strap Clamp


3-Position Adjustment



30mm 3-Step Adjustment






Packaged Size:
L 670 x W 114mm.

SB1-D1 Exclusive Hardware

- Click fix on the BOTTOM of inner head tube.

Head tube(mm) \ Use				
ø22.2	●			
ø25.4	●	●		
ø28.6	●		●	
ø31.8	●			●
ø34.5	●	●		●



SW-FI-155F/R-B Quick-release Mudguard

- Material: PP
- Quick-release design on front mudguard to fit ø18.5 ~ 34.5mm Inner Head-tube.
- Length adjustable, twist-knob rear bridge to fit up to 29" wheel. (40mm free adjusting range)
- Best coverage for maximum mud stop effect.

MTB | ATB | TOOL FREE | FITTING 26"~29" SIZE | WITHIN 2.25" TYRE WIDTH


Front Mudguard


Easy to install with SB1-D1


Angle Adjustable


Slip-proof Strap Clamp


Twist-knob Adjustment



40mm Free Adjustment






Packaged Size:
L 660 x W 114mm.

SB1-D1 Exclusive Hardware

- Click fix on the BOTTOM of inner head tube.

Head tube(mm) \ Use				
ø22.2	●			
ø25.4	●	●		
ø28.6	●		●	
ø31.8	●			●
ø34.5	●	●		●



SW-FX-119D Quick-release Mudguard (Down-tube)

- Material: PP
- Fits most down-tubes.
- Mudguard graphic can be easily custom-designed.
- L 368 x W 112 x H 60 mm. / Weight: 70 g.

MTB | TOOL FREE | FITTING SIZE 20"~26" | WITHIN TYRE WIDTH 1.5"~2"


Fast Install & Release


Customizable Graphic


Pre-bolted Fixation


Rubber-tie Fixation





Packaged Size:
L 470 x W 190 x H 35 mm.

SW-FX-119R Quick-release Mudguard (Rear)


- Material: PP
- Fits up to Ø 32.5 mm seatposts.
- Angle adjustable.
- Mudguard graphic can be easily custom-designed.
- L 560 x W 114 x H 97 mm . / Weight: 200 g.

MTB | TOOL FREE | FITTING SIZE 20"~26" | WITHIN TYRE WIDTH 1.5"~2"


Tool-free Assembly


Easy to Install with 64H3


Fast Install & Release


Angle Adjustable


Customizable Graphic





Packaged Size:
L 550 x W 190 x H 50 mm.

SW-FI-175F/R Mudguard


- Material: PP

FAT BIKE | TOOL FREE | FITTING SIZE 26" | WITHIN TYRE WIDTH 4"


Front Mudguard


Rear Mudguard






64F2
Fixed Clamp
- Fit ø25 ~ 32mm seat-post.


64H2
Quick-release "Strape" Clamp
- Fit ø25 ~ 38mm seat-post.


64H3 **64H3-1**
Quick-release "Adjustable" Clamp with Plastic Screw
- Fit ø25 ~ 38mm seat-post.


64H5
Quick-release "Strape" Clamp
- Fit ø25 ~ 38mm seat-post.

SW-FI-175D/R Down-tube Mudguard (For Snow-bike)

- Material: PP
- Rubber Tie to fit all sizes of down tubes.
- Quick and easy setup.
- Lightweight and durable.

FAT BIKE | TOOL FREE | FITTING SIZE 26" | WITHIN TYRE WIDTH 4"


Rear Mudguard







Rubber Tie



Rubber Tie

MUDGUARD


SW-FX-119DC Quick-release Mudguard (Down-tube)

- Material: PP
- Fits most down-tubes.
- Tool-free assembly for easier and faster installation.
- Innovative “One-piece-made” package design.
- Customizable graphic and die-cut.
- L 420 x W 140 x H 70 mm. / 93 g.

SNOW BIKE | TOOL FREE | FITTING 24"~26" SIZE | WITHIN 4" TYRE WIDTH


Fast Install & Release


Rubber-tie Fixation


Integrated Package Design





Packaged Size:
L 585 x W 200 x H 35 mm.

SW-FX-119RC Quick-release Mudguard

- Material: PP
- Fits up to ø32.5mm seatposts.
- Angle adjustable.
- Tool-free assembly for easier and faster installation.
- Innovative “One-piece-made” package design.
- Customizable graphic and die-cut.
- Fit 24~26" wheels.
- L 614 x W 78 x H 142 mm. / 155.5g.


SNOW BIKE | TOOL FREE | FITTING 24"~26" SIZE | WITHIN 4" TYRE WIDTH


Tool-free Assembly


Easy to Install with 64H3


Easy Install & Release


Angle Adjustable


Integrated Package Design



Packaged Size:
L 710 x W 200 x H 35 mm.

SW-FX-119DS Quick-release Mudguard (Down-tube)


- Material: PP
- Fits most down-tubes.
- Tool-free assembly for easier and faster installation.
- Innovative “One-piece-made” package design.
- Customizable graphic and die-cut.
- L 400 x W 120 x H 55 mm. / 80g.

MTB | ATB | TOOL FREE | FITTING 26"~29" SIZE | WITHIN 2.125" TYRE WIDTH


Fast Install & Release


Rubber-tie Fixation


Pre-bolted Fixation


Integrated Package Design



Packaged Size:
L 565 x W 200 x H 35 mm.

SW-FX-119RS Quick-release Mudguard

- Material: PP
- Fits up to ø32.5mm seatposts.
- Angle adjustable.
- Tool-free assembly for easier and faster installation.
- Innovative “One-piece-made” package design.
- Customizable graphic and die-cut.
- Fit 26~29" wheels.
- L 573 x W 109 x H 90 mm. / 200g.


MTB | ATB | TOOL FREE | FITTING 26"~29" SIZE | WITHIN 2.125" TYRE WIDTH


Tool-free Assembly


Easy to Install with 64H3


Easy Install & Release


Angle Adjustable


Integrated Package Design



Packaged Size:
L 638 x W 200 x H 35 mm.

SW-FI-111F/R Mudguard

ATB | TREKKING | FITTING 24"~28" SIZE | WITHIN 38C TYRE WIDTH

- Material: PP
- Length adjustable up to 25mm.
- 2 sizes of clamps included for ø28~32mm & ø32~36mm seat-tubes.



Length Adjustable +25mm


Seat-tube Clamp


Front Mudguard


Rear Mudguard

POP OFF5

SAFETY QR FASTENER INJECTED FENDER ONLY

Safety design to detach in accident and prevent jamming the wheel.

SW-FI-171 F/R Mudguard

CTB | FITTING 650B~29" SIZE | WITHIN 1.75" TYRE WIDTH

- Material: PP
- Fit 650B~29" City-bikes.
- Slide in and fix.
- Cable-friendly Clip to fit ø28.6 ~ 31.8mm seat tube.


Seat-tube Clamp



Front Mudguard


Rear Mudguard



Slide-fix Hanger

FI-171R / FI-171F





POP OFF5

SAFETY QR FASTENER INJECTED FENDER ONLY

Safety design to detach in accident and prevent jamming the wheel.

804N TOOL FREE

Easy installation

Polyester nameplate

Fit ø4mm fender stay.





SW-668F/R Mudguard

TREKKING | FITTING 26"~28" SIZE | WITHIN 1.75" TYRE WIDTH

- Material: PP
- Fit uni-crown fork Cantilever & V-brake.
- Fit ø28.6 ~ ø31.8mm seat-tube.
- Fit 5/8″ or 1/2″ seat-stay bridge.
- Cable-friendly Clip to fit ø28.6 ~ 31.8mm seat tube.


Front Mudguard


Rear Mudguard





POP OFF5

SAFETY QR FASTENER INJECTED FENDER ONLY

Safety design to detach in accident and prevent jamming the wheel.

SW-664F/R Mudguard

KID | FITTING 16"~18" SIZE | WITHIN 1.75" TYRE WIDTH

- Material: PP


Front Mudguard


Rear Mudguard



SW-CF-065F/R Mudguard

- Material: PP
- Front mudguard fits kid's bikes with suspension fork, v-brake and uni-crown fork.
- Slide-fix front mudguard hanger for easy installation & positioning.
- Mudguard hanger bendable for angle-adjusting.

KID | FITTING 16"–20" SIZE | WITHIN 1.75" TYRE WIDTH


Front Mudguard


Rear Mudguard



SW-647FS Mudguard

- Material: PP
- Fit kid's bike with uni-crown.
- Slide-fix mudguard hanger for easy installation & positioning.
- Mudguard hanger bendable for angle-adjusting.

KID | FITTING 20"–22" SIZE | WITHIN 1.75" TYRE WIDTH



Slide-fix Hanger




SW-FI-115F(FH)/R Quick-release Mudguard

- Material: PP
- Trendy & stylish.
- Multi-style selection.
- Effective mud stop.
- Easy installation.
- Tough and durable.
- Optional FI-115FH front mudguard with forehead.

FOLDING BIKE | TOOL FREE | FOLDING 20" SIZE | WITHIN 1.25"/32C TYRE WIDTH


Optional Alloy Strap


Optional Reflective Strap


Rear Mudguard


Front Mudguard




Optional Alloy / 3M Reflective Strap



SW-FI-115FH
(with forehead)

SW-PS3F/PS1R Refoldable Quick-release Mudguard


- Material: PA6

FOLDING BIKE | TOOL FREE | FITTING 18"–20" SIZE | WITHIN 1.25"/32C TYRE WIDTH


"Clip-in" Front Mudguard


Adjustable Rear Mudguard


Safety Reflective Stickers


Refoldable Design



FRONT MUDGUARD FIX



Fix to the BACK of fork sleeve | Fix to the FRONT of fork sleeve | Fix to the INSIDE of steer tube


SW-FI-179A Mudguard

- Material: PP
- Finish: Etched
- Fit for ROCK SHOX front fork, MY21_SLD_35.
- Easy installation & positioning by fastened on front fork.

MTB | FITTING 29" SIZE | WITHIN 2.6" TYRE WIDTH








SW-FI-179B Mudguard

- Material: PP
- Finish: Etched
- Fit for ROCK SHOX front fork, MY21_SLD_35.
- Easy installation & positioning by fastened on front fork.

MTB | FITTING 29" SIZE | WITHIN 2.6" TYRE WIDTH







SW-650F/R Mudguard

- Material: PP
- Fit kid's bikes with uni-crown and cantilever or caliper brake style.
- Slide-fix mudguard hanger for easy installation & positioning.
- Mudguard hanger bendable for angle-adjusting.

KID | FITTING 20"-22" SIZE | WITHIN 1.75" TYRE WIDTH







Slide-fix Hanger



SW-651FS/RS Mudguard

- Material: PP
- Front mudguard fits kid's bikes with uni-crown fork.
- Various ED steel hardware of rear mudguard to meet different fitting needs.

KID | FITTING 16"-22" SIZE | WITHIN 2.125" TYRE WIDTH



Front Mudguard



Rear Mudguard



SW-651 REAR MUDGUARD HARDWARE

- Material: ED Steel



Standard
- Fit rear cantilever brake.
- Mount bridge or bridge-plate.
- Fit ATB recommended.



SW-651-V1
- Fit rear cantilever / long arm V-brake.
- Mount bridge or bridge-plate.



SW-651-V3 / 659
- Fit rear V-brake.
- Mount bridge or bridge-plate.



SW-651-D1
- Fit rear drum brake.
- Mount bridge or bridge-plate.



SW-651-L1
- Fit side lock bikes only.
- Mount bridge or bridge-plate.

SW-FI-191R Mudguard

- Material: rPP (PCR)
- Fits 26-29 Inches Bike
- Adjustable rear mudguard
- Easy Installation: Quick release design easy to install
- Flexible Adjustment: Adjustable gear angle for engagement and fixation

MTB | FITTING 26 ⇔ 29 SIZE | WITHIN 1.5" ~ 2.5" TYRE WIDTH









SW-FI-193 /FI-195 Mudguard

- Material: PC
- Available for front and rear wheel.
- The key feature is the quick fitting and removal process of the guard. Once initially installed, it can be mounted and removed in a matter of seconds, offering full coverage for the front or rear of your bike.
- The unique design allows the guard to only touch your frame at the dropout, so no brackets, O-rings or pads to scratch your ride.

SW-FI-193


ROAD | TOOL FREE | FITTING 27.5" / 700C SIZE | WITHIN 32C ⇔ 35C TYRE WIDTH

SW-FI-195

GRAVEL | TOOL FREE | FITTING 27.5" / 700C SIZE | WITHIN 45C ⇔ 50C TYRE WIDTH






Optional:

Adapt with	Thread pitch	Product dimensions
Universal Fit for Most Bikes Universal Fit for Most Bikes	M12x1mm M12x1mm	175.9x20mm 201.9x20mm
Specialized & Cervelo Specialized & Cervelo	M12x1mm M12x1mm	176.9x20mm 199.9x20mm
Trek Trek	M12x1.75mm M12x1.75mm	159.9x20mm 213.4x20mm
Shimano Standard Shimano Standard	M12x1.5mm M12x1.5mm	176.9x20mm 208.9x20mm

SW-FI-179C Mudguard

- Material: PP
- Finish: Etched
- Fit for ROCK SHOX front fork:

SW-FI-179C:
MY21_ZEB_38.

SW-FI-179C1:
MY21_35_35.
MY21_Recon_32.

- Easy installation & positioning by fastened on front fork.

MTB | FITTING 27&29" SIZE | WITHIN 2.6" TYRE WIDTH



SW-FI-179C1
With additional adapter

SW-FI-179D Mudguard

- Material: PP
- Finish: Etched
- Fit for ROCK SHOX front fork:

SW-FI-179D:
MY21_ZEB_38.

SW-FI-179D1:
MY21_35_35.
MY21_Recon_32.

- Easy installation & positioning by fastened on front fork.

MTB | FITTING 27&29" SIZE | WITHIN 2.6" TYRE WIDTH



SW-FI-179D1
With additional adapter

SW-FI-197F/R Quick-release Mudguard

- Material: PP
- Trendy & stylish.
- Effective mud stop.
- Easy installation.
- Tough and durable.





Rear Mudguard



Front Mudguard



MUDGUARD