SW-71A(C/D3/E/F/H) Chainguard Bracket

• Material: ED Steel
SW-71A/E/F: fit inner BB ø35mm / outer BB ø40~45mm / BC 1.37″ x 24 T.P.I.
SW-71C: fit ø35mm BB only.











SBB
71A



BBB
71C



SBB
71D3



SBB
71E



MBB
71F



71I0



71I4



71J0



71J4



71K0



71K1



71H0




71H1



71H2

BRACKET & CHAINCOVER SYNOPSIS


SINGLE SPEED



MODEL NUMBER	Available bracket
SW-CG-131	71A0
SW-768	71C0,71E0
SW-771	71A0, 71C0
SW-772	
SW-773	
SW-777	
SW-780	
SW-780C	71A1, 71C0
SW-7802	
SW-788	71E1 clamp (ø25.4, ø28.6, ø31.8, ø35, ø38.1)




CHAIN CASE	Available bracket
SW-775	71E0
SW-775S1~S3	




SHIMANO	BAFANG	BOSCH

TRIPLE SPEED



MODEL NUMBER	Available bracket
SW-761	71D3
SW-7714	71A3
SW-7724	71A3
SW-7734	71A3
SW-799	71A1

CHILD BIKE



CHILD BIKE	Available bracket
SW-792	71A0, 71C0

SW-76001~03	60SS, 60SM, 60SL
SW-760S1~S3	
SW-760M1~M3	60LS, 60LM, 60LL
SW-760L1~L3	

E-BIKE (SHIMANO)

Type	Chain Case	Bracket
DU-E5000 DU-E6100	SW-CG-173A SW-CG-173A1	71K6
	SW-CG-117	CG-117C
	SW-CG-139	71H2-05
	SW-CG-153A / CG-153B	71H2
DU-E6001 DU-E6010 DU-E6050	SW-CG-173A SW-CG-173A1	71K2
	SW-CG-173B	71K4
	SW-CG-139	71H0-03
	SW-CG-113	71H0-01
	SW-780	71H0-02
	SW-CG-117	71K0
	SW-CG-153A / CG-153B	71H0
DU-E7000 DU-E8000	SW-CG-173A SW-CG-173A1	71K3
	SW-CG-173B	71K5
	SW-CG-117	71K1
EP8	SW-CG-173A SW-CG-173A1	71K3-1

E-BIKE (BAFANG)

Type	Chain Case	Bracket
MM G360.250 M300	SW-CG-173A SW-CG-173A1	71I0
	SW-CG-173B	71I1
	SW-CG-113	71I2
	SW-7802	71I3
	SW-CG-117	71I4
MM G330.250 M400	SW-CG-117	71I4-1
MM G330.250 M410		
MM G 333.250 (M410)	SW-CG-153A / CG-153B	71H3
MM G 332.250 (M420)		71H4

E-BIKE (BOSCH)

Type	Chain Case	Bracket
Active Line Active Line Plus (Gen3)	SW-CG-173A SW-CG-173A1	71J0
	SW-CG-173B	71J1
	SW-CG-113	71J2
	SW-7802	71J3
	SW-CG-117	71J4
Performance Line speed (Gen4)	SW-CG-173A SW-CG-173A1	71H1-01
	SW-CG-173B	71H1-02
	SW-CG-139	71H1-05
	SW-CG-113	71H1-03
	SW-7802	71H1-04
	SW-CG-153A / CG-153B	71H1
		71H6

CHAIN GUARD


SW-760 Chain Guard

- Material: (Standard)ABS or PC
- Finish: Gloss
- Different sizes of front and rear chainguard offer bikers more choices.
- The SW-760 full-chaingurd series provide you suitable sizes as your requirement.




SW-760X

12″



Final item No.: 76001 **Teeth:** 28T **R.C. Range:** 240~265mm
Final item No.: 760S1 **Teeth:** 28T **R.C. Range:** 215~240mm
Final item No.: 760M1 **Teeth:** 32~36T **R.C. Range:** 270~295mm
Final item No.: 760L1 **Teeth:** 32~36T **R.C. Range:** 300~325mm

14″~16″



Final item No.: 76002 **Teeth:** 28T **R.C. Range:** 275~300mm
Final item No.: 760S2 **Teeth:** 28T **R.C. Range:** 250~275mm
Final item No.: 760M2 **Teeth:** 32~36T **R.C. Range:** 305~330mm
Final item No.: 760L2 **Teeth:** 32~36T **R.C. Range:** 335~360mm

18″



Final item No.: 76003 **Teeth:** 28T **R.C. Range:** 300~325mm
Final item No.: 760S3 **Teeth:** 28T **R.C. Range:** 275~300mm
Final item No.: 760M3 **Teeth:** 32~36T **R.C. Range:** 330~355mm
Final item No.: 760L3 **Teeth:** 32~36T **R.C. Range:** 360~385mm

20″



Final item No.: 760X **Teeth:** 32~36T **R.C. Range:** 390~420mm



S
Fit inner chainguard of B.B. size ø35mm or B.C. 1.37″x24T.P.I.



M
Fit inner chainguard of B.B. size ø43.5mm



L
Fit inner chainguard of B.B. size ø51.5mm

PR-111 Chainguard Fork Protector



- Prevent children from touching the rear chain.
- Decrease gap between the forks to the ISO 8098 4.15 safety standard.

SPECIFICATION LIST OF SW-760 SERIES

MODEL	TEETH	INNER DIAMETER OF CHAIN GUARD	R.C. RANGE	SUITABLE INNER CHAIN GUARD MODEL NUMBER			REMARK
				S	M	L	
SW-760S1	28T	ø90	215~240mm	•	•	•	
SW-760S2			250~275mm				
SW-760S3			275~300mm				
SW-76001			240~265mm				
SW-76002			275~300mm				
SW-76003			300~325mm				
SW-760M1	32T~36T		300~325mm	•	•	•	
SW-760M2			335~360mm				
SW-760M3			360~385mm				
SW-760L1	32T~36T		270~295mm	•	•	•	
SW-760L2			305~330mm				
SW-760L3			330~355mm				
SW-760X			390~420mm				

SW-719 Chain Cover

- Material: PC
- Finish: Gloss
- Fit models with crank/chain wheel distance between 6~16mm.

WITHIN 42~44T TEETH





STANDARD



15mm 11mm

OPTIONAL




70F
For non-threaded BB

SW-722(A) Chain Cover


- Material: PC
- Finish: Gloss
- BCD:104mm

WITHIN 42~44T TEETH





SW-722



SW-722A

SW-720 Chain Cover

- Material: PC
- Finish: Gloss
- Fit models with crank/chain wheel distance between 6~16mm.

WITHIN 46~48T TEETH





STANDARD



15mm 11mm

OPTIONAL



70F
For non-threaded BB

SW-780 Chain Guard

- Material: PC
- Finish: Gloss

SINGLE | ø120 INNER DIA. | WITHIN 38T TEETH | WITHIN 433 C.C.(mm)







BBB
71C0



SBB
71A0



71H1
for BOSCH
Performance Line Speed



71H0
DU-E6001 / DU-E6010
/ DU-E6050



71I3
MM G330.250
MM G360.250



71J3
Active Line
Active Line Plus

780 INNER DIAMETER SPEC.

MODEL	MIDDLE HOLE DIAMETER	REMARKS
SW-780	ø120mm	
SW-7801	ø80mm	
SW-7802	ø102mm	
SW-7803	ø112mm	
SW-780C	ø80mm	with colorful pad ring to make the whole bike vivid.

SW-780A Chain Guard

- Material: PC
- Finish: Matt (Etched)

SINGLE | ø120 INNER DIA. | WITHIN 38T TEETH | WITHIN 433 C.C.(mm)








BBB
71C0



SBB
71A0



SW-7802
Etched



71H1
for BOSCH
Performance Line Speed



71H0
DU-E6001 / DU-E6010
/ DU-E6050



71I3
MM G330.250
MM G360.250



71J3
Active Line
Active Line Plus

780 INNER DIAMETER SPEC.

MODEL	MIDDLE HOLE DIAMETER
SW-780A	ø120mm
SW-7802A	ø102mm

SW-CG-139 Chain Guard

- Material: PC / ABS
- Finish: Gloss
- Designed with an auxiliary reflector for extra safety.

SINGLE | WITHIN 38T TEETH | WITHIN 470 R.C.(mm)





Decorative Reflector







71H0
DU-E6001 / DU-E6010
/ DU-E6050



71H1
Performance Line
speed (Gen4)



CG-139
Chain-stay Clamp



CG-115
BB Bracket

SW-CG-117 Chain Guard

- Material: PC
- Finish: Gloss

SINGLE | WITHIN 38T TEETH | ø102 INNER DIA.

CG-11701
oval-shape cut-out

WITHIN 450~470 R.C(mm)





CG-117
Chain-stay Clamp

CG-11702

WITHIN 475~495 R.C(mm)





71K0
for SHIMANO DU-E60
STEPS drive unit



71K1
for SHIMANO E8
series drive unit



71I4
for BAFANG MM G330.250/
MM G360.250 drive unit



71J4
for BOSCH MY18 Active Line/
MY 18 Active Line Plus



CG-117C
DU-E5000
DU-E6100

CHAIN GUARD

SW-CG-173A1 Chain Guard

- Material: PC
- Finish: Gloss

EBIKE | SINGLE | ø132 INNER DIA. | WITHIN 38T TEETH | WITHIN 513 C.C.(mm)







71I0
MM G330.250
MM G360.250



71J0
Active Line
Active Line Plus



71K2
DU-E6001 / DU-E6010 / DU-E6050



71K3
DU-E7000
DU-E8000

71K6
DU-E5000 / DU-E61

71H1
for BOSCH
Performance Line Speed

SW-CG-173A Chain Guard

- Material: PC
- Finish: Gloss

EBIKE | SINGLE | ø132 INNER DIA. | WITHIN 38T TEETH | WITHIN 513 C.C.(mm)







71I0
MM G330.250
MM G360.250



71J0
Active Line
Active Line Plus



71K2
DU-E6001 / DU-E6010 / DU-E6050



71K3
DU-E7000
DU-E8000

71K6
DU-E5000 / DU-E61

71H1
for BOSCH
Performance Line Speed

SW-792 Chain Guard

- Material: ABS
- Finish: Gloss
- Fit 20″ rear end with extended mounting hole.

KID | ø102 INNER DIA. | WITHIN 38T TEETH | WITHIN 296 C.C.(mm)





SW-CG-113 Chain Guard

- Material: PC
- Finish: Gloss
- Color customizable window plate.

SINGLE | ø100 INNER DIA. | WITHIN 38T TEETH | WITHIN 439 C.C.(mm)







71H0
DU-E6001 / DU-E6010 / DU-E6050



71I2
MM G330.250
MM G360.250

71J2
Active Line
Active Line Plus

71H1
for BOSCH
Performance Line Speed

CHAIN GUARD

SW-771(7714) Chain Guard

• Material: PC
• Finish: Gloss

TRIPLE | ø 130 INNER DIA. | WITHIN 44T TEETH | WITHIN 405 C.C.(mm)







BBB
71C0

SBB
71A0



SW-7714

SW-CG-133 Chain Guard

• Material: PC
• Finish: Gloss

SINGLE | WITHIN 44T TEETH | WITHIN 435 C.C.(mm)



INNER DIAMETER SPEC.

MODEL	MIDDLE HOLE DIAMETER
CG-1331	ø80mm
CG-1332	ø102mm
CG-1333	ø112mm
CG-1334	ø120mm

SW-CG-173B Chain Guard

• Material: PC
• Finish: Gloss

EBIKE | SINGLE | ø132 INNER DIA. | WITHIN 44T TEETH | WITHIN 513 C.C.(mm)







71I1
MM G330.250
MM G360.250



71J1
Active Line
Active Line Plus



71K4
DU-E6001 / DU-E6010 / DU-E6050



71K5
DU-E7000
DU-E8000



71H1
for BOSCH
Performance Line Speed

SW-773(7732) Chain Guard

• Material: PC
• Finish: Gloss
SW-773: Inner ø155mm.
SW-7732: Inner ø102mm.

TRIPLE | ø 155 INNER DIA. | WITHIN 44T TEETH | WITHIN 405 C.C.(mm)








BBB
71C0



SBB
71A0



SW-7734

www.SUNNYWHEEL.com

SW-799 Chain Guard

- Material: PC
- Finish: Gloss
- Innr Diameter Choice: ø130mm / ø170mm / ø190mm / ø212mm.

TRIPLE | WITHIN 50T TEETH | WITHIN 436 C.C.(mm)





SBB
71A1



SW-CG-133A Chain Guard

- Material: PC
- Finish: Etched

SINGLE | WITHIN 44T TEETH | WITHIN 433 C.C.(mm)



INNER DIAMETER SPEC.

MODEL	MIDDLE HOLE DIAMETER
CG-1331A	ø80mm
CG-1332A	ø102mm
CG-1333A	ø112mm
CG-1334A	ø120mm

SW-CG-131 Chain Guard

- Material: PC
- Finish: Gloss
- Weight: 164g

SINGLE | ø155 INNER DIA. | WITHIN 46T TEETH | WITHIN 403 C.C.(mm)



Streamline Look on Bike





71A0
BB Bracket





SW-CG-153A / CG-153B / CG-153C Chain Guard

- Material: Aluminum
- Finish: Coated / Anodized

CARGO | SINGLE | ø130 INNER DIA. | WITHIN 590 C.C.(mm)





Customizable Service

E-BIKE (SHIMANO)


Type	Bracket
DU-E6001 DU-E6010 DU-E6050	71H0
DU-E5000 DU-E6100	71H2

E-BIKE (BAFANG)


Type	Bracket
MM G 333.250 (M410) MM G 332.250 (M420)	71H3 71H4

E-BIKE (BOSCH)


Type	Bracket
Gen4 2025 Gen4	71H1 71H6



SW-CG-153A
WITHIN 38T TEETH



SW-CG-153B
WITHIN 44T TEETH



SW-CG-153C
WITHIN 48T TEETH

CHAIN GUARD

SW-772(7724) Chain Guard

• Material: PC
• Finish: Gloss
SW-772: Inner ø150mm / Max. Crank Fit: 50T.
SW-7724: Max. Crank Fit: 48T.

TRIPLE | ø150 INNER DIA. | WITHIN 50T TEETH | WITHIN 405 C.C.(mm)





BBB 71C0 **SBB** 71A0





SW-7724

SW-777 Chain Guard

• Material: PC
• Finish: Gloss

SINGLE | ø120 INNER DIA. | WITHIN 38T TEETH | WITHIN 412 C.C.(mm)





BBB 71C0 **SBB** 71A0




SW-761 Chain Guard

• Material: PC
• Finish: Gloss

TRIPLE | ø170 INNER DIA. | WITHIN 48T TEETH | WITHIN 407 C.C.(mm)





SW-70A BB / Bracket Spacer

• Material: Aluminum
• Threaded ring to ensure BB clamp is well fixed to BB.
• Avaliable Size: ø35 x 40 x 1.5mm.
ø35 x 40 x 2.64mm.





SW-CG-175 Chain Guard

- Material: PC
- Finish: Gloss

EBIKE | SINGLE | ø132 INNER DIA. | WITHIN 38T TEETH | WITHIN 445 C.C.(mm)







71I0
MM G330.250
MM G360.250



71J0
Active Line
Active Line Plus



71K2
DU-E6001 / DU-E6010 / DU-E6050



71K3
DU-E7000
DU-E8000



71K6
DU-E5000 / DU-E6100

71H1
Gen4
Performance Line

71H2
DU-E5000 / DU-E6100


71H3
MM G335,250
M410

SW-CF-513 Aluminum Chain Guard

- Material: Aluminum
- Finish: Ano Matt BK

SINGLE | WITHIN 38&44T TEETH | WITHIN 390 C.C.(mm)








CF-513
BB Bracket



70C Seat Stay Clamp

70C1 ø1/2" (12.7mm)
70C2 ø5/8" (15.8mm)
70C3 ø3/4" (19mm)
70C4 ø7/8" (22mm)



SW-CX-111A Universal Aluminum Chain Guard

- Material: Aluminum / PC
- Designed for Road-bike (52T) and MTB (44T).
- Universal strap to fit all sizes/shapes of Down-tubes and Seat-stays.
- L 515~585 x W 160 x H 40 mm / Weight: 180g.
- Finish: Ano Silver w / sandblast

ALL BIKE | WITHIN 44~52T TEETH | WITHIN 585 C.C.(mm)



Stylish Look



Universal Down-tube Strap



Universal Seat-stay Strap





Universal Brackets

SW-CG-151 Chain Guard

- Material: PC / ABS
- Finish: Gloss
- Stylish look on bike.


SINGLE | WITHIN 48T TEETH | WITHIN 410 C.C.(mm)



Decorative Reflector



Decorative Reflector





70C Seat Stay Clamp

70C1 ø1/2" (12.7mm)
70C2 ø5/8" (15.8mm)
70C3 ø3/4" (19mm)
70C4 ø7/8" (22mm)

788 CLAMPS



Ø 25.4mm



Ø 28.6mm



Ø 31.8mm



Ø 35mm




Ø 38.1mm

CHAIN GUARD

SW-CG-155A / CG-155B Chain Guard

- Material: (Standard) ABS or PC
- For ISO8089:2023 Standard
- Finish: Gloss





S
Fit inner chainguard
of B.B. size ø35.5mm

M
Fit inner chainguard
of B.B. size ø43.5mm

L
Fit inner chainguard
of B.B. size ø51.5mm

CG-155 Chain-Stay
L=30~50mm

SPECIFICATION LIST OF SW-CG-155A / CG-155B SERIES

MODEL	TEETH	R.C. RANGE	SUITABLE INNER CHAIN GUARD MODEL NUMBER					
			SW-CG-155A S	SW-CG-155A M	SW-CG-155A L	SW-CG-155B S	SW-CG-155B M	SW-CG-155B L
SW-CG-155A1	28T	215 ~ 245 mm	●	●	●			
SW-CG-155A2		245 ~ 275 mm						
SW-CG-155A3		275 ~ 305 mm						
SW-CG-155A4		305 ~ 335 mm						
SW-CG-155B1	36T	270 ~ 300 mm				●	●	●
SW-CG-155B2		300 ~ 330 mm						
SW-CG-155B3		330 ~ 360 mm						
SW-CG-155B4		360 ~ 390 mm						

SW-788 Series

- Material: PP
- Finish: Gloss
- Exclusive for BMX.

SINGLE





788 CLAMPS


Ø 25.4mm


Ø 28.6mm


Ø 31.8mm


Ø 35mm


Ø 38.1mm



SW-788
- Fit within 44T.
- Length: 330mm.



SW-788A
- Fit within 28~36T.
- Length: 330mm.



SW-788C
- Fit within 23~28T.
- Length: 335mm.



SW-788D
- Fit within 36~44T.
- Length: 450mm.



SW-788E
- Fit within 32~44T.
- Length: 406mm.

CHAIN GUARD

SW-70D(D1/D2/D3) Chain-stay Clamp

• Material: ED Steel
• Fit ø1/2″~7/8″ chain stay.
SW-70D: for single or multi-speed chainguards.
SW-70D1: for multi-speed and SHIMANO Megarange freewheel chainguards.
SW-70D2: fit all tubes (ø17~ø23.2mm).

SW-70D3/D3-1~4:Chain stay must have M5 screw hole.





SW-70D3 Series



SW-70D3 Series



SW-70D




SW-70D1




SW-70D2



SW-70D3/D3-1



SW-70D3-3



SW-70D3-2



SW-70D3-4

SW-70C Seat-stay Clamp

• Material: PA
70C1: fit ø1/2″ (12.7mm)
70C2: fit ø5/8″ (15.8mm)
70C3: fit ø3/4″ (19mm)
70C4: fit ø7/8″ (22mm)







SW-70G(G1/G2) Universal Seat-stay Strap

• Material: PA
70G1: ø12.7mm~ø25.4mm
70G2: ø19mm~ø65mm



Universal Seat-stay Strap



70G2

70G1

CHAIN GUARD

SW-CE-111 Bicycle Clip-On Chain Cover

- Material: POM
- Fit 1/2" x 1/8" Single Speed Bike
- Easy clip on chain.
- This Bicycle clip-on chain cover can be installed on general type except quick release chain.

SINGLE





Customization Colour Available



Flexible On Chain



STANDARD COLOUR TABLE





Packaged Size:
L 112 x W 37 x H 183mm.
Q'ty:120pcs per pack.

SW-DG-115 Dress-guard

- Material: PC / PP (clip)
- Clip to fit 26" / 700C bikes.
- Light-weight with maximized protection.
- For All Plastic-made and FA-513 Aluminum Fender.

CTB

FITTING 26"~700C SIZE



Max Protection



Seat-stay Brackets

L ø19~22.2mm

M ø15.8mm

S ø12.8mm







Packaged Size:
L 450 x W 25 x H 210mm.

SW-AP-111 Spoke Protector

- Material: ABS
- Prevents spokes from getting damaged.
- Not suitable for Campagnolo hubs.

ROAD

WITHIN 24~28T TEETH



For Cassette Freehub

SW-AP-115 Spoke Protector

- Material: ABS
- Prevents spokes from getting damaged.

WITHIN 24~28T TEETH



For Threaded Hub




SW-AP-113 Spoke Protector

- Material: ABS
- Prevents spokes from getting damaged.
- Not suitable for Campagnolo hubs.

MTB

WITHIN 30~34T TEETH



For Cassette Freehub



SW-AP-135 Spoke Protector

- Material: ABS
- Clip-mounted to prevent spokes from getting damaged.
- Not suitable for Campagnolo hubs.

WITHIN 32~34T TEETH



For Spoke Fitting



CHAIN GUARD