2026

SUNNYWHEEL.COM

CustomizePerfection

DESIGN • PRODUCTION • QUALITY • DELIVERY

2026
TABLE OF CONTENTS

FULL- COVER FENDER

MUDGUARD

CHAIN GUARD

BASKET

QUICK-RELEASE ADAPTOR

GRIP

MIRROR


RING BELL

CHILD SEAT

TRAINING WHEEL


ACCESSORY HARDWARE

P.C. FENDER PROFILE



P.C. FENDER CABLE STORAGE TECH PROFILE


ø3mm
ø5mm



FULL-COVER FENDER

Plastic Full-cover Fender

Use of Polycarbonate (P.C.) is one of Sunny Wheel's specialty in introducing the making of lightweight full cover fenders. The density of P.C. is around 1.2, with high transparency, glossy surface and flexibility. Good resistance not only in weathering but also impact. Stable quality with minimal shrinkage. Material with such characteristics makes our plastic full cover fender your top choice.



Weatherproof from -20˚C up to 130˚C


Impact Resistance (-20˚C)


Lightweight


High Flexibility

FENDER STAY MOUNTING (FIXED)




SELECTIVE STAY THICKNESS

All fender stay are available in ø3.2mm and ø3.9mm thickness to meet different needs.

Material: • 204 / 304 Stainless Steel: ø3.2 and ø3.9mm
• Steel (ED Black): ø3.9mm

SELECTIVE STAY EYELET DIAMETER





MSA
UPPER-MOUNTED FENDER STAY
Fender stay mounted to the exterior of fenders with choice of stainless/chromed steel upper bracket.



MSB
UNDER-MOUNTED FENDER STAY
Fender stay mounted to the interior of fenders with bolt and screw only.



MSI
SINGLE-STAY + MOUNTED BRACKET
Single fender stay mounted to both sides of fenders with stainless steel under bracket.



MSV
V-STAY + MOUNTED BRACKET
V-style fender stay mounted to both sides of fenders with stainless steel under bracket.

*Recommendable for FRONT & REAR fenders.
Standard θ:40°



POI
SINGLE-STAY + SAFETY QR FASTENER
Widely used for front fender installation.
Stay accompanies selective
QR fastener: (POPOFF / POPOFF 1 / POPOFF 3)



POV
V-STAY + SAFETY QR FASTENER
For both front and rear fender installation.
Stay accompanies selective
QR fastener: (POPOFF / POPOFF 1 / POPOFF 3)
Standard θ:40°



FV-111
UPPER-MOUNTED FENDER STAY
Material: Aluminum


Aluminum tube to squash



FV-111A
UPPER-MOUNTED FENDER STAY
Material: Aluminum


Aluminum tube to squash



FV-113B



FV-113A/B Patented
Material: Aluminum / 304 Stainless
UNDER-MOUNTED FENDER STAY

FV-113A: Adjustable stay eyelet ;Strut snap on system.
FV-113B: Fixed stay eyelet ;Strut snap on system.







FV-117 Patented
Adjustable Fender Stay
Material: (POM+PA6) / Aluminum





Adjustable Fender Stay


FANDER STAY SAFETY POP-OFF

TIRE-WIDTH CHART

*For quick reference only.



FENDER OD CHART

MODEL	12" R175	14" R200	16" R225	18" R250	20" R275	22" R310	24" R325	26" R350	650B R370	700C R370	27.5" R375	28" R380	29" R395
FE-113									●	●			
FE-115	●		●		●			●			●		●
FE-117									●	●			
FE-119						●					●		
FE-133									●	●			
FE-135									●	●			
FE-137									●	●			
SW-812					●		●	●					
SW-813			●	●	●								
SW-814					●		●	●	●	●	●	●	
SW-816	●	●	●	●	●	●	●	●	●	●	●	●	
SW-817							●	●			●		●
SW-818								●	●	●			
SW-819					●				●	●			
SW-820			●		●		●	●	●	●			
SW-821					●				●	●			
SW-822				●	●		●	●	●	●			●
SW-823									●	●			
SW-825					●		●	●			●		●
FE-139-70A										●			
FE-311-70		●		●	●		●		●	●	●		
FE-311-100							●		●	●			●

CABLE STORAGE TECH PROFILE

SW-814E								●	●	●		●	
SW-816E						●	●	●	●	●			
SW-820E								●		●			●
SW-822E							●	●	●	●	●		
SW-823E									●	●			
FE-311-55E1								●	●	●	●		
FE-311-60E2								●					
FE-311-60E3					●				●	●	●		
FE-311-65E2			●		●		●						
FE-311-65E3			●		●		●		●	●	●		●
FE-311-70E3		●		●			●		●	●	●		
FE-311-100E2							●						●
FE-139-70E2									●	●	●		
FE-139-75E3					●			●	●	●	●		
FE-139-80E1												●	●
FE-139-80E2													●
FE-139-85E2								●	●	●	●		

FULL-COVER FENDER

FENDER STAY SAFETY POP-OFF





FV-515 Patented
(For ø3.2 / ø3.9 mm FENDER-STAY)
FENDER STAY SAFETY POP-OFF
Material: PA6
Applicable to MSA / MSB / MSI / MSV fender-stays to pop-off when jammed.

MSA
MSB
MSI
MSV



FENDER STAY MOUNTING (FIXED)



804N-02
UPPER-MOUNTED
FENDER STAY

Material: 303 Stainless





804E-1
UNDER-MOUNTED
FENDER STAY
Material:Zinc
·ø3.9mm/ø5mm




FENDER STAY / SEAT STAY HARDWARE



804H • Fender stay: ø3.9mm
• Material: Steel
• Finishing: ED BK

804H-1 • Fender stay: ø5.0mm
• Material: Steel
• Finishing: UCP






Prevent Rotation
ø5mm screw hole
804J • Fender stay: ø3.9mm
804J-1 • Fender stay: ø3.2mm

ø6mm screw hole
804J-2 • Fender stay: ø5mm



804H-2
• Fender stay thickness ø3.2mm / ø3.9mm / ø5mm
• Easy installation

804H-2A: ø3.2mm
804H-2B: ø3.9mm
804H-2C: ø5mm








804H-3
• Fender stay thickness ø3.2mm / ø3.9mm / ø5mm / ø6mm stay eyelet
• Stay eyelet diameter ø6mm

804H-3A: ø3.2mm
804H-3B: ø3.9mm
804H-3C: ø5mm
804H-3D: ø6mm stay eyelet








804H-3A / B / C 804H-3D



804H-5
• Fender stay: ø3.9mm
• Material: POM

804H-5A: ø3.2mm
804H-5B: ø3.9mm
804H-5C: ø5mm





804M SLIDE SHIM
• Slidable shim gives the possibility with 10mm length adjustment to fender stay.



804M-1 SLIDE SHIM
• Can with no limited length adjustment to fender stay
• only fit ø5mm fender strut










FV-115 Patented
Material: (POM+PA6) / 304 Stainless
POP-OFF SAFETY QR FASTENER
Fixed stay eyelet
Strut snap on system

Lorem ipsum



FENDER STAY SAFETY POP-OFF (Not Compatible With SW-FE-139.)

STAY SAFETY	DESCRPTION	FIT STAY	FUNCTION
 FPOP	**QR FASTENER (For ø3.2 / ø3.9 mm FENDER-STAY)** Material: POM Slide along fender for position adjust. Allows 20mm travel adjustment.	POI POV	
 POP OFF  POP OFF 1	**SAFETY QR FASTENER (For ø3.2 / ø3.9 mm FENDER-STAY)** Material: POM Safety design to detach in accident and prevent jamming the wheel. (QR) quick release, easy installation and allows 20mm stay length adjustment.  **SAFETY QR FASTENER (For ø3.2 mm FENDER-STAY)** Material: POM Safety design to detach in accident and prevent jamming the wheel. (QR) quick release, easy installation and allows 20mm stay length adjustment. 	POI POV	 Auto-detach When Jammed
 POP OFF 3	**SAFETY QR FASTENER (For ø3.2 / ø3.9 mm FENDER-STAY)** Material: POM Safety design to detach in accident and prevent jamming the wheel. (QR) quick release, easy installation and allows 20mm stay length adjustment. 	POI POV	 Auto-detach When Jammed
 POP OFF 5	**SAFETY QR FASTENER (For ø3.2 / ø3.9 mm FENDER-STAY) and SW-FE-119 / SW-FE-311-100 / EZ)** Material: POM Safety design to detach in accident and prevent jamming the wheel.  (QR) quick release, easy installation and allows 20mm stay length adjustment.	POI POV	 Auto-detac When Jammed
	**FV-517** Patented **(For ø5 mm FENDER-STAY)** **Adjustable Fender Stay** Material: PA6 / Aluminum Length: 120mm. Applicable to MSA/MSB fender-stays to adjust the length. e.g. 29" Bike MSA Fender Stay Length : 394mm. MSA Fender Stay can be adjusted to a length of 394 to 514 mm.  Fender Stay  Adjustable Stay Length  Adjustable Stay Length	UPPER-MOUNTED FENDER STAY	
	FV-517-1 FENDER STAY SAFETY POP-OFF Material: PA6 / Aluminum Length: 120mm. Applicable to MSA/MSB fender-stays to adjust the length. **FV-517A** Adjustable Stay Length		

FULL-COVER FENDER


FENDER FIXTURES



SW-800A ~ SW-800I
REMOVABLE PLASTIC HANGER
- Easy to install and good weathering resistant.
- Material: POM
- Colour: BK



STAINLESS STEEL SELF-BEND HANGER
- Material: Stainless Steel
- Fit for Resin Fender Width: Short: 35mm ~ 50mm Long: 50mm ~ 80mm






SW-805B PRE-BENT CARRIER TYPE HANGER
- Connects between carrier & fender when fastener is not used.
- Pre-bent to fit selected fender and cutout ready to fit reflector.
- Material: Steel / Finishing: ED BK
- Fit for Fender Width ≤ 59mm






SW-805E SELF-BEND CARRIER TYPE HANGER
- Connects between carrier & fender when fastener is not used.
- Pre-bent to fit selected fender and cutout ready to fit reflector.
- Material: Steel / Finishing: ED BK
- Fit for Resin Fender Width: 50mm ~ 70mm





SCBM-1
STANDARD FENDER-CHAINSTAY BRIDGE MOUNT
(For Fender Width within 55mm.)
- Bolt fixs between fender and chainstay bridge.



SCBM-2
STANDARD FENDER-CHAINSTAY BRIDGE MOUNT
(For Fender Width above 60mm.)
- Bolt fixs between fender and chainstay bridge.




SW-804B
QUICK CLIP FENDER-CHAINSTAY BRIDGE MOUNT
- Material: Steel / Finishing: ED BK
- For chain stay ≤ ø15mm
- Clip-in between fender and chainstay bridge (no tool required)



SW-804B-1
QUICK CLIP FENDER-SEAT TUBE STAY BRIDGE MOUNT
- Material: PA6 / Finishing: BLACK
- Fit ø28.6 ~ ø31.8mm seat-tube.



FE-113R
QUICK MOUNT
(FOR SEAT TUBE BRIDGE)
- Easy installation.
- Elastic rubber strap.






FE-113R1
QUICK MOUNT
(FOR SEAT TUBE BRIDGE)
- Easy installation.
- Elastic rubber strap.





SA1-01
QUICK CLIP FENDER-SEAT
(FOR FRONT FORK HOLE)
- Finishing: BLACK
  SW-FE-113 / SW-FE-133
  / SW-FE-135






SW-802A
HANGER-BRIDGE WASHER
- Material: PP

R7mm recessed to fit bridge tube.





SW-802B
HANGER-FORK WASHER
- Material: PP

R14.5mm recessed to fit fork sleeve tube.





SW-804F BEVELED CUSHION
- Material: TPR
- For clearance 2mm~ 5mm.
- Fix between fender and carrier for noise reduction purpose.

SW-804F01 PAD
- Material: PP
- Adapt with SW-804F ,for clearance ≥ 5mm.



FENDER TAILS

FIX & MATERIAL	FENDER TAIL	MODEL	FIT FENDER
RIVET FIX (T.P.R.)		SW-803C-35	SW-819
		SW-803C-40	SW-821
		SW-803C-45	SW-FE-111 SW-814
		SW-803C-50	SW-816
		SW-803C-60	SW-812 SW-822 SW-823
		SW-803C-70	SW-FE-311-70
		SW-803C-80	SW-825
		SW-803C-122	SW-FE-119
		SW-803 J	SW-821
		SW-803 K	SW-814 SW-FE-111
		SW-803 L	SW-816 SW-818
		SW-803 M	SW-813 SW-820 SW-823 SW-FE-311-55E1 SW-812 SW-FE-311-60E3 SW-817
		SW-803 N	SW-822 SW-FE-115
		SW-803 O	SW-819 SW-824
		SW-803 D	SW-814 SW-816 SW-FE-111
		SW-803 H	SW-819 SW-824 SW-821
		SW-803 P	SW-813

		SW-803P-70E SW-803P-80E	SW-FE-139-70E2 SW-FE-139-80E1

FIX & MATERIAL	FENDER TAIL	MODEL	FIT FENDER
RIVET FIX (T.P.R.)		SW-803N-70	SW-FE-311-70 SW-FE-311-65E3 SW-FE-311-70E3
CLIP FIX (T.P.R.+PP)		SW-803 Q	SW-814 SW-816 SW-818
		SW-803 U	SW-819
		SW-803 R	SW-FE-311-55E1 SW-820 SW-FE-311-60E3
		SW-803 V	SW-822 SW-FE-115
		SW-803 S	SW-812 SW-823
		SW-803 S-30	SW-FE-113
		SW-803 S-38	SW-FE-133
		SW-803 S-45	SW-FE-135
		SW-803V-65E	SW-FE-311-65E3 SW-FE-311-65E2
		SW-803V-70E	SW-FE-311-70 SW-FE-311-70E3

FENDER STAY / SEAT STAY HARDWARE




SP-005 Quick release stay bracket (double strap + plastic screw fix + clip fix)
- Double strap to fit tapered suspension fork.
- Quick release, easy installation and adjustment.
- Available for ø3.2 / ø3.9 mm stay.





SP-009 (Front Fork Clamp)
SP-009-01: ø39mm SP-009-04: ø43mm
SP-009-02: ø41mm SP-009-05: ø44mm
SP-009-03: ø42mm SP-009-06: ø45mm
- Suitable for straight suspension fork.







SP-011 One-piece-made Quick release stay bracket
- Easy installation with elastic rubber strap.
- Double strap to fit tapered / straight fork.

SP-013 Quick release stay bracket.(plastic screw fix)
- Quick release, easy installation and adjustment.
- SP-013-01:Available ø12.7~25.4mm
- SP-013-02:Available ø19~65mm
- Fender stay eyelet / FV-517 / FV-515

FENDER STAY / DROPOUT HARDWARE

TYPE 1
FIX-LENGTH STAY WITH 1/4" END
- Fixs on dropout or fork end eyelets.
- Length customizable.
- ø5 / ø6mm

TYPE 2
FIX-LENGTH STAY WITH 5/16" END
- Fixs on front or rear hub axle.
- Length customizable.
- ø8mm

TYPE 3
FIX-LENGTH STAY WITH 3/8" END
- Fixs on front or rear hub axle.
- Length customizable.
- ø10mm

TYPE 4
MICRO-ADJUSTABLE STAY WITH U-SHAPE 1/4" END
- Fixs on dropout or fork end eyelets with M5/M6 screw.
- Length customizable.
- ø5mm

TYPE 5
MICRO ADJUSTABLE
- Material: 304 Stainless Steel
- Stay length adjustable by fix SW-804 clips to dropout or fork end eyelets.

PATTERN STAMPING
- Prevent rotation

CUSTOM ANGLE BENDING

FULL-COVER FENDER

FENDER COLOR CHART

• Fender color and foil application customizable.
• Fender length customizable.



RF-Z01
Solid Black



RF-D01
Dim Black



RF-F01
Flat Black



RF-C01
Coated Matt Black



RF-M01
Metallic Black



RF-T01
Black Transparent



RF-R01
Reflective Strap-Lateral edge



RF-R02
Reflective Strap-Centre



RF-L01
Black + 2 Clear Lines



RF-L02
White + 2 Black Lines



RF-A01
Clear Transparent
+ Matte Aluminium Foil



RF-A02
Clear Transparent
+ Shinny Aluminium Foil



RF-A03
Clear Transparent
/ Matte Aluminium Foil
+ 2 Clear Lines



RF-A04
Black Transparent
/ Matte Aluminium Foil
+ 4 Clear Lines




RF-A05
Matte Aluminium Foil
+ 2 Clear Lines
+ Centre Shinny Aluminium Foil




RF-L03
Colour-Side line



RF-E01
Centre Etching



RF-E02
Etching+ Matte Aluminium Foil




RF-E03
Etching+ 2 Clear Lines

RF-RC-01
Post-Consumer Recycled
Material ECO Friendly
Solid Black exclusive

CABLE STORAGE TECH

SW-801E
SINGLE Cable Tunnel
• Fit Cable within ø3.5mm
• cable length:150cm
• Slide-in



SW-801E1
Patented
Cable Tunnel
(Fit Cable within ø3mm)




SW-801E2 Patented
Cable Tunnel
(Fit Cable within ø3mm & ø5mm)




SW-801E3
Patented
Cable Tunnel
(Fit Cable within ø5mm)



SW-801E4
Patented
Cable Tunnel
(Fit Cable within ø3.8mm)




SW-809-01
Patented
Cable Tunnel Tool
• Fit Cable within ø5mm
• Single or double cables.



SW-808
Fit Cable within ø25mm



SW-807B-3 / SW-807B-4
Patented
Cable Tunnel Tool
• Slide-able and easy Snap-in
• Fit Cable within ø10mm
• Stable
• Single or multiple cables.



SW-807B-2 / SW-807B-2A
Patented
Cable Tunnel Tool
• Slide-able and easy Snap-in
• Can be assembled on both sides






SW-804E
Washer
• Material: Stainless
• Finish: ED black
• For M5 screw



SW-809-01

SW-801B
Cable Buttons
(Button distance:105mm)
• Fit Cable within ø2mm



SW-801C
Cable Tunnel
• Fit Cable within ø4.5mm
• Fit ø3.9mm fender stay



SW-NP-111
License Plate Holder
• Material:PA6+30%GF
• Tire fit:26"~28".
• P.C & ALU.
full-cover applicable.



SW-FC-111F
• Compatible with LITEMOVE AE-200 Speed Pedelec
• For Fender width 45mm~80mm / 700C~29" bike




SW-FC-111R
• Compatible with LITEMOVE TS-FD
• For Fender width 45mm~80mm / 700C~29" bike



SW-FC-111A
• Compatible with DOSUN RX3
• For Fender width 45mm~80mm / 700C~29" bike






FULL-COVER FENDER

SW-FE-139 E1/E2/E3

- Material: PC
- Various color choices.






FENDER FIXTURES
SW-800Y1 | L-Hanger
SCBM-2

FENDER-STAY
MSA | MSB | MSI | MSV
FV Series

STAY-DROPOUT
TYPE 1 ~ 5



FRONT




REAR

MODEL	SIZE	WIDTH	R	A	B	C	D	E	HANGER	TIRE SIZE
FE-139-80E1	28"	80	380	640	1125	190	70	240	SW-800Y1	2.5" ~2.7"
	29"		395	670	1175	195		255		
FE-139-80E2	29"									
FE-139-70E2	650B 700C	70	370	640	1125	190		240	SW-800V1	2.1"~2.5"
	27.5"		375							
FE-139-75E3	20"	75	275	490	855	145		170	N/A	2.35" ~2.7"
	26"		350	620	1085	185		220		
	650B 700C		370	640	1125	190		240		
	27.5"		375							
FE-139-85E2	26"	85	350	620	1085	185		220	N/A	2.7" ~ 3.3"
	650B 700C		370	640	1125	190		240		
	27.5"		375							
FE-139-70A	700C	70	370	640	1125	190		240	SW-800V1	2.1"~2.5"

SW-FE-113

- Material: PC
- Designed for Road-bike.




Sleek Loook Roadbike


Sleek Loook Roadbike


Quick-release Fender Stay (SP-011)


Smart Fixture for Roadbike


Safety-release(POP OFF3)


Quick-release(SA1-01+FE-113R)




FENDER TAIL
SW-803S-30


FENDER FIXTURES
SW-815 | L-Hanger

FENDER-STAY
POI | POV

STAY-DROPOUT
TYPE 1 ~ 5



FRONT




REAR



MODEL	SIZE	WIDTH	R	A	B	C	D	E	HANGER	TIRE SIZE
FE-113	650B 700C	30mm	370	640	1125	190	Slidable		SW-800P-A	20C ~ 25C

L-HANGER CHART(Curved Design)

- Material: 304 Stainless Steel




* Standard: **SW-8001** for Front Fender / **SW-8002** for Rear Fender.

HANGER	θ°	A	B	C	D	L	W	W1	R	R1
*8001	100°	31.5	31.4	5.1	6.8 x 21.5	7.5	15	17	12.9	156.8
*8002	100°	31.3	24.4	4.6	6.8 x 16	7.5	14	16	12.9	156.8
8003	104°	28.5	26	3.3	6.5 x 13	4.5	13	13	12.9	156.8
8004	100°	31.5	25.9	4	6.5 x 15	7.5	15	17	12.9	
8005	100°	31.5	53.8	5	7.5 x 22.5	7.5	15	17.5	30	
8006	100°	31.5	38.8	5	7.5 x 22.5	7.5	15	17.5	12.9	156.8
8006-1	100°	31.5	38.8	5	6.8 x 20	7.5	15	17.5	12.9	156.8
8006-4	100°	31.5	38.8	5	5.2 x 22.5	7.5	15	17.5	12.9	156.8
8007	100°	31.3	30.6	5.1	6.8 x 16.5	7.2	12.7	17	12.9	156.8
8007-1	106°	31.3	30.6	5.1	6.8 x 16.5	7.2	12.7	17	12.9	156.8
8008	86°	31.5	31.4	5.1	6.8 x 21.5	7.5	15	17	12.9	156.8
8009	84°	31.5	25.9	4	6.5 x 15	7.5	15	17	12.9	156.8
8010	104°	31.5	31.4	5.1	6.8 x 21.5	7.5	15	17	12.9	156.8
8011	106°	31.5	31.4	5.1	6.8 x 21.5	7.5	15	17	12.9	156.8
8012	110°	31.5	31.4	5.1	6.8 x 21.5	7.5	15	17	12.9	156.8
8014	104°	28.5	31.4	3.3	6.5 x 16.5	4.5	13	13	13	
8015	106°	31	37.5	5	7.5 x 23	7.5	15	17.5	12.9	156.8
8017	92°	31.3	24.4	4.6	6.8 x 16	7.5	14	16	12.9	320
8018	92°	31.5	31.4	5.1	6.8 x 21.5	7.5	15	17	12.9	156.8
8019	84°	31.5	36	5	6.8 x 26	7.5	15	17.5	12.9	156.8
8019-1	100°	31.5	36	5	6.8 x 26	7.5	15	17.5	12.9	156.8
8022	90°	31.6	31.4	5	6.8 x 24.5	7.5	14.5	17	17	371.27 *only for FE-131
8023	90°	29.5	26	4.3	6.8 x 18	4.5	18	18		185 *only UPPER
8024	90°	29.5	19.3	4.3	6.8 x 11	4.5	18	18		185 *only UPPER

L-HANGER CHART(Flat Design)

- Material: 304 Stainless Steel




* Standard: **SW-815** for Front Fender / **SW-8002-1** for Rear Fender.

HANGER	θ°	A	B	C	D	L	W	W1	R	R1
8002-1	100°	31.3	24.4	4.6	6.8 x 16	7.5	14	16		
8005-1	120°	31.5	53.8	5	7.5 x 22.5	7.5	15	17.5		
8006-2	77°	31.5	38.8	5	7.5 x 22.5	7.5	15	17.5		
8006-3	85°	31.5	38.8	5	7.5 x 22.5	7.5	15	17.5		
8020	90°	31.4	27	5.1	6.5 x 17	7.5	15	17		156.8
815	100°	31.5	32	5.1	6.8 x 15.5	7.5	15	17		
815-1	100°	38.9	24	5.1	6.8 x 15.5	7.5	15	17		
8021	92°	31.5	24	4.6	6.8 x 16	7.5	14	16		

SW-821

- Material: PC
- Various color choices.






FENDER TAIL
SW-803J | SW-803I | SW-803H
SW-803C-40

FENDER FIXTURES
SW-800E | SW-804B | SW-801B
SW-801C | L-Hanger | SCBM-1

FENDER-STAY
MSA | MSB | MSI | MSV
POI | POV


STAY-DROPOUT
TYPE 1 ~ 5



MODEL	SIZE	WIDTH	R	A	B	C	D	E	HANGER	TIRE SIZE
SW-821	20"	41mm	275	490	855	145	70	170	SW-800E	1" ~1.375" or 25C ~35C
	650B 700C		370	640	1125	190		240		

SW-814

- Material: PC
- Various color choices.







FENDER TAIL
SW-803C | SW-803D | SW-803K
SW-803Q | SW-803C-45

FENDER FIXTURES
SW-800A | SW-804B | SW-805E
SW-801B | SW-801C | L-Hanger
SW-800J | SCBM-1

FENDER-STAY
MSA | MSB | MSI | MSV
POI | POV

STAY-DROPOUT
TYPE 1 ~ 5





SW-814E




Holds up to 2 Cables

MODEL	SIZE	WIDTH	R	A	B	C	D	E	HANGER	TIRE SIZE
SW-814	20"	45mm	275	490	855	145	70	170	SW-800A SW-800J SW-800X	1.1" ~ 1.5" or 28C ~ 38C
	24"		325	575	1010	170		205		
	26"		350	620	1085	185		220		
	650B 700C		370	640	1125	190		240		
	27.5"		375							
	28"		380							

SW-819

- Material: PC
- Various color choices.






FENDER TAIL
SW-803H | SW-803I | SW-803O
SW-803U | SW-803C-35

FENDER FIXTURES
SW-800E | SW-804B | SW-801B
SW-801C | L-Hanger | SCBM-1
SW-800U

FENDER-STAY
MSA | MSB | MSI | MSV
POI | POV


STAY-DROPOUT
TYPE 1 ~ 5



MODEL	SIZE	WIDTH	R	A	B	C	D	E	HANGER	TIRE SIZE
SW-819	20"	35mm	275	490	855	145	70	170	SW-800E SW-800U	1"~1.125" or 20C ~ 28C
	650B 700C		370	640	1125	190		240		

SW-FE-133

- Material: PC
- Designed for Road-bike.





Safety-release(POP OFF3)



Quick-release(SA1-01+FE-113R)




FENDER TAIL
SW-803S-38

FENDER FIXTURES
SW-815 | L-Hanger

FENDER-STAY
MSI | MSV | POI | POV

STAY-DROPOUT
TYPE 1 ~ 5




MODEL	SIZE	WIDTH	R	A	B	C	D	E	HANGER	TIRE SIZE
FE-133	650B 700C	38mm	370	640	1125	190	70	240	SW-800P-C	1" ~ 1.25" or 22C ~ 32C

FULL-COVER FENDER

SW-816

- Material: PC
- Various color choices.




FENDER TAIL
SW-803F | SW-803D | SW-803L
SW-803Q | SW-803C-50


FENDER FIXTURES
SW-800D | SW-804B | SW-805E
SW-805B | SW-801B | SW-801C
SW-800K | L-Hanger | SCBM-1

FENDER-STAY
MSA | MSB | MSI | MSV
POI | POV


STAY-DROPOUT
TYPE 1 ~ 5













Holds up to 2 Cables

MODEL	SIZE	WIDTH	R	A	B	C	D	E	HANGER	TIRE SIZE
SW-816	12"	50mm	175	305	510	110	70	100	SW-800D SW-800K	1.35" ~1.625 " or 35C ~ 40C
	14"		200	350	590	130		115		
	16"		225	410	620	145		135		
	18"		250	435	740			150		
	20"		275	490	855			170		
	22"		310	525	890	155		195		
	24"		325	575	1010	170		205		
	26"		350	620	1085	185		220		
	650B 700C		370	640	1125	190		240		
	27.5"		375							
	28"		380							

SW-818

- Material: PC
- Various color choices.







FENDER TAIL
SW-803F | SW-803L | SW-803Q

FENDER FIXTURES
SW-800D | SW-804B | SW-805E
SW-801B | SW-801C | L-Hanger
SCBM-1

FENDER-STAY
MSA | MSB | MSI | MSV
POI | POV

STAY-DROPOUT
TYPE 1 ~ 5








MODEL	SIZE	WIDTH	R	A	B	C	D	E	HANGER	TIRE SIZE
SW-818	26"	50mm	350	620	1085	185	70	220	SW-800D	1.35" ~1.625 " or 35C ~ 40C
	650B 700C		375	640	1125	190		240		

SW-813

- Material: PC
- Various color choices.







FENDER TAIL
SW-803F | SW-803M | SW-803P
SW-803S

FENDER FIXTURES
SW-800D | SW-804B | SW-805E
SW-801B | SW-801C | L-Hanger
SCBM-1

FENDER-STAY
MSA | MSB | MSI | MSV
POI | POV

STAY-DROPOUT
TYPE 1 ~ 5








MODEL	SIZE	WIDTH	R	A	B	C	D	E	HANGER	TIRE SIZE
SW-813	16"	55mm	225	410	620	145	70	135	SW-800D	1.5"~ 1.9 " or 38C ~ 45C
	18"		250	435	740			150		
	20"		275	490	855			170		

www.SUNNYWHEEL.com

FULL-COVER FENDER

SW-825

- Material: PC
- Designed for Cruiser Bike.
- Various color choices.






FENDER FIXTURES
L-Hanger | SCBM-2
SW-803C-80

FENDER-STAY
MSA | MSB | MSI | MSV
POI | POV | POP OFF 5


STAY-DROPOUT
TYPE 1 ~ 5



MODEL	SIZE	WIDTH	R	A	B	C	D	E	HANGER	TIRE SIZE
SW-825	20"	80mm	275	490	855	145	70	170	SW-800Y	2.5" ~ 2.7"
	24"		325	575	1010	170		205		
	26"		350	620	1085	185		220		
	27.5"		375	640	1125	190		240		
	29"		395	670	1175	195		255		

SW-FE-119

- Material: PC
- Designed for Snow-bike / Fat bike.
- Optional Safety QR fastener
  Only with POP OFF5






FENDER-STAY
MSA | MSB | MSI | MSV
POI | POV | POP OFF 5

STAY-DROPOUT
TYPE 1 ~ 5


FENDER TAIL
SW-803C-122



MODEL	SIZE	WIDTH	R	A	B	C	D	E	HANGER	TIRE SIZE
FE-119	20"	122mm	310	525	890	155	70	170	SW-800Z	4.0" ~ 4.5"
	26"		395	670	1175	195		220		

SW-822

- Material: PC
- Various color choices.







FENDER TAIL
SW-803G | SW-803V | SW-803N
SW-803C-60

FENDER FIXTURES
SW-800H | SW-805E | SW804B
SW-801B | SW-801C | L-Hanger
SCBM-2

FENDER-STAY
MSA | MSB | MSI | MSV
POI | POV

STAY-DROPOUT
TYPE 1 ~ 5






Holds up to 2 Cables

MODEL	SIZE	WIDTH	R	A	B	C	D	E	HANGER	TIRE SIZE
SW-822	18"	60mm	250	435	740	145	70	150	SW-800H	1.75" ~ 2.125" or 45C
	20"		275	490	855			170		
	24"		325	575	1010	170		205		
	26"		350	620	1085	185		220		
	650B 700C		370	640	1125	190		240		
	29"		395	670	1175	195		255		

SW-FE-115

- Material: PC
- Various color choices.






FENDER TAIL
SW-803N | SW-803V
SW-803C-60

FENDER FIXTURES
SW-800V | L-Hanger
SCBM-2

FENDER-STAY
MSA | MSB | MSI | MSV
POI | POV


STAY-DROPOUT
TYPE 1 ~ 5



MODEL	SIZE	WIDTH	R	A	B	C	D	E	HANGER	TIRE SIZE
FE-115	12"	65mm	175	305	510	110		100	SW-800V	1.9" ~ 2.2"
	16"		225	410	620	145		135		
	20"		275	490	855			170		
	24"		325	575	1010	170		70		
	26"		350	620	1085	185		220		
	27.5"		375	640	1125	190		240		
	29"		395	670	1175	195		255		

SW-812

- Material: PC
- Various color choices.






FENDER TAIL
SW-803E | SW-803M | SW-803S
SW-803C-60

FENDER FIXTURES
SW-800B | SW-804B | SW-805E
SW-805B | SW-801B | SW-801C
L-Hanger | SCBM-2

FENDER-STAY
MSA | MSB | MSI | MSV
POI | POV


STAY-DROPOUT
TYPE 1 ~ 5



MODEL	SIZE	WIDTH	R	A	B	C	D	E	HANGER	TIRE SIZE
SW-812	20"	60mm	275	490	855	145	70	170	SW-800B	1.75" ~ 2.125" or 45C
	24"		325	575	1010	170		205		
	26"		350	620	1085	185		220		

SW-817

- Material: PC
- Various color choices.






FENDER TAIL
SW-803G | SW-803M
SW-803C-60

FENDER FIXTURES
SW-800C | SW-804B | SW-805E
SW-801B | SW-801C | L-Hanger
SCBM-1 | SCBM-2

FENDER-STAY
MSA | MSB | MSI | MSV
POI | POV


STAY-DROPOUT
TYPE 1 ~ 5



MODEL	SIZE	WIDTH	R	A	B	C	D	E	HANGER	TIRE SIZE
SW-817	24"	60mm	325	575	1010	170	70	205	SW-800C	1.75" ~ 2.125" or 45C
	26"		350	620	1085	185		220		
	27.5"		375	640	1125	190		240		
	29"		395	670	1175	195		255		

SW-820

- Material: PC
- Various color choices.






FENDER TAIL
SW-803G | SW-803M | SW-803R


FENDER FIXTURES
SW-800I | SW-804B | SW-805E
SW-801B | SW-801C | L-Hanger
SCBM-1

FENDER-STAY
MSA | MSB | MSI | MSV
POI | POV

STAY-DROPOUT
TYPE 1 ~ 4








MODEL	SIZE	WIDTH	R	A	B	C	D	E	HANGER	TIRE SIZE
SW-820	16"	55mm	225	410	620	145	70	135	SW-800I	1.5"~1.9 " or 38C ~ 45C
	20"		275	490	855	145		170		
	24"		325	575	1010	170		205		
	26"		350	620	1085	185		220		
	650B 700C		370	640	1125	190		240		
SW-820E	26"		350	620	1085	185		220	SW-800H	
	700C		370	640	1125	190		240		
	29"		395	670	1175	195		255		

SW-823

- Material: PC
- Various color choices.







FENDER TAIL
SW-803M | SW-803S
SW-803C-60

FENDER FIXTURES
SW-805E | SW-805B | SW-804B
SW-801B | SW-801C | L-Hanger
SCBM-2

FENDER-STAY
MSA | MSB | MSI | MSV
POI | POV

STAY-DROPOUT
TYPE 1 ~ 5









MODEL	SIZE	WIDTH	R	A	B	C	D	E	HANGER	TIRE SIZE
SW-823	650B 700C	57mm	370	640	1125	190	70	240	SW-800I	1.6" ~2" or 40C~45C

SW-FE-311 E1/E2/E3

- Material: PC
- Various color choices.





SW-FE-311

FENDER FIXTURES

SW-8001 | SW-800C | L-Hanger

FENDER-STAY

MSA | MSB | MSI | MSV
POI | POV

STAY-DROPOUT

TYPE 1~5

SW-FE-311 E1/E2/E3

FENDER FIXTURES

All Series

FENDER-STAY

MSA | MSB | MSI | MSV
POI | POV | FV Series

STAY-DROPOUT


TYPE 1~5



Cable Tunnel
(Fit Cable within ø3mm)
(cable length:150cm)


MODEL	SIZE	WIDTH	R	A	B	C	D	E	HANGER	FENDER TAIL	TIRE SIZE
FE-311-70	14"	70	200	350	590	130	70	115	SW-800V2	SW-503H1 SW-803N SW-803V	2.1"~2.5"
	18"		250	435	740	145		150			
	20"		275	490	855	145		170			
	24"		325	575	1010	170		205			
	650B 700C		370	640	1125	190		240			
	27.5"		375								
FE-311-100	20"	100	Slick 310 / Knobby 325	525	890	155		195	N/A		3.2"~3.7"
	24"		Slick 355 / Knobby 375	575	1010	170		205			
	26"		395	670	1175	195		255			
FE-311-55E1	26"	55	350	620	1085	185		220	SW-800I1		1.5"~1.9 " or 38C ~ 45C
	650B 700C		370	640	1125	190		240			
	27.5"		375								
FE-311-60E2	26"	60	350	620	1085	185		220	SW-800H		1.9" ~ 2.2"
FE-311-60E3	20"	60	275	490	855	145		170	SW-800I		1.75" ~ 2.125" or 45C
	650B 700C		370	640	1125	190		240			
	27.5"		375								
FE-311-65E2	16"	65	225	410	620	154		135	SW-800H		1.9" ~ 2.2"
	20"		275	490	855	145		170			
	24"		325	575	1010	170		205			
FE-311-65E3	16"		225	410	620	154		135			
	20"		275	490	855	145		170			
	24"		325	575	1010	170		205			
	650B 700C		370	640	1125	190		240			
	27.5"		375								
	29"		395	670	1175	195		255			
FE-311-70E3	14"	70	200	350	590	130		115	SW-800V2		2.1"~2.5"
	18"		250	435	740	145		150			
	24"		325	575	1010	170		205			
	650B 700C		370	640	1125	190		240			
	27.5"		375								
FE-311-100E2	20"	100	Slick 310 / Knobby 325	525	890	155		195	N/A		3.2"~3.7"
	24"		Slick 355 / Knobby 375	575	1010	170		205			
	26"		395	670	1175	195		255			

ALUMINUM FENDER PROFILE



ALUMINUM FENDER CABLE STORAGE TECH PROFILE

⌀3mm
⌀5mm



FULL-COVER FENDER

Aluminum

Full-cover Fender

By taking the advantage of its chracteristics, the Aluminum fenders not only are light-weight but also easy to shape by various production technics such as rolling and extrusion. Furthermore, the Aluminum fenders are able to be applied with different kind of surface treatments and create fine textures to fit on high-end bicycles.








FENDER CABLE STORAGE

MODEL	12"	14"	16"	18"	20"	22"	24"	26"	650B	700C	28"	29"
	R175	R200	R225	R250	R275	R310	R325	R350	R370	R370	R380	R395
FA-513-43E1					●	●	●	●	●	●	●	●
FA-311-45E1					●	●	●	●	●	●	●	●
FA-311-50E1					●	●	●	●	●	●	●	●
FA-513-50E1					●	●	●	●	●	●	●	●
FA-311-55E1					●	●	●	●	●	●	●	●
FA-513-55E1					●	●	●	●	●	●	●	●
FA-311-60E1							●	●	●	●	●	●
FA-311-60E2							●	●	●	●	●	●
FA-513-60E1					●	●	●	●	●	●	●	●
FA-311-65E1							●	●	●	●	●	●
FA-311-65E3							●	●	●	●	●	●
FA-517-67E3					●	●	●	●	●	●	●	●
FA-311-70E1							●	●	●	●	●	●
FA-517-72E3					●	●	●	●	●	●	●	●
FA-311-75E3					●	●	●	●	●	●	●	●
FA-311-80E1							●	●	●	●	●	●
FA-311-85E1					●	●	●	●	●	●	●	●
FA-311-107E3								●	●	●	●	●
FA-517-67E3					●	●	●	●	●	●	●	●
FA-517-72E3					●	●	●	●	●	●	●	●
FA-519-67E3					●	●	●	●	●	●	●	●
FA-519-62E3					●	●	●	●	●	●	●	●

FENDER STAY MOUNTING (FIXED)



SELECTIVE STAY THICKNESS

All fender stay are available in ø3.2mm and ø3.9mm thickness to meet different needs.

Material: • 204 / 304 Stainless Steel: ø3.2 and ø3.9mm
• Steel (ED Black): ø3.9mm

SELECTIVE STAY EYELET DIAMETER





MSA
UPPER-MOUNTED FENDER STAY
Fender stay mounted to the exterior of fenders with choice of stainless/chromed steel upper bracket.



MSB
UNDER-MOUNTED FENDER STAY
Fender stay mounted to the interior of fenders with bolt and screw only.



MSI
SINGLE-STAY + MOUNTED BRACKET
Single fender stay mounted to both sides of fenders with stainless steel under bracket.



MSV
V-STAY + MOUNTED BRACKET
V-style fender stay mounted to both sides of fenders with stainless steel under bracket.

*Recommendable for FRONT & REAR fenders. *stand θ:40°



Glossy Silver Glossy Black


SW-FV-511 Patented
Flat Aluminum Fender Stay Fastener (For ø3.2 mm FENDER-STAY)



Glossy Silver Glossy Black

SW-FV-513 Patented
Curved Aluminum Fender Stay Fastener (For ø3.2 mm FENDER-STAY)

TIRE-WIDTH CHART



TIRE-FIT CHART

MODEL	12"	14"	16"	18"	20"	22"	24"	26"	650B	700C	27.5"	28"	29"
	R175	R200	R225	R250	R275	R310	R325	R350	R370	R370	R375	R380	R395
FA-311-38A					●	●	●	●	●	●	●	●	●
FA-311-45A					●	●	●	●	●	●	●	●	●
FA-311-50A					●	●	●	●	●	●	●	●	●
FA-311-55A					●	●	●	●	●	●	●	●	●
FA-311-60A							●	●	●	●	●	●	●
FA-311-65A							●	●	●	●	●	●	●
FA-311-70A							●	●	●	●	●	●	●
FA-311-80A							●	●	●	●	●	●	●
FA-311-85A							●	●	●	●	●	●	●
FA-511-37					●	●	●	●	●	●	●	●	●
FA-511-45					●	●	●	●	●	●	●	●	●
FA-511-65					●	●	●	●	●	●	●	●	●
FA-513-43					●	●	●	●	●	●	●	●	●
FA-513-50					●	●	●	●	●	●	●	●	●
FA-513-55					●	●	●	●	●	●	●	●	●
FA-513-60					●	●	●	●	●	●	●	●	●
FA-517-67					●	●	●	●	●	●	●	●	●
FA-517-72					●				●	●	●		

FENDER OD CHART

MODEL					Slick 20"	Knobby 20"	Slick 24"				Knobby 24"		26"
	R175	R200	R225	R250	R275	R310	R325	R350	R370	R370	R375	R380	R395
FA-311-107E3					●	●	●	●			●		●

FULL-COVER FENDER



804H-2

- Fender stay thickness ø3.2mm / ø3.9mm / ø5mm
- Easy installation

804H-2A: ø3.2mm
804H-2B: ø3.9mm
804H-2C: ø5mm








804H-3

- Fender stay thickness ø3.2mm / ø3.9mm / ø5mm / ø6mm stay eyelet
- Stay eyelet diameter ø6mm

804H-3A: ø3.2mm
804H-3B: ø3.9mm
804H-3C: ø5mm
804H-3D: ø6mm stay eyelet








804H-3A / B / C 804H-3D




804H-4

- Fender stay: ø9.0mm
- Material: Aluminum
- Finishing: Anodized shining black
  Coating black (gloss)
- Custom angle bending






FENDER STAY / DROPOUT HARDWARE



TYPE 1
FIX-LENGTH STAY WITH 1/4" END
- Fixs on dropout or fork end eyelets.
- Length customizable.
- ø5 / ø6mm



TYPE 2
FIX-LENGTH STAY WITH 5/16" END
- Fixs on front or rear hub axle.
- Length customizable.
- ø8mm



TYPE 3
FIX-LENGTH STAY WITH 3/8" END
- Fixs on front or rear hub axle.
- Length customizable.
- ø10mm



TYPE 4
MICRO-ADJUSTABLE STAY WITH U-SHAPE 1/4" END
- Fixs on dropout or fork end eyelets with M5/M6 screw.
- Length customizable.
- ø5mm



TYPE 5
MICRO ADJUSTABLE
- Material: 304 Stainless Steel
- Stay length adjustable by fix SW-804 clips to dropout or fork end eyelets.




804M SLIDE SHIM
- Slidable shim gives the possibility with 10mm length adjustment to fender stay.



804M-1 SLIDE SHIM
- Can with no limited length adjustment to fender stay
- only fit Ø5mm fender strut



PATTERN STAMPING
- Prevent rotation



CUSTOM ANGLE BENDING

FENDER STAY SAFETY POP-OFF

STAY SAFETY	DESCRPTION	TYPE / FEATURE	FUNCTION
	**FV-515** Patented **(For ø3.2 / ø3.9mm FENDER-STAY)** **FENDER STAY SAFETY POP-OFF** Material: PA6 Applicable to MSA / MSB / MSI / MSV fender-stays to pop-off when jammed.	MSA MSB MSI MSV	

FENDER STAY MOUNTING (FIXED)





FV-111
Material: Aluminum

UPPER-MOUNTED
FENDER STAY

Aluminum tube to squash





FV-113B



FV-113A/B Patented
Material: Aluminum / 304 Stainless
UNDER-MOUNTED
FENDER STAY

FV-113A: Adjustable stay eyelet ;Strut snap on system.
FV-113B: Fixed stay eyelet ;Strut snap on system.





FV-113A



804N-02
UPPER-MOUNTED
FENDER STAY

Material: 303 Stainless





804E-1
UNDER-MOUNTED
FENDER STAY
Material:Zinc
·ø3.9 / ø5mm






FENDER STAY / SEAT STAY HARDWARE



SP-005 Quick release stay bracket (double strap + plastic screw fix + clip fix)
- Double strap to fit tapered suspension fork.
- Quick release, easy installation and adjustment.
- Avaliable for ø3.2 / ø3.9 mm stay.








SP-009 (Front Fork Clamp)
SP-009-01: ø39mm SP-009-04: ø43mm
SP-009-02: ø41mm SP-009-05: ø44mm
SP-009-03: ø42mm SP-009-06: ø45mm

- Suitable for straight suspension fork.







SP-011 One-piece-made Quick release stay bracket
- Easy installation with elastic rubber strap.
- Double strap to fit tapered / straight fork.

SP-013 Quick release stay bracket.(plastic screw fix)
- Quick release, easy installation and adjustment.
- SP-013-01:Available ø12.7~25.4mm
- SP-013-02:Available ø19~65mm
- Fender stay eyelet / FV-517 / FV-515

804H • Fender stay: ø3.9mm
• Material: Steel
• Finishing: ED BK

804H-1 • Fender stay: ø5.0mm
• Material: Steel
• Finishing: UCP

804H-5
• Fender stay: ø3.9mm
• Material: POM

804H-5A: ø3.2mm
804H-5B: ø3.9mm
804H-5C: ø5mm


Prevent Rotation
ø5mm screw hole
804J • Fender stay: ø3.9mm
804J-1 • Fender stay: ø3.2mm

ø6mm screw hole
804J-2 • Fender stay: ø5mm






www.SUNNYWHEEL.com

FULL-COVER FENDER

FENDER TAILS (FOR ALUMINUM FENDER)

FIX & MATERIAL	FRONT TAIL	REAR TAIL	MODEL	FIT FENDER
CLIP FIX (PC)			SW-503B5 SW-503B6	FA-511-37
			SW-503C3 SW-503C4	FA-513-50
			SW-503E3 SW-503E4	FA-311-45
			SW-503E1 SW-503E2	FA-311-38
			SW-503B3 SW-503B4	FA-511-45
			SW-503D3 SW-503D4	FA-515-50
			SW-503A1 SW-503A2	FA-111-55
			SW-503C1 SW-503C2	FA-513-43
CLIP FIX (PP)			SW-503F1	FA-311-45E1
			SW-503G1	FA-311-50E1
			SW-503H1	FA-311-55E1
			SW-503I1	FA-311-60E1
			SW-503J1	FA-311-65E1
			SW-503K1	FA-513-50E1
			SW-503L1	FA-513-55E1
			SW-503M1	FA-513-60E1
			SW-503N1	FA-513-43E1
			SW-803 Q	FA-311-55
				FA-311-55E1
				FA-311-60E1
			SW-503O	FA-111-55
			SW-803V-70	FA-311-70A FA-311-70E1
			SW-803V-75	FA-311-75E3
CLIP FIX (PP+TPR)			SW-FA-517-67 SW-FA-517-67E3 SW-FA-517-72 SW-FA-517-72E3	SW-FA-517-67 SW-FA-517-67E3 SW-FA-517-72 SW-FA-517-72 E3
RIVET FIX (TPR)			SW-803N-38	FA-311-38A
			SW-803N-45	FA-311-45A
			SW-803N-55	FA-311-55A
			SW-803N-70	FA-311-70A FA-311-70E1

COLOR: BLACK / BLACK TRANSPARENT

STAY SAFETY	DESCRPTION	TYPE / FEATURE	FUNCTION
	**FV-517** Patented **(For ø5 mm FENDER-STAY)** **Adjustable Fender Stay** Material: PA6 / Aluminum Length: 120mm. Applicable to MSA/MSB fender-stays to adjust the length. e.g. 29" Bike MSA Fender Stay Length : 394mm. MSA Fender Stay can be adjusted to a length of 394 to 514 mm.  Fender Stay  Adjustable Stay Length  Adjustable Stay Length  **FV-517-1** **FENDER STAY SAFETY POP-OFF** Material: PA6 / Aluminum Length: 120mm. Applicable to MSA/MSB fender-stays to adjust the length. **FV-517A**    Adjustable Stay Length	UPPER-MOUNTED FENDER STAY	
	**FV-115** Patented Material: (POM+PA6) / 304 Stainless POP OFF SAFETY OR FASTENER Fixed stay eyelet Strut snap on system 	UNDER-MOUNTED FENDER STAY	


FENDER FIXTURES



SW-800A ~ SW-800I
REMOVABLE PLASTIC HANGER
- Easy to install and good weathering resistant.
- Material: POM
- Colour: BK



STAINLESS STEEL SELF-BEND HANGER
- Material: Stainless Steel
- Fit for Resin Fender Width:
  Short: 35mm ~ 50mm
  Long: 50mm ~ 80mm





SW-805B PRE-BENT CARRIER TYPE HANGER
- Connects between carrier & fender when fastener is not used.
- Pre-bent to fit selected fender and cutout ready to fit reflector.
- Material: Steel / Finishing: ED BK
- Fit for Fender Width ≤ 59mm

SW-805E SELF-BEND CARRIER TYPE HANGER
- Connects between carrier & fender when fastener is not used.
- Pre-bent to fit selected fender and cutout ready to fit reflector.
- Material: Steel / Finishing: ED BK
- Fit for Resin Fender Width: 50mm ~ 70mm

SCBM-1
STANDARD FENDER-CHAINSTAY BRIDGE MOUNT
(For Fender Width within 55mm.)
- Bolt fixs between fender and chainstay bridge.

SCBM-2
STANDARD FENDER-CHAINSTAY BRIDGE MOUNT
(For Fender Width above 60mm.)
- Bolt fixs between fender and chainstay bridge.

SW-804B
QUICK CLIP FENDER-CHAINSTAY BRIDGE MOUNT
- Material: Steel / Finishing: ED BK
- For chain stay ≤ ø15mm
- Clip-in between fender and chainstay bridge (no tool required)

SW-804B-1
QUICK CLIP FENDER-SEAT TUBE STAY BRIDGE MOUNT
- Material: PA6 / Finishing: BLACK
- Fit ø28.6 ~ ø31.8mm seat-tube.

FE-113R
QUICK MOUNT
(FOR SEAT TUBE BRIDGE)

SW-802B
HANGER-FORK WASHER
- Material: PP

R14.5mm recessed to fit fork sleeve tube.

SW-802A
HANGER-BRIDGE WASHER
- Material: PP

R7mm recessed to fit bridge tube.

SW-804F BEVELED CUSHION
- Material: TPR
- For clearance 2mm~ 5mm.
- Fix between fender and carrier for noise reduction purpose.

SW-804F01 PAD
- Material: PP
- Adapt with SW-804F ,for clearance ≥ 5mm.

CABLE STORAGE TECH

SW-801C
Cable Tunnel
- Fit Cable within ø4.5mm
- Fit ø3.9mm fender stay



SW-801E1
Patented

Cable Tunnel
(Fit Cable within ø3mm)




SW-801E2 Patented
Cable Tunnel
(Fit Cable within ø3mm & ø5mm)




SW-807B-3 / SW-807B-4
Patented

Cable Tunnel Tool
- Slide-able and easy Snap-in
- Fit Cable within ø10mm
- Stable
- Single or multiple cables.



SW-807B-2 / SW-807B-2A
Patented

Cable Tunnel Tool
- Slide-able and easy Snap-in
- Can be assembled on both sides




SW-801E3
Patented

Cable Tunnel
(Fit Cable within ø5mm)



SW-809-01
Patented

Cable Tunnel Tool
- Fit Cable within ø5mm
- Single or double cables.



SW-809-02
Patented

Cable Tunnel Tool
- Slide-able and easy Snap-in
- Fit Cable within ø3.5mm
- Single or double cables.




SW-809-03
Supporting Brace
- Material: Stainless
- Finish: ED black



SW-808
Fit Cable within ø25mm



SW-804E
Washer
- Material: Stainless
- Finish: ED black
- For M5 screw



SW-NP-111
License Plate Holder
- Material:PA6+30%GF
- Tire fit:26"~28".
- P.C & ALU. full-cover applicable.




SW-FC-111A
- Compatible with DOSUN RX3
- For Fender width 45mm~80mm / 700C~29" bike



APPEARANCE TECHNICAL & FIXTURE



TAILS SHAPE DESIGN



CONCAVE Design for fender stay mounting



POLYESTER NAMEPLATE

COLOR & SURFACE TREATMENT CHART
- Customizable anodize and painting treatment.
- Customizable fender color and length.



AF-Z01
Black



AF-M01
Matt Black



AF-S01
Sandblasted Black



AF-C01
Coated Red



AF-C02
Coated matt black



AF-C04
Coated matt black



AF-C05
Coated matt black with sandblasted

FULL-COVER FENDER

SW-FA-311 series

• Material: Aluminum



FENDER FIXTURES


SW-8001 | L-Hanger
SW-800J | SW-803V | SW-803N

FENDER-STAY

MSA | MSB | MSI | MSV

STAY-DROPOUT


TYPE 1 ~ 5



MODEL	SIZE	WIDTH	R	A	B	C	D	E	HANGER	FENDER TAIL	TIRE WIDTH
FA-311-38A FA-311-38E	20"	38mm	275	490	855	145	70	170	800R-G	SW-803N-38 (FA-311-38A)	1"~1.25"or22C ~ 32C
	22"		310	525	890	155		195			
	24"		325	575	1010	170		205			
	26"		350	620	1085	185		220			
	650B 700C		370	640	1125	190		240			
	28"		380	640	1125	190		240			
	29"		395	670	1175	195		255			

L-HANGER CHART(Curved Design)

• Material: 304 Stainless Steel




* Standard: **SW-8001** for Front Fender / **SW-8002** for Rear Fender.

HANGER	θ°	A	B	C	D	L	W	W1	R	R1
*8001	100°	31.5	31.4	5.1	6.8 x 21.5	7.5	15	17	12.9	156.8
*8002	100°	31.3	24.4	4.6	6.8 x 16	7.5	14	16	12.9	156.8
8003	104°	28.5	26	3.3	6.5 x 13	4.5	13	13	12.9	156.8
8004	100°	31.5	25.9	4	6.5 x 15	7.5	15	17	12.9	
8005	100°	31.5	53.8	5	7.5 x 22.5	7.5	15	17.5	30	
8006	100°	31.5	38.8	5	7.5 x 22.5	7.5	15	17.5	12.9	156.8
8006-1	100°	31.5	38.8	5	6.8 x 20	7.5	15	17.5	12.9	156.8
8006-4	100°	31.5	38.8	5	5.2 x 22.5	7.5	15	17.5	12.9	156.8
8007	100°	31.3	30.6	5.1	6.8 x 16.5	7.2	12.7	17	12.9	156.8
8007-1	106°	31.3	30.6	5.1	6.8 x 16.5	7.2	12.7	17	12.9	156.8
8008	86°	31.5	31.4	5.1	6.8 x 21.5	7.5	15	17	12.9	156.8
8009	84°	31.5	25.9	4	6.5 x 15	7.5	15	17	12.9	156.8
8010	104°	31.5	31.4	5.1	6.8 x 21.5	7.5	15	17	12.9	156.8
8011	106°	31.5	31.4	5.1	6.8 x 21.5	7.5	15	17	12.9	156.8
8012	110°	31.5	31.4	5.1	6.8 x 21.5	7.5	15	17	12.9	156.8
8014	104°	28.5	31.4	3.3	6.5 x 16.5	4.5	13	13	13	
8015	106°	31	37.5	5	7.5 x 23	7.5	15	17.5	12.9	156.8
8017	92°	31.3	24.4	4.6	6.8 x 16	7.5	14	16	12.9	320
8018	92°	31.5	31.4	5.1	6.8 x 21.5	7.5	15	17	12.9	156.8
8019	84°	31.5	36	5	6.8 x 26	7.5	15	17.5	12.9	156.8
8019-1	100°	31.5	36	5	6.8 x 26	7.5	15	17.5	12.9	156.8
8022	90°	31.6	31.4	5	6.8 x 24.5	7.5	14.5	17	17	371.27 * only for FE-131
8023	90°	29.5	26	4.3	6.8 x 18	4.5	18	18		185 * only UPPER
8024	90°	29.5	19.3	4.3	6.8 x 11	4.5	18	18		185 * only UPPER

L-HANGER CHART(Flat Design)

• Material: 304 Stainless Steel




* Standard: **SW-815** for Front Fender / **SW-8002-1** for Rear Fender.

HANGER	θ°	A	B	C	D	L	W	W1	R	R1
8002-1	100°	31.3	24.4	4.6	6.8 x 16	7.5	14	16		
8005-1	120°	31.5	53.8	5	7.5 x 22.5	7.5	15	17.5		
8006-2	77°	31.5	38.8	5	7.5 x 22.5	7.5	15	17.5		
8006-3	85°	31.5	38.8	5	7.5 x 22.5	7.5	15	17.5		
8020	90°	31.4	27	5.1	6.5 x 17	7.5	15	17		156.8
815	100°	31.5	32	5.1	6.8 x 15.5	7.5	15	17		
815-1	100°	38.9	24	5.1	6.8 x 15.5	7.5	15	17		
8021	92°	31.5	24	4.6	6.8 x 16	7.5	14	16		


FULL-COVER FENDER

SW-FA-511-37 / 45 / 65


• Material: Aluminum



SW-FA-511-37



SW-FA-511-45



SW-FA-511-65




FENDER FIXTURES
SW-815 | L-Hanger

FENDER-STAY
MSA | MSB | MSI | MSV


STAY-DROPOUT
TYPE 1 ~ 5



Sleek Look on Roadbike



FRONT




REAR




MODEL	SIZE	WIDTH	R	A	B	C	D	E	HANGER	FENDER TAIL	TIRE WIDTH
FA-511-37	20"	37mm	275	490	855	145	70	170	SW-800P-B	**SW-503B5** **SW-503B6**	1" ~ 1.125" or 22C ~ 28C
	22"		310	525	890	155		195			
	24"		325	575	1010	170		205			
	26"		350	620	1085	185		220			
	650B 700C		370	640	1125	190		240			
	28"		380	640	1125	190		240			
	29"		395	670	1175	195		255			


SW-FA-311 series



FRONT



REAR




SW-803N-55
SW-803 Q


MODEL	SIZE	WIDTH	R	A	B	C	D	E	HANGER	FENDER TAIL	TIRE WIDTH
FA-311-45A FA-311-45E1	20"	45mm	275	490	855	145	70	170	SW-800R-F	**SW-803N-45 (FA-311-45A)** **SW-503F1 (FA-311-45E1)**	1.125" ~ 1.5" or 32C ~ 38C
	22"		310	525	890	155		195			
	24"		325	575	1010	170		205			
	26"		350	620	1085	185		220			
	650B 700C		370	640	1125	190		240			
	28"		380	640	1125	190		240			
	29"		395	670	1175	195		255			
FA-311-50A FA-311-50E1	20"	50mm	275	490	855	145	70	170	800S-A	**SW-503G1 (FA-311-50E1)**	1.35" ~ 1.75" or 35C ~ 40C
	22"		310	525	890	155		195			
	24"		325	575	1010	170		205			
	26"		350	620	1085	185		220			
	650B 700C		370	640	1125	190		240			
	28"		380	640	1125	190		240			
	29"		395	670	1175	195		255			
FA-311-55A FA-311-55E1	20"	55mm	275	490	855	145	70	170	SW-800J	**SW-803N-55 (FA-311-55A)** **SW-503H1 (FA-311-55E1)** **SW-803Q (FA-311-55E1)**	1.5" ~ 1.9" or 40C ~ 45C
	22"		310	525	890	155		195			
	24"		325	575	1010	170		205			
	26"		350	620	1085	185		220			
	650B 700C		370	640	1125	190		240			
	28"		380	640	1125	190		240			
	29"		395	670	1175	195		255			
FA-311-60A FA-311-60E1	24"	60mm	325	575	1010	170	70	205	800R-I	**SW-503I1 (FA-311-60E1)** **SW-803Q (FA-311-60E1)**	1.75" ~ 2.125" or 45C
	26"		350	620	1085	185		220			
	650B 700C		370	640	1125	190		240			
	28"		380	640	1125	190		240			
	29"		395	670	1175	195		255			
FA-311-60E2	24"	60mm	325	575	1010	170	70	205	800R-I		1.75" ~ 2.125" or 45C
	26"		350	620	1085	185		220			
	650B 700C		370	640	1125	190		240			
	28"		380	640	1125	190		240			
	29"		395	670	1175	195		255			
FA-311-65A FA-311-65E1 FA-311-65E3	24"	65mm	325	575	1010	170	70	205	800R-H	**SW-503J1 (FA-311-65E1)**	1.9" ~ 2.2"
	26"		350	620	1085	185		220			
	650B 700C		370	640	1125	190		240			
	28"		380	640	1125	190		240			
	29"		395	670	1175	195		255			
FA-311-70A FA-311-70E1	24"	70mm	325	575	1010	170	70	205	800R-K	**SW-803V-70 (FA-311-70A) (FA-311-70E1)**	2.10" ~ 2.5"
	26"		350	620	1085	185		220			
	650B 700C		370	640	1125	190		240			
	28"		380	640	1125	190		240			
	29"		395	670	1175	195		255			
FA-311-75E3	20"	75mm	275	490	855	145	70	170	N/A	**SW-803V-75**	2.35" ~ 2.7"
	22"		310	525	890	155		195			
	24"		325	575	1010	170		205			
	26"		350	620	1085	185		220			
	650B 700C		370	640	1125	190		240			
	28"		380	640	1125	190		240			
FA-311-80A FA-311-80E1	24"	80mm	325	575	1010	170	70	205	800R-L		2.5" ~ 2.7"
	26"		350	620	1085	185		220			
	650B 700C		370	640	1125	190		240			
	28"		380	640	1125	190		240			
	29"		395	670	1175	195		255			
FA-311-85A	24"	85mm	325	575	1010	170	70	205	N/A		2.6" ~ 2.8"
	26"		350	620	1085	185		220			
	650B 700C		370	640	1125	190		240			
	28"		380	640	1125	190		240			
	29"		395	670	1175	195		255			
FA-311-85E1	20"	85mm	275	490	855	145	70	170	N/A		2.7" ~ 3"
	22"		310	525	890	155		195			
	24"		325	575	1010	170		205			
	26"		350	620	1085	185		220			
	650B 700C		370	640	1125	190		240			
	28"		380	640	1125	190		240			
	29"		395	670	1175	195		255			
FA-311-110E3	26"	110mm	350	620	1085	185	70	220	N/A		3.7" ~ 4.0"
	650B 700C		370	640	1125	190		240			
	28"		380	640	1125	190		240			
	29"		395	670	1175	195		255			

SW-FA-513 series


• Material: Aluminum




SW-FA-513-43




SW-FA-513-43E1




SW-FA-513-50



SW-FA-513-50E1




SW-FA-513-55




SW-FA-513-55E1

SW-FA-513-60



SW-FA-513-60E1





LIGHT


FENDER FIXTURES
SW-8001 | L-Hanger

FENDER-STAY
MSA | MSB | MSI | MSV

STAY-DROPOUT
TYPE 1 ~ 5

MODEL	SIZE	WIDTH	R	A	B	C	D	E	HANGER	FENDER TAIL	TIRE WIDTH
FA-513-43 FA-513-43E1	20"	43mm	275	490	855	145	70	170	SW-800R-C	SW-503C1 SW-503C2	1.1" ~ 1.45" or 28C ~ 35C
	22"		310	525	890	155		195			
	24"		325	575	1010	170		205			
	26"		350	620	1085	185		220			
	650B 700C		370	640	1125	190		240		SW-503N1	
	28"		380	640	1125	190		240			
	29"		395	670	1175	195		255			


SW-FA-511-37 / 45 / 65




MODEL	SIZE	WIDTH	R	A	B	C	D	E	HANGER	FENDER TAIL	TIRE WIDTH
FA-511-45	20"	45mm	275	490	855	145	70	170	SW-800R-B	SW-503B3 SW-503B4	1.125" ~ 1.5" or 32C ~ 38C
	22"		310	525	890	155		195			
	24"		325	575	1010	170		205			
	26"		350	620	1085	185		220			
	650B 700C		370	640	1125	190		240			
	28"		380	640	1125	190		240			
	29"		395	670	1175	195		255			
FA-511-65	20	65mm	275	490	855	145	70	170	800R-J		1.9" ~ 2.2"
	22"		310	525	890	155		195			
	24"		325	575	1010	170		205			
	26"		350	620	1085	185		220			
	650B 700C		370	640	1125	190		240			
	28"		380	640	1125	190		240			
	29"		395	670	1175	195		255			

SW-FA-517 series


• Material: Aluminum




SW-FA-517-67



SW-FA-517-67E3



SW-FA-517-72




SW-FA-517-72E3




FENDER-STAY
MSI

STAY-DROPOUT
804H-4



FRONT




REAR



Cable Tunnel
(Fit Cable within ø5mm)

MODEL	SIZE	WIDTH	R	A	B	C	D	E	HANGER	FENDER TAIL	TIRE WIDTH
FA-517-67 FA-517-67E3	20"	67mm	275	490	855	145	70	170	N/A		2"～2.4"
	22"		310	525	890	155		195			
	24"		325	575	1010	170		205			
	26"		350	620	1085	185		220			
	650B 700C		370	640	1125	190		240			
	28"		380	640	1125	190		240			
	29"		395	670	1175	195		255			
FA-517-72	20"	72mm	275	490	855	145		170			2.2"～2.6"
	650B 700C		370	640	1125	190		240			
FA-517-72E3	20"	72mm	275	490	855	145		170			2.2"～2.6"
	22"		310	525	890	155		195			
	24"		325	575	1010	170		205			
	26"		350	620	1085	185		220			
	650B 700C		370	640	1125	190		240			
	28"		380	640	1125	190		240			
	29"		395	670	1175	195		255			

SW-FA-513 series



FRONT




REAR




MODEL	SIZE	WIDTH	R	A	B	C	D	E	HANGER	FENDER TAIL	TIRE WIDTH
FA-513-50 FA-513-50E1	20"	50mm	275	490	855	145	70	170	SW-800S-A	SW-503C3 (FA-513-50) SW-503C4 (FA-513-50) SW-503K1 (FA-513-50E1)	1.35" ~ 1.75" or 35C ~ 40C
	22"		310	525	890	155		195			
	24"		325	575	1010	170		205			
	26"		350	620	1085	185		220			
	650B 700C		370	640	1125	190		240			
	28"		380	640	1125	190		240			
	29"		395	670	1175	195		255			
FA-513-55 FA-513-55E1	20"	55mm	275	490	855	145	70	170	SW-800S-D	SW-503L1 (FA-513-55E1)	1.5" ~ 1.9" or 40C ~ 45C
	22"		310	525	890	155		195			
	24"		325	575	1010	170		205			
	26"		350	620	1085	185		220			
	650B 700C		370	640	1125	190		240			
	28"		380	640	1125	190		240			
	29"		395	670	1175	195		255			
FA-513-60 FA-513-60E1	20"	60mm	275	490	855	145	70	170	SW-513-60	SW-503M1 (FA-513-60E1)	1.75" ~ 2.125" or 45C
	22"		310	525	890	155		195			
	24"		325	575	1010	170		205			
	26"		350	620	1085	185		220			
	650B 700C		370	640	1125	190		240			
	28"		380	640	1125	190		240			
	29"		395	670	1175	195		255			

SW-FA-519 series

• Material: Aluminum




SW-FA-519-62E3





SW-FA-519-67E3



FENDER-STAY
MSI
STAY-DROPOUT
804H-4







Cable Tunnel
(Fit Cable within ø5mm)

MODEL	SIZE	WIDTH	R	A	B	C	D	E	HANGER	FENDER TAIL TIRE WIDTH
FA-519-62E3	20"	62mm	275	490	855	145	70	170	FA-519-62	1.75"~2.125"
	22"		310	525	890	155		195		
	24"		325	575	1010	170		205		
	26"		350	620	1085	185		220		
	650B 700C		370	640	1125	190		240		
	28"		380	640	1125	190		240		
	29"		395	670	1175	195		255		
FA-519-67E3	20"	67mm	275	490	855	145		170	FA-519-67	2"~2.4"
	22"		310	525	890	155		195		
	24"		325	575	1010	170		205		
	26"		350	620	1085	185		220		
	650B 700C		370	640	1125	190		240		
	28"		380	640	1125	190		240		
	29"		395	670	1175	195		255		

www.SUNNYWHEEL.com

FULL-COVER FENDER

SEAT POST CLAMPS

QR
Quick-release *"Clip-in"* Clamp



To fit ø18.5 ~ 22.2 mm seat post.
(Exclusively made for **SW-669R**)

SW-64A2
Hinged Clamp



To fit ø25 ~ 32 mm seat post.

SW-64F2 (Standard)



To fit ø25 ~ 32 mm seat post.

SW-64F3
Clamp



To fit ø32 ~ 40 mm seat post.

SW-64D2
Clamp with Fixed Bridge



To fit ø25 ~ 32 mm seat post.

SW-64H2
Quick-release *"Strap"* Clamp



To fit ø25 ~ 38 mm seat post.

SW-64H3
Quick-release *"Adjustable"* Clamp with plastic screw



To fit ø25 ~ 38 mm seat post.

SW-64H3-1
Quick-release *"Adjustable"* Clamp with plastic screw



To fit ø25 ~ 38 mm seat post.

SW-64H5
Quick-release *"Strap"* Clamp with Rubber



To fit ø25 ~ 38 mm seat post.

Extension Connector

64C1 (Standard)
Length: 70 mm.



64C2
Length: 100 mm.



64C3
Length: 130 mm.



64C4
Length: 70 mm.



64C5
Length: 100 mm.



MUDGUARD CONNECTOR & BRACKETS



SB1 **Inner Head-tube Connector**
To fix with **DHKA** and/or **DHKB** brackets.
Head tube ø18.5~22.2 mm / ø22.2~25.4 mm



DHKA / DHKB **Front Brackets**
To connect with Down-hill front fender S and/or L.
(Compatible also with SB1)



J1 **Front Bracket**
To fix to the front of uni-crown fork.
(For 18" ~ 26" bikes)



J3 **Rear Bracket**
To fix to seat stay bridge with caliper or V-brakes.




J2 **Bracket**
To fix to the rear of uni-crown fork or
on seat stay bridge without brake. Angle 116°
(For 18" & 20" bikes)




J4 **Bracket**
To fix to the rear of uni-crown fork or
on seat stay bridge without brake. Angle 108°
(For 20", 24" & 26" bikes)





SB1-D **Inner Head-tube Connector**
For SW-FI-661NF / 669F1/ 669NF / 671NF
/ 133F / 153F
Head tube ø18.5~~34.5mm







SB5-01 **Inner Head-tube *"Quick-release"* connector**
(Fit inner diameter ø18.5 / 22.2 / 25.4 / 31.8~34.5mm)
For SW-661NF / SW-669F1 / SW-669NF / SW-671NF




SB113 **Inner Head-tube Connector**
Head tube ø 22.2mm
/ ø18.5~22.2mm
/ ø22.2~25.4mm
/ ø31.8~34.5mm (D)







SB9 **Inner Head-tube Connector**
For SW-FI-155FR-A / SW-FI-155F/R-B
Head tube ø18.5~~34.5mm



SW-663F(FN)/CR(HR) Quick-release Mudguard

- Material: PP
- SW-663F front mudguard with rubber strap to quickly wrap on any fork.
- SW-663FN front mudguard with stainless steel connetor.
- SW-663CR rear mudguard with 64F2 fixed clamp to fit ø32 ~ 40mm seat-post.
- SW-663HR rear mudguard with 64H2 quick-release clamp to fit ø25 ~ 38mm tubes.
- Lightweight and durable.
- Rear mudguard angle adjustable.

ROAD | TOOL FREE | FITTING 26" ~ 700C SIZE | WITHIN 35C TYRE WIDTH









SW-663FN
(with 67S1F stainless steel connector)



SW-663HR
(with 64H2 quick-release clamp)



64F2
Fixed Clamp
- Fit ø25 ~ 32mm seat-post.



64H2
Quick-release "Strape" Clamp
- Fit ø25 ~ 38mm seat-post.



64H3



64H3-1
Quick-release "Adjustable" Clamp with Plastic Screw
- Fit ø25 ~ 38mm seat-post.



64H5
Quick-release "Strape" Clamp
- Fit ø25 ~ 38mm seat-post.


SW-670F(QF)/R(QR) Quick-release Mudguard

- Material: PP
- SW-670F/R combined with 67S1F stainless steel connector.
- SW-670QF/QR combined with 67Q1F stainless steel connector.
- Quick setup and release to fork sleeve.
- Lightweight and durable.
- SW-6705L bracket designed for Shimano BR 5800 Dual pivot system.

ROAD | TOOL FREE | FITTING 26" ~ 700C SIZE | WITHIN 35C TYRE WIDTH










SW-6705L
Designed for Shimano BR 5800 Dual pivot system.

FENDER STAY MOUNTING (FIXED)



SELECTIVE STAY THICKNESS
All fender stay are available in ø3.2mm and ø3.9mm thickness to meet different needs.

Material: • 204 / 304 (Natural. ED): ø3.2 and ø4.0mm
• Steel (CP. ED): ø4.0mm

SELECTIVE STAY EYELET DIAMETER





MSB
FENDER STAY + SAFETY QR FASTENER 804N
Fender stay mounted to the interior of fenders with SW-804N under bracket.
For SW-FI-151FR / SW-FI-171FR / SW-FI-173FR / SW-FI-175FR / SW-FI-117FR




POI
SINGLE-STAY + SAFETY QR FASTENER
Widely used for front fender installation.
Stay accompanies selective QR fastener: (POPOFF5)



POP OFF 5



Auto detach When Jammed





POV
V-STAY + SAFETY QR FASTENER
For both front and rear fender installation.
Stay accompanies selective QR fastener: (POPOFF5)
*stand θ:40

SAFETY QR FASTENER (For ø3.2 / ø4 mm FENDER-STAY)
Material: POM
Safety design to detach in accident and prevent jamming the wheel.
(QR) quick release, easy installation and allows 20mm stay length adjustment.

FENDER STAY HARDWARE



804N Pat.
Easy installation
Polyester nameplate
Fit ø4mm fender stay.
For SW-FI-151FR / SW-FI-171FR
SW-FI-173FR / SW-FI-117FR



Optional
Color: BLACK

TOOL FREE







804N-01
Material: TPR

Pad underneath the 804N
in order to fit curved surface.



FENDER STAY SAFETY POP-OFF

STAY SAFETY	MODEL	FIT STAY	STAY
 POP OFF5	**SAFETY QR FASTENER (For ø3.2 / ø3.9 mm FENDER-STAY) INJECTED FENDER ONLY** Safety design to detach in accident and prevent jamming the wheel. (QR) quick release, easy installation and allows 20mm stay length adjustment. Designed for : SW-655, SW-656, FI-117, FI-173, SW-615, SW-668, FI-111, FI-171	POI POV	 Auto-detach When Jammed
	 **FV-515 Patented** **FENDER STAY SAFETY POP-OFF** Applicable to MSB fender-stays to pop-off when jammed.	MSB	


SW-FI-157 Down-tube Mudguard (For Road-bike)

- Material: PP / TPR
- Soft TPR material to fit different shape of down-tubes.
- Special buckle with Velcro-tie fixation for easy installation and release.

ROAD | TOOL FREE | FITTING 26" 700C SIZE | WITHIN 35C TYRE WIDTH


Design for Roadbike


Special buckle fixation


Elastic material to fit all tubes





Packaged Size:
L 710 x W 200mm.

SW-PS1F/R Refoldable Quick-release Mudguard


- Material: PA6


ROAD | ATB | FOLDING BIKE | TOOL FREE | FITTING 22" 26" SIZE


"Clip-in" Front Mudguard



Adjustable Rear Mudguard


Safety Reflective Stickers


Refoldable Design




FRONT MUDGUARD FIX



Fix to the BACK of fork sleeve



Fix to the FRONT of fork sleeve



Fix to the INSIDE of steer tube

SW-FI-119F(F1)/R(R1) Quick-release Mudguard

- Material: PP
- Minimal design to suit all style of bikes.
- Effective mud stop.
- Easy installation.
- Tough and durable.
- Optional SW-FI-119F1/R1 with wider mudguard-tail.

ROAD | TOOL FREE | FITTING 26" 700C SIZE


Front Fender


Rear Fender


SW-FI-119F/R


FI-119F/R Mudguard Tail



FI-119F1/R1 Mudguard Tail


SW-FI-119F1/R1
(Wider mudguard-tail)

SW-FI-131CR(HR) Quick-release Mudguard

- Material: PP
- Minimal design to suit all style of bikes.
- Effective mud stop.
- Easy installation.
- Tough and durable.
- FI-131CR with 64F2 fixed clamp to fit ø25 ~ 32mm seat-post.
- FI-131HR with 64H2 quick-release clamp to fit ø25 ~ 38mm tubes.

ROAD | TOOL FREE | FITTING 26" 700C SIZE | WITHIN 35C TYRE WIDTH


Rear Mudguard



64F2
Fixed Clamp
• Fit ø25 ~ 32mm seat-post.

64H2
Quick-release "Strape" Clamp
• Fit ø25 ~ 38mm seat-post.

64H3 **64H3-1**
Quick-release "Adjustable" Clamp with Plastic Screw
• Fit ø25 ~ 38mm seat-post.

QR
Slide-release Clamp
• Fit ø25 ~ 32mm seat-post.

64H5
Quick-release "Strape" Clamp
• Fit ø25 ~ 38mm seat-post.

SW-DH7 Down-hill Mudguard

- Material: PP
- Aerodynamic design.
- Effective over-width mud stop.
- Easy installation.
- Tough and durable.

MTB | DOWNHILL | FITTING 24"~26" SIZE | WITHIN 3" TYRE WIDTH


Front Mudguard


Rear Mudguard



SW-613F/R Mudguard

- Material: PP
- Fit uni-crown fork Cantilever brake style.
- Fit ø28.6 ~ ø31.8mm seat-tube.
- Slide in and fix.

MTB | ATB | FITTING 24" OR 26" SIZE | WITHIN 2.125" TYRE WIDTH


Front Mudguard


Rear Mudguard



SW-613 Slide-fix Hanger



SW-DH5 Down-hill Mudguard

- Material: PP
- Muscular look.
- Easy installation.
- Tough and durable.
- Widest combination to fit from 16″ ~ 26″ bikes.

MTB | DOWNHILL | FITTING 12"~26" SIZE | WITHIN 3" TYRE WIDTH



DHKA + **DHKB**


SW-DH5L+S
Fit ø18.5~25.4mm Inner Stem


SW-64A2


Fit ø25~32mm Seat Post


SW-64D2


Fit ø25~32mm Seat Post
w/ Built-in Clamp on Bridge


SW-64F2(F3) + C1


SW-64F2 - Fit ø25~32mm
SW-64F3 - Fit ø32~40mm


SW-64H2(H3) + C2


Fit ø25~38mm Seat Post


SW-DH5R - with **J3** Bracket
to Fit on Seat-stay Bridge


SW-DH5L+S
with **J1** & **J4** Brackets
to Fit on Uni-crown Fork




J1 **J2** **J3** **J4**
J1~J4 Brackets for DH5

Wheel Size	Mudguard Selection	Fitting
12"	DH5T	Fit on seat post (Rear Mudguard)
16"	DH5S+T	
20"	DH5R	
	DH5L	Fit on bridge (Rear Mudguard)
	DH5S	Front Mudguard
24"~26"	DH5L+S+R	Front & Rear Mudguards

SW-651F/R Mudguard

MTB | ATB | FITTING 24"~26" SIZE | WITHIN 2.125" TYRE WIDTH

- Material: PP
- Tough, durable and effective mud stop.
- Selective hardware for variety of bikes.
- Hardware bendable to fit.


Front Mudguard


Rear Mudguard



SW-651 REAR MUDGUARD HARDWARE

- Material: ED Steel



Standard
- Fit rear cantilever brake.
- Mount bridge or bridge-plate.
- Fit ATB recommended.



SW-651-V1
- Fit rear cantilever / long arm V-brake.
- Mount bridge or bridge-plate.



SW-651-V3 / 659
- Fit rear V-brake.
- Mount bridge or bridge-plate.



SW-651-D1
- Fit rear drum brake.
- Mount bridge or bridge-plate.



SW-651-L1
- Fit side lock bikes only.
- Mount bridge or bridge-plate.

SW-654(640)F/R Mudguard

MTB | ATB | FITTING 24"~26" SIZE | WITHIN 2.5" TYRE WIDTH

- Material: PP
- For full-suspension XC bikes.
- Angle adjustable rear mudguard hardware.
- Front mudguard length adjustable.


Front Mudguard


Rear Mudguard




SW-640

Front Mudguard Hanger	Rear Mudguard Seat Post Bracket



SW-640
Slide-fix Hanger

- Material: ED Steel
- Fit uni-crown fork with Cantilever & V-brake.
- Slide-in and fix.
- 4-position adjustable.



SW-64A2
- Hinged clamp for ø25 ~ 32mm seatpost.



SW-64D2
- Hinged clamp for ø25 ~ 32mm seatpost.



SW-64F2 / **SW-64F3**
- SW-64F2: ø25~32mm clamp Mounting on seat post
- SW-64F3: ø32~40mm clamp Mounting on seat post.

SW-641F/R Mudguard

MTB | ATB | FITTING 26"~28" SIZE | WITHIN 1.75" TYRE WIDTH

- Material: PP
- Fit uni-crown fork Cantilever brake style.
- Fit ø28.6 ~ ø31.8mm seat-tube.
- Slide in and fix.
- 4 position adjustable.


Front Mudguard


Rear Mudguard



SW-616 Slide-fix Hanger



SW-642F/R(RL) Mudguard

MTB | ATB | FITTING 24"~26" SIZE | WITHIN 2.125" TYRE WIDTH

- Material: PP
- Angle adjustable rear mudguard hardware SW-64A2 to fit ø25~32mm seat post.
- Optional SW-642RL extendable rear mudguard for better mud stop.


Front Mudguard


Rear Mudguard


Extendable Rear Mudguard




SW-642RL

MUDGUARD

SW-669CR Quick-release Mudguard

- Material: PP
- Angle adjustable.
- Optional **64C** series mudguard bridge.

MTB | TOOL FREE | FITTING 24"~26" SIZE | WITHIN 3" TYRE WIDTH


Rear Mudguard


Selective Color
(MOQ: 500sets)




64F2
Fixed Clamp
- Fit ø25 ~ 32mm seat-post.


QR
Slide-release Clamp
- Fit ø25 ~ 32mm seat-post.


64H2
Qucik-release “Strape” Clamp
- Fit ø25 ~ 38mm seat-post.


64H5
Quick-release “Strape” Clamp
- Fit ø25 ~ 38mm seat-post.


64H3


64H3-1
Quick-release “Adjustable” Clamp
with Plastic Screw
- Fit ø25 ~ 38mm seat-post.

SW-669F1/R1 Quick-release Mudguard

- Material: PP
- Suitable for suspension fork.

MTB | TOOL FREE | FITTING 24"~26" SIZE | WITHIN 3" TYRE WIDTH


Easy to install with SB1-D


Leather Texture


Front Mudguard


Rear Mudguard




64F2
Fixed Clamp
- Fit ø25 ~ 32mm seat-post.



64H2
Quick-release “Strape” Clamp
- Fit ø25 ~ 38mm seat-post.

64H3


64H3-1
Quick-release “Adjustable” Clamp
with Plastic Screw
- Fit ø25 ~ 38mm seat-post.

SB1-D Exclusive Hardware
- Click fix on the BOTTOM of inner head tube.

Use / Head tube(mm)				
ø22.2	•			
ø25.4	•	•		
ø28.6	•		•	
ø31.8	•			•
ø34.5	•	•		•




SB5-01
Exclusive Hardware
- Click fix on the BOTTOM of inner head tube.
- Fit ø18.5 ~ 22.2mm / ø22.2 ~ 25.4mm / ø31.8 ~ 34.5mm.

SW-655F/R(R1/RL) Mudguard

- Material: PP
- Fit uni-crown fork Cantilever & V-brake.
- Cable-friendly seat-tube clip design.
- Fit 5/8″ or 1/2″ seat-stay bridge.
- Cable-friendly clip to fit ø28.6 ~ 31.8mm seat tube.
- Mud-flap design for better mud stop.
- Optional SW-655R1(without steel clip) and SW-655RL(Larger mud-flap) rear mudguard.

MTB | ATB | FITTING 24"~26" SIZE | WITHIN 2.125" TYRE WIDTH


Easy-release Knob


Front Mudguard


Cable-friendly Seat-tube Clip


Rear udguard


2-way Mudguard Bracket

OPTIONAL


POP OFF5
SAFETY QR FASTENER
INJECTED FENDER ONLY
Safety design to detach in accident and prevent jamming the wheel.


SW-655R
SW-655F


SW-655RL
(Larger TPR mud-flap)


SW-655R1
(without steel clip)

SW-661NF+CR Quick-release Mudguard

- Material: PP + TPR
- Suitable for suspension fork.
- Quick-release front mudguard.
- Angle adjustable rear mudguard with fixed clamp.

MTB | TOOL FREE | FITTING 24"~26" SIZE | WITHIN 3" TYRE WIDTH


Easy to install with SB1-D


Front Mudguard


Rear Mudguard




64F2
Fixed Clamp
- Fit ø25 ~ 32mm seat-post.


64H2
Quick-release “Strape” Clamp
- Fit ø25 ~ 38mm seat-post.


SB5-01
Exclusive Hardware
- Click fix on the BOTTOM of inner head tube.
- Fit ø18.5 ~ 22.2mm
ø22.2 ~ 25.4mm / ø31.8 ~ 34.5mm.


64H3


64H3-1
Quick-release “Adjustable” Clamp
with Plastic Screw
- Fit ø25 ~ 38mm seat-post.

SB1-D Exclusive Hardware
- Click fix on the BOTTOM of inner head tube.

Use / Head tube(mm)				
ø22.2	•			
ø25.4	•	•		
ø28.6	•		•	
ø31.8	•			•
ø34.5	•	•		•




64H5
Quick-release “Strape” Clamp
- Fit ø25 ~ 38mm seat-post.

SW-1001 Down-tube Mudguard

- Material: PP / ABS
- Selective fix types:
  SW-1001A: Pre-bolted fix.
  SW-1001C: Rubber tie fix.
- Quick and easy setup.
- Lightweight and durable.

MTB | ATB | TOOL FREE | FITTING 24~26" SIZE | WITHIN 2.125" TYRE WIDTH





Pre-bolted



Rubber Tie



SW-1001T
- For pre-bolted down tubes only.

KID | FITTING 16~20 SIZE | WITHIN 1.5" TYRE WIDTH



SW-1001S
- For pre-bolted down tubes only.

KID | FITTING 12~16 SIZE | WITHIN 1.5" TYRE WIDTH

FI-113F Quick-release Mudguard (match to sw-669R)

- Material: PP
- Multiple Color Selection
- 4-position Adjustable (17.5mm)


MTB | TOOL FREE | FITTING 24~26" SIZE | WITHIN 3" TYRE WIDTH


Front Mudguard





SB-113
Exclusive Hardware
- Click fix on the BOTTOM of inner head tube.
- Fit ø18.5 ~ 22.2mm / ø22.2 ~ 25.4mm / ø31.8 ~ 34.5mm.



SW-669NF Quick-release Mudguard

- Material: PP

MTB | FITTING 24~26" SIZE | WITHIN 3" TYRE WIDTH


Front Mudguard






SB5-01
Exclusive Hardware
- Click fix on the BOTTOM of inner head tube.
- Fit ø18.5 ~ 22.2mm / ø22.2 ~ 25.4mm / ø31.8 ~ 34.5mm.

SB1-D Exclusive Hardware
- Click fix on the BOTTOM of inner head tube.

Use / Head tube(mm)				
ø22.2	●			
ø25.4	●	●		
ø28.6	●		●	
ø31.8	●			●
ø34.5	●	●		●



SW-671NF/HR Quick-release Mudguard

- Material: PP + TPR
- Suitable for suspension fork.

MTB | TOOL FREE | FITTING 24~26" SIZE | WITHIN 3" TYRE WIDTH


Easy to install with SB1-D



Front Mudguard


Front Mudguard



SB1-D Exclusive Hardware
- Click fix on the BOTTOM of inner head tube.

Use / Head tube(mm)				
ø22.2	●			
ø25.4	●	●		
ø28.6	●		●	
ø31.8	●			●
ø34.5	●	●		●



SB5-01
Exclusive Hardware
- Click fix on the BOTTOM of inner head tube.
- Fit ø18.5 ~ 22.2mm
  ø22.2 ~ 25.4mm / ø31.8 ~ 34.5mm.



64F2
Fixed Clamp
- Fit ø25 ~ 32mm seat-post.



64H2
Quick-release "Strape" Clamp
- Fit ø25 ~ 38mm seat-post.



64H3 **64H3-1**
Quick-release "Adjustable" Clamp with Plastic Screw
- Fit ø25 ~ 38mm seat-post.



64H5
Quick-release "Strape" Clamp
- Fit ø25 ~ 38mm seat-post.

SW-FI-137 Series Quick-release Mudguard

• Material: PP

ALL BIKE | TOOL FREE | WITHIN 3" TYRE WIDTH

Fixation Type



Pre-bolted



Rubber Tie





Carbon Sticker
(PP)



Double-Injection
(PP / TPR)



Double-Injection with Logo
(PP / TPR)

SW-FI-151F/R Mudguard

• Material: PP
• Fit uni-crown fork Cantilever brake style.
• Fit ø28.6 ~ ø31.8mm seat-tube.
• Slide in and fix.
• 4 position adjustable.

MTB | ATB | FITTING 24"~27.5" SIZE | WITHIN 2.125" TYRE WIDTH


Seat-tube Clamp


Front Mudguard


Rear Mudguard



804N TOOL FREE
Easy installation
Polyester nameplate
Fit ø4mm fender stay.





SW-FI-117F/R Mudguard

• Material: PP
• Length adjustable up to 25mm.
• 2 sizes of clamps included for ø28~32mm & ø32~36mm seat-tubes.

MTB | ATB | TREKKING | FITTING 24"~28" SIZE | WITHIN 2.125" TYRE WIDTH



Length Adjustable +25mm


Seat-tube Clamp


Front Mudguard


Rear Mudguard

SAFETY QR FASTENER INJECTED FENDER ONLY
Safety design to detach in accident and prevent jamming the wheel.

SW-FI-133F/R Quick-release Mudguard

• Material: PC
• Avaliable color: Black / Smoky / White.

MTB | TOOL FREE | FITTING 24"~26" SIZE | WITHIN 2.125"~3" TYRE WIDTH


Easy to install with SB1-D


Front Mudguard


Easy to install with 64H3


with Carbon Sticker



Mudguard Angle Adjustable


Bridge Angle Adjustable



SB1-D Exclusive Hardware
• Click fix on the BOTTOM of inner head tube.

Use / Head tube(mm)				
ø22.2	●			
ø25.4	●	●		
ø28.6	●		●	
ø31.8	●			●
ø34.5	●	●		●




SB5-01
Exclusive Hardware
• Click fix on the BOTTOM of inner head tube.
• Fit ø18.5 ~ 22.2mm
ø22.2 ~ 25.4mm / ø31.8 ~ 34.5mm.

SW-FI-177F/R Mudguard

- Material: PP
- Fit uni-crown fork Cantilever brake style.
- Fit ø28.6 ~ ø31.8mm seat-tube.
- Slide in and fix.
- 4 position adjustable.

MTB | ATB | FITTING 20" ⇔ 24" SIZE | WITHIN 2.125" TYRE WIDTH


Seat-tube Clamp


Front Mudguard


Rear Mudguard



OPTIONAL



POP OFF5

SAFETY QR FASTENER INJECTED FENDER ONLY

Safety design to detach in accident and prevent jamming the wheel.

804N TOOL FREE

Easy installation

Polyester nameplate

Fit ø4mm fender stay.



SW-FI-151F/RL Mudguard

- Material: PP / TPR
- Fit uni-crown fork Cantilever brake style.
- Fit ø28.6 ~ ø31.8mm seat-tube.
- Slide in and fix.
- 4 position adjustable.

MTB | ATB | FITTING 24" ⇔ 27.5" SIZE | WITHIN 2.125" TYRE WIDTH


Seat-tube Clamp


Front Mudguard


Rear Mudguard



OPTIONAL

POP OFF5

SAFETY QR FASTENER INJECTED FENDER ONLY


Safety design to detach in accident and prevent jamming the wheel.

804N TOOL FREE

Easy installation

Polyester nameplate

Fit ø4mm fender stay.



SW-FI-153F/R Quick-release Mudguard

- Material: PP+TPR
- Special soft material to provide better safety
- Front-mudguard fit up to ø34.5mm inner Head-tube
- Rear-mudguard fit up to ø32mm Seat-post
- **FI-153F**: L 500 x W 75 x H 85 mm / 65g.
- **FI-153R**: L 550 (590 extended) x W 90 x H 120 mm / 185g.

MTB | TOOL FREE | FITTING 24" ⇔ 26" SIZE | WITHIN 3" TYRE WIDTH


Easy to install with SB1-D


Front Mudguard


Tool-free Rear Clamp



Angle Adjustable



Bridge Length Adjustable
Four adjusting points



Customizable Logo Plate


Selective Color:
Black / Yellow / Blue

SB1-D Exclusive Hardware

- Click fix on the BOTTOM of inner head tube.

Use / Head tube(mm)				
ø22.2	●			
ø25.4	●	●		
ø28.6	●		●	
ø31.8	●			●
ø34.5	●	●		●





SB5-01

Exclusive Hardware


- Click fix on the BOTTOM of inner head tube.
- Fit ø18.5 ~ 22.2mm ø22.2 ~ 25.4mm / ø31.8 ~ 34.5mm.


SW-FI-159 Mudguard

- Material: PP / TPR
- Soft TPR material to fit different shape of down-tubes.
- For aggressive ride.

MTB | ATB | TOOL FREE | FITTING 26"~29" SIZE


Pre-bolted


Anti-slip design


Elastic material to fit all tubes



SW-FI-173 F/R Mudguard

- Material: PP
- Fit 650B~29" Mountain-bikes.
- Slide in and fix.

MTB | FITTING 650B~29" SIZE | WITHIN 2.125" TYRE WIDTH


Seat-tube Clamp


Front Mudguard


Rear Mudguard



OPTIONAL




POP OFF5

SAFETY QR FASTENER INJECTED FENDER ONLY

Safety design to detach in accident and prevent jamming the wheel.

Slide-fix Hanger

FI-171R / FI-171F



804N TOOL FREE

Easy installation

Polyester nameplate

Fit ø4mm fender stay.





SW-FI-155F/R-A Quick-release Mudguard

- Material: PP
- Quick-release design on front mudguard to fit ø18.5 ~ 34.5mm Inner Head-tube.
- Length adjustable, 3-position rear bridge to fit up to 29" wheel. (30mm adjusting range, 15mm for each position)
- Best coverage for maximum mud stop effect.

MTB | ATB | TOOL FREE | FITTING 26"~29" SIZE | WITHIN 2.25" TYRE WIDTH


Front Mudguard


Easy to install with SB1-D1


Angle Adjustable


Slip-proof Strap Clamp


3-Position Adjustment



30mm 3-Step Adjustment






Packaged Size:
L 670 x W 114mm.

SB1-D1 Exclusive Hardware

- Click fix on the BOTTOM of inner head tube.

Head tube(mm) \ Use				
ø22.2	●			
ø25.4	●	●		
ø28.6	●		●	
ø31.8	●			●
ø34.5	●	●		●



SW-FI-155F/R-B Quick-release Mudguard

- Material: PP
- Quick-release design on front mudguard to fit ø18.5 ~ 34.5mm Inner Head-tube.
- Length adjustable, twist-knob rear bridge to fit up to 29" wheel. (40mm free adjusting range)
- Best coverage for maximum mud stop effect.

MTB | ATB | TOOL FREE | FITTING 26"~29" SIZE | WITHIN 2.25" TYRE WIDTH


Front Mudguard


Easy to install with SB1-D1


Angle Adjustable


Slip-proof Strap Clamp


Twist-knob Adjustment



40mm Free Adjustment






Packaged Size:
L 660 x W 114mm.

SB1-D1 Exclusive Hardware

- Click fix on the BOTTOM of inner head tube.

Head tube(mm) \ Use				
ø22.2	●			
ø25.4	●	●		
ø28.6	●		●	
ø31.8	●			●
ø34.5	●	●		●



SW-FX-119D Quick-release Mudguard (Down-tube)

- Material: PP
- Fits most down-tubes.
- Mudguard graphic can be easily custom-designed.
- L 368 x W 112 x H 60 mm. / Weight: 70 g.

MTB | TOOL FREE | FITTING SIZE 20"~26" | WITHIN TYRE WIDTH 1.5"~2"


Fast Install & Release


Customizable Graphic


Pre-bolted Fixation


Rubber-tie Fixation





Packaged Size:
L 470 x W 190 x H 35 mm.

SW-FX-119R Quick-release Mudguard (Rear)


- Material: PP
- Fits up to Ø 32.5 mm seatposts.
- Angle adjustable.
- Mudguard graphic can be easily custom-designed.
- L 560 x W 114 x H 97 mm . / Weight: 200 g.

MTB | TOOL FREE | FITTING SIZE 20"~26" | WITHIN TYRE WIDTH 1.5"~2"


Tool-free Assembly


Easy to Install with 64H3


Fast Install & Release


Angle Adjustable


Customizable Graphic





Packaged Size:
L 550 x W 190 x H 50 mm.

SW-FI-175F/R Mudguard


- Material: PP

FAT BIKE | TOOL FREE | FITTING SIZE 26" | WITHIN TYRE WIDTH 4"


Front Mudguard


Rear Mudguard






64F2
Fixed Clamp
- Fit ø25 ~ 32mm seat-post.


64H2
Quick-release "Strape" Clamp
- Fit ø25 ~ 38mm seat-post.


64H3 **64H3-1**
Quick-release "Adjustable" Clamp with Plastic Screw
- Fit ø25 ~ 38mm seat-post.


64H5
Quick-release "Strape" Clamp
- Fit ø25 ~ 38mm seat-post.

SW-FI-175D/R Down-tube Mudguard (For Snow-bike)

- Material: PP
- Rubber Tie to fit all sizes of down tubes.
- Quick and easy setup.
- Lightweight and durable.

FAT BIKE | TOOL FREE | FITTING SIZE 26" | WITHIN TYRE WIDTH 4"


Rear Mudguard







Rubber Tie



Rubber Tie

MUDGUARD


SW-FX-119DC Quick-release Mudguard (Down-tube)

- Material: PP
- Fits most down-tubes.
- Tool-free assembly for easier and faster installation.
- Innovative “One-piece-made” package design.
- Customizable graphic and die-cut.
- L 420 x W 140 x H 70 mm. / 93 g.

SNOW BIKE | TOOL FREE | FITTING 24"~26" SIZE | WITHIN 4" TYRE WIDTH


Fast Install & Release


Rubber-tie Fixation


Integrated Package Design





Packaged Size:
L 585 x W 200 x H 35 mm.

SW-FX-119RC Quick-release Mudguard

- Material: PP
- Fits up to ø32.5mm seatposts.
- Angle adjustable.
- Tool-free assembly for easier and faster installation.
- Innovative “One-piece-made” package design.
- Customizable graphic and die-cut.
- Fit 24~26" wheels.
- L 614 x W 78 x H 142 mm. / 155.5g.


SNOW BIKE | TOOL FREE | FITTING 24"~26" SIZE | WITHIN 4" TYRE WIDTH


Tool-free Assembly


Easy to Install with 64H3


Easy Install & Release


Angle Adjustable


Integrated Package Design



Packaged Size:
L 710 x W 200 x H 35 mm.

SW-FX-119DS Quick-release Mudguard (Down-tube)


- Material: PP
- Fits most down-tubes.
- Tool-free assembly for easier and faster installation.
- Innovative “One-piece-made” package design.
- Customizable graphic and die-cut.
- L 400 x W 120 x H 55 mm. / 80g.

MTB | ATB | TOOL FREE | FITTING 26"~29" SIZE | WITHIN 2.125" TYRE WIDTH


Fast Install & Release


Rubber-tie Fixation


Pre-bolted Fixation


Integrated Package Design



Packaged Size:
L 565 x W 200 x H 35 mm.

SW-FX-119RS Quick-release Mudguard

- Material: PP
- Fits up to ø32.5mm seatposts.
- Angle adjustable.
- Tool-free assembly for easier and faster installation.
- Innovative “One-piece-made” package design.
- Customizable graphic and die-cut.
- Fit 26~29" wheels.
- L 573 x W 109 x H 90 mm. / 200g.


MTB | ATB | TOOL FREE | FITTING 26"~29" SIZE | WITHIN 2.125" TYRE WIDTH


Tool-free Assembly


Easy to Install with 64H3


Easy Install & Release


Angle Adjustable


Integrated Package Design



Packaged Size:
L 638 x W 200 x H 35 mm.

SW-FI-111F/R Mudguard

ATB | TREKKING | FITTING 24"~28" SIZE | WITHIN 38C TYRE WIDTH

- Material: PP
- Length adjustable up to 25mm.
- 2 sizes of clamps included for ø28~32mm & ø32~36mm seat-tubes.



Length Adjustable +25mm


Seat-tube Clamp


Front Mudguard


Rear Mudguard

POP OFF5

SAFETY QR FASTENER INJECTED FENDER ONLY

Safety design to detach in accident and prevent jamming the wheel.

SW-FI-171 F/R Mudguard

CTB | FITTING 650B~29" SIZE | WITHIN 1.75" TYRE WIDTH

- Material: PP
- Fit 650B~29" City-bikes.
- Slide in and fix.
- Cable-friendly Clip to fit ø28.6 ~ 31.8mm seat tube.


Seat-tube Clamp



Front Mudguard


Rear Mudguard



Slide-fix Hanger

FI-171R / FI-171F





POP OFF5

SAFETY QR FASTENER INJECTED FENDER ONLY

Safety design to detach in accident and prevent jamming the wheel.

804N TOOL FREE

Easy installation

Polyester nameplate

Fit ø4mm fender stay.





SW-668F/R Mudguard

TREKKING | FITTING 26"~28" SIZE | WITHIN 1.75" TYRE WIDTH

- Material: PP
- Fit uni-crown fork Cantilever & V-brake.
- Fit ø28.6 ~ ø31.8mm seat-tube.
- Fit 5/8″ or 1/2″ seat-stay bridge.
- Cable-friendly Clip to fit ø28.6 ~ 31.8mm seat tube.


Front Mudguard


Rear Mudguard





POP OFF5

SAFETY QR FASTENER INJECTED FENDER ONLY

Safety design to detach in accident and prevent jamming the wheel.

SW-664F/R Mudguard

KID | FITTING 16"~18" SIZE | WITHIN 1.75" TYRE WIDTH

- Material: PP


Front Mudguard


Rear Mudguard



SW-CF-065F/R Mudguard

- Material: PP
- Front mudguard fits kid's bikes with suspension fork, v-brake and uni-crown fork.
- Slide-fix front mudguard hanger for easy installation & positioning.
- Mudguard hanger bendable for angle-adjusting.

KID | FITTING 16"–20" SIZE | WITHIN 1.75" TYRE WIDTH


Front Mudguard


Rear Mudguard



SW-647FS Mudguard

- Material: PP
- Fit kid's bike with uni-crown.
- Slide-fix mudguard hanger for easy installation & positioning.
- Mudguard hanger bendable for angle-adjusting.

KID | FITTING 20"–22" SIZE | WITHIN 1.75" TYRE WIDTH



Slide-fix Hanger




SW-FI-115F(FH)/R Quick-release Mudguard

- Material: PP
- Trendy & stylish.
- Multi-style selection.
- Effective mud stop.
- Easy installation.
- Tough and durable.
- Optional FI-115FH front mudguard with forehead.

FOLDING BIKE | TOOL FREE | FOLDING 20" SIZE | WITHIN 1.25"/32C TYRE WIDTH


Optional Alloy Strap


Optional Reflective Strap


Rear Mudguard


Front Mudguard




Optional Alloy / 3M Reflective Strap



SW-FI-115FH
(with forehead)

SW-PS3F/PS1R Refoldable Quick-release Mudguard


- Material: PA6

FOLDING BIKE | TOOL FREE | FITTING 18"–20" SIZE | WITHIN 1.25"/32C TYRE WIDTH


"Clip-in" Front Mudguard


Adjustable Rear Mudguard


Safety Reflective Stickers


Refoldable Design



FRONT MUDGUARD FIX



Fix to the BACK of fork sleeve | Fix to the FRONT of fork sleeve | Fix to the INSIDE of steer tube


SW-FI-179A Mudguard

- Material: PP
- Finish: Etched
- Fit for ROCK SHOX front fork, MY21_SLD_35.
- Easy installation & positioning by fastened on front fork.

MTB | FITTING 29" SIZE | WITHIN 2.6" TYRE WIDTH








SW-FI-179B Mudguard

- Material: PP
- Finish: Etched
- Fit for ROCK SHOX front fork, MY21_SLD_35.
- Easy installation & positioning by fastened on front fork.

MTB | FITTING 29" SIZE | WITHIN 2.6" TYRE WIDTH







SW-650F/R Mudguard

- Material: PP
- Fit kid's bikes with uni-crown and cantilever or caliper brake style.
- Slide-fix mudguard hanger for easy installation & positioning.
- Mudguard hanger bendable for angle-adjusting.

KID | FITTING 20"-22" SIZE | WITHIN 1.75" TYRE WIDTH







Slide-fix Hanger



SW-651FS/RS Mudguard

- Material: PP
- Front mudguard fits kid's bikes with uni-crown fork.
- Various ED steel hardware of rear mudguard to meet different fitting needs.

KID | FITTING 16"-22" SIZE | WITHIN 2.125" TYRE WIDTH



Front Mudguard



Rear Mudguard



SW-651 REAR MUDGUARD HARDWARE

- Material: ED Steel



Standard
- Fit rear cantilever brake.
- Mount bridge or bridge-plate.
- Fit ATB recommended.



SW-651-V1
- Fit rear cantilever / long arm V-brake.
- Mount bridge or bridge-plate.



SW-651-V3 / 659
- Fit rear V-brake.
- Mount bridge or bridge-plate.



SW-651-D1
- Fit rear drum brake.
- Mount bridge or bridge-plate.



SW-651-L1
- Fit side lock bikes only.
- Mount bridge or bridge-plate.

SW-FI-191R Mudguard

- Material: rPP (PCR)
- Fits 26-29 Inches Bike
- Adjustable rear mudguard
- Easy Installation: Quick release design easy to install
- Flexible Adjustment: Adjustable gear angle for engagement and fixation

MTB | FITTING 26 ⇔ 29 SIZE | WITHIN 1.5" ~ 2.5" TYRE WIDTH









SW-FI-193 /FI-195 Mudguard

- Material: PC
- Available for front and rear wheel.
- The key feature is the quick fitting and removal process of the guard. Once initially installed, it can be mounted and removed in a matter of seconds, offering full coverage for the front or rear of your bike.
- The unique design allows the guard to only touch your frame at the dropout, so no brackets, O-rings or pads to scratch your ride.

SW-FI-193


ROAD | TOOL FREE | FITTING 27.5" / 700C SIZE | WITHIN 32C ⇔ 35C TYRE WIDTH

SW-FI-195

GRAVEL | TOOL FREE | FITTING 27.5" / 700C SIZE | WITHIN 45C ⇔ 50C TYRE WIDTH






Optional:

Adapt with	Thread pitch	Product dimensions
Universal Fit for Most Bikes Universal Fit for Most Bikes	M12x1mm M12x1mm	175.9x20mm 201.9x20mm
Specialized & Cervelo Specialized & Cervelo	M12x1mm M12x1mm	176.9x20mm 199.9x20mm
Trek Trek	M12x1.75mm M12x1.75mm	159.9x20mm 213.4x20mm
Shimano Standard Shimano Standard	M12x1.5mm M12x1.5mm	176.9x20mm 208.9x20mm

SW-FI-179C Mudguard

- Material: PP
- Finish: Etched
- Fit for ROCK SHOX front fork:

SW-FI-179C:
MY21_ZEB_38.

SW-FI-179C1:
MY21_35_35.
MY21_Recon_32.

- Easy installation & positioning by fastened on front fork.

MTB | FITTING 27&29" SIZE | WITHIN 2.6" TYRE WIDTH



SW-FI-179C1
With additional adapter

SW-FI-179D Mudguard

- Material: PP
- Finish: Etched
- Fit for ROCK SHOX front fork:

SW-FI-179D:
MY21_ZEB_38.

SW-FI-179D1:
MY21_35_35.
MY21_Recon_32.

- Easy installation & positioning by fastened on front fork.

MTB | FITTING 27&29" SIZE | WITHIN 2.6" TYRE WIDTH



SW-FI-179D1
With additional adapter

SW-FI-197F/R Quick-release Mudguard

- Material: PP
- Trendy & stylish.
- Effective mud stop.
- Easy installation.
- Tough and durable.





Rear Mudguard



Front Mudguard



MUDGUARD

SW-71A(C/D3/E/F/H) Chainguard Bracket

• Material: ED Steel
SW-71A/E/F: fit inner BB ø35mm / outer BB ø40~45mm / BC 1.37″ x 24 T.P.I.
SW-71C: fit ø35mm BB only.











SBB
71A



BBB
71C



SBB
71D3



SBB
71E



MBB
71F



71I0



71I4



71J0



71J4



71K0



71K1



71H0




71H1



71H2

BRACKET & CHAINCOVER SYNOPSIS


SINGLE SPEED



MODEL NUMBER	Available bracket
SW-CG-131	71A0
SW-768	71C0,71E0
SW-771	71A0, 71C0
SW-772	
SW-773	
SW-777	
SW-780	
SW-780C	71A1, 71C0
SW-7802	
SW-788	71E1 clamp (ø25.4, ø28.6, ø31.8, ø35, ø38.1)




CHAIN CASE	Available bracket
SW-775	71E0
SW-775S1~S3	




SHIMANO	BAFANG	BOSCH

TRIPLE SPEED



MODEL NUMBER	Available bracket
SW-761	71D3
SW-7714	71A3
SW-7724	71A3
SW-7734	71A3
SW-799	71A1

CHILD BIKE



CHILD BIKE	Available bracket
SW-792	71A0, 71C0

SW-76001~03	60SS, 60SM, 60SL
SW-760S1~S3	
SW-760M1~M3	60LS, 60LM, 60LL
SW-760L1~L3	

E-BIKE (SHIMANO)

Type	Chain Case	Bracket
DU-E5000 DU-E6100	SW-CG-173A SW-CG-173A1	71K6
	SW-CG-117	CG-117C
	SW-CG-139	71H2-05
	SW-CG-153A / CG-153B	71H2
DU-E6001 DU-E6010 DU-E6050	SW-CG-173A SW-CG-173A1	71K2
	SW-CG-173B	71K4
	SW-CG-139	71H0-03
	SW-CG-113	71H0-01
	SW-780	71H0-02
	SW-CG-117	71K0
	SW-CG-153A / CG-153B	71H0
DU-E7000 DU-E8000	SW-CG-173A SW-CG-173A1	71K3
	SW-CG-173B	71K5
	SW-CG-117	71K1
EP8	SW-CG-173A SW-CG-173A1	71K3-1

E-BIKE (BAFANG)

Type	Chain Case	Bracket
MM G360.250 M300	SW-CG-173A SW-CG-173A1	71I0
	SW-CG-173B	71I1
	SW-CG-113	71I2
	SW-7802	71I3
	SW-CG-117	71I4
MM G330.250 M400	SW-CG-117	71I4-1
MM G330.250 M410		
MM G 333.250 (M410)	SW-CG-153A / CG-153B	71H3
MM G 332.250 (M420)		71H4

E-BIKE (BOSCH)

Type	Chain Case	Bracket
Active Line Active Line Plus (Gen3)	SW-CG-173A SW-CG-173A1	71J0
	SW-CG-173B	71J1
	SW-CG-113	71J2
	SW-7802	71J3
	SW-CG-117	71J4
Performance Line speed (Gen4)	SW-CG-173A SW-CG-173A1	71H1-01
	SW-CG-173B	71H1-02
	SW-CG-139	71H1-05
	SW-CG-113	71H1-03
	SW-7802	71H1-04
	SW-CG-153A / CG-153B	71H1
		71H6

CHAIN GUARD


SW-760 Chain Guard

- Material: (Standard)ABS or PC
- Finish: Gloss
- Different sizes of front and rear chainguard offer bikers more choices.
- The SW-760 full-chaingurd series provide you suitable sizes as your requirement.




SW-760X

12″



Final item No.: 76001 **Teeth:** 28T **R.C. Range:** 240~265mm
Final item No.: 760S1 **Teeth:** 28T **R.C. Range:** 215~240mm
Final item No.: 760M1 **Teeth:** 32~36T **R.C. Range:** 270~295mm
Final item No.: 760L1 **Teeth:** 32~36T **R.C. Range:** 300~325mm

14″~16″



Final item No.: 76002 **Teeth:** 28T **R.C. Range:** 275~300mm
Final item No.: 760S2 **Teeth:** 28T **R.C. Range:** 250~275mm
Final item No.: 760M2 **Teeth:** 32~36T **R.C. Range:** 305~330mm
Final item No.: 760L2 **Teeth:** 32~36T **R.C. Range:** 335~360mm

18″



Final item No.: 76003 **Teeth:** 28T **R.C. Range:** 300~325mm
Final item No.: 760S3 **Teeth:** 28T **R.C. Range:** 275~300mm
Final item No.: 760M3 **Teeth:** 32~36T **R.C. Range:** 330~355mm
Final item No.: 760L3 **Teeth:** 32~36T **R.C. Range:** 360~385mm

20″



Final item No.: 760X **Teeth:** 32~36T **R.C. Range:** 390~420mm



S
Fit inner chainguard of B.B. size ø35mm or B.C. 1.37″x24T.P.I.



M
Fit inner chainguard of B.B. size ø43.5mm



L
Fit inner chainguard of B.B. size ø51.5mm

PR-111 Chainguard Fork Protector



- Prevent children from touching the rear chain.
- Decrease gap between the forks to the ISO 8098 4.15 safety standard.

SPECIFICATION LIST OF SW-760 SERIES

MODEL	TEETH	INNER DIAMETER OF CHAIN GUARD	R.C. RANGE	SUITABLE INNER CHAIN GUARD MODEL NUMBER			REMARK
				S	M	L	
SW-760S1	28T	ø90	215~240mm	•	•	•	
SW-760S2			250~275mm				
SW-760S3			275~300mm				
SW-76001			240~265mm				
SW-76002			275~300mm				
SW-76003			300~325mm				
SW-760M1	32T~36T		300~325mm	•	•	•	
SW-760M2			335~360mm				
SW-760M3			360~385mm				
SW-760L1	32T~36T		270~295mm	•	•	•	
SW-760L2			305~330mm				
SW-760L3			330~355mm				
SW-760X			390~420mm				

SW-719 Chain Cover

- Material: PC
- Finish: Gloss
- Fit models with crank/chain wheel distance between 6~16mm.

WITHIN 42~44T TEETH





STANDARD



15mm 11mm

OPTIONAL




70F
For non-threaded BB

SW-722(A) Chain Cover


- Material: PC
- Finish: Gloss
- BCD:104mm

WITHIN 42~44T TEETH





SW-722



SW-722A

SW-720 Chain Cover

- Material: PC
- Finish: Gloss
- Fit models with crank/chain wheel distance between 6~16mm.

WITHIN 46~48T TEETH





STANDARD



15mm 11mm

OPTIONAL



70F
For non-threaded BB

SW-780 Chain Guard

- Material: PC
- Finish: Gloss

SINGLE | ø120 INNER DIA. | WITHIN 38T TEETH | WITHIN 433 C.C.(mm)







BBB
71C0



SBB
71A0



71H1
for BOSCH
Performance Line Speed



71H0
DU-E6001 / DU-E6010
/ DU-E6050



71I3
MM G330.250
MM G360.250



71J3
Active Line
Active Line Plus

780 INNER DIAMETER SPEC.

MODEL	MIDDLE HOLE DIAMETER	REMARKS
SW-780	ø120mm	
SW-7801	ø80mm	
SW-7802	ø102mm	
SW-7803	ø112mm	
SW-780C	ø80mm	with colorful pad ring to make the whole bike vivid.

SW-780A Chain Guard

- Material: PC
- Finish: Matt (Etched)

SINGLE | ø120 INNER DIA. | WITHIN 38T TEETH | WITHIN 433 C.C.(mm)








BBB
71C0



SBB
71A0



SW-7802
Etched



71H1
for BOSCH
Performance Line Speed



71H0
DU-E6001 / DU-E6010
/ DU-E6050



71I3
MM G330.250
MM G360.250



71J3
Active Line
Active Line Plus

780 INNER DIAMETER SPEC.

MODEL	MIDDLE HOLE DIAMETER
SW-780A	ø120mm
SW-7802A	ø102mm

SW-CG-139 Chain Guard

- Material: PC / ABS
- Finish: Gloss
- Designed with an auxiliary reflector for extra safety.

SINGLE | WITHIN 38T TEETH | WITHIN 470 R.C.(mm)





Decorative Reflector







71H0
DU-E6001 / DU-E6010
/ DU-E6050



71H1
Performance Line
speed (Gen4)



CG-139
Chain-stay Clamp



CG-115
BB Bracket

SW-CG-117 Chain Guard

- Material: PC
- Finish: Gloss

SINGLE | WITHIN 38T TEETH | ø102 INNER DIA.

CG-11701
oval-shape cut-out

WITHIN 450~470 R.C(mm)





CG-117
Chain-stay Clamp

CG-11702

WITHIN 475~495 R.C(mm)





71K0
for SHIMANO DU-E60
STEPS drive unit



71K1
for SHIMANO E8
series drive unit



71I4
for BAFANG MM G330.250/
MM G360.250 drive unit



71J4
for BOSCH MY18 Active Line/
MY 18 Active Line Plus



CG-117C
DU-E5000
DU-E6100

CHAIN GUARD

SW-CG-173A1 Chain Guard

- Material: PC
- Finish: Gloss

EBIKE | SINGLE | ø132 INNER DIA. | WITHIN 38T TEETH | WITHIN 513 C.C.(mm)







71I0
MM G330.250
MM G360.250



71J0
Active Line
Active Line Plus



71K2
DU-E6001 / DU-E6010 / DU-E6050



71K3
DU-E7000
DU-E8000

71K6
DU-E5000 / DU-E61

71H1
for BOSCH
Performance Line Speed

SW-CG-173A Chain Guard

- Material: PC
- Finish: Gloss

EBIKE | SINGLE | ø132 INNER DIA. | WITHIN 38T TEETH | WITHIN 513 C.C.(mm)







71I0
MM G330.250
MM G360.250



71J0
Active Line
Active Line Plus



71K2
DU-E6001 / DU-E6010 / DU-E6050



71K3
DU-E7000
DU-E8000

71K6
DU-E5000 / DU-E61

71H1
for BOSCH
Performance Line Speed

SW-792 Chain Guard

- Material: ABS
- Finish: Gloss
- Fit 20″ rear end with extended mounting hole.

KID | ø102 INNER DIA. | WITHIN 38T TEETH | WITHIN 296 C.C.(mm)





SW-CG-113 Chain Guard

- Material: PC
- Finish: Gloss
- Color customizable window plate.

SINGLE | ø100 INNER DIA. | WITHIN 38T TEETH | WITHIN 439 C.C.(mm)







71H0
DU-E6001 / DU-E6010 / DU-E6050



71I2
MM G330.250
MM G360.250

71J2
Active Line
Active Line Plus

71H1
for BOSCH
Performance Line Speed

CHAIN GUARD

SW-771(7714) Chain Guard

• Material: PC
• Finish: Gloss

TRIPLE | ø 130 INNER DIA. | WITHIN 44T TEETH | WITHIN 405 C.C.(mm)







BBB
71C0

SBB
71A0



SW-7714

SW-CG-133 Chain Guard

• Material: PC
• Finish: Gloss

SINGLE | WITHIN 44T TEETH | WITHIN 435 C.C.(mm)



INNER DIAMETER SPEC.

MODEL	MIDDLE HOLE DIAMETER
CG-1331	ø80mm
CG-1332	ø102mm
CG-1333	ø112mm
CG-1334	ø120mm

SW-CG-173B Chain Guard

• Material: PC
• Finish: Gloss

EBIKE | SINGLE | ø132 INNER DIA. | WITHIN 44T TEETH | WITHIN 513 C.C.(mm)







71I1
MM G330.250
MM G360.250



71J1
Active Line
Active Line Plus



71K4
DU-E6001 / DU-E6010 / DU-E6050



71K5
DU-E7000
DU-E8000



71H1
for BOSCH
Performance Line Speed

SW-773(7732) Chain Guard

• Material: PC
• Finish: Gloss
SW-773: Inner ø155mm.
SW-7732: Inner ø102mm.

TRIPLE | ø 155 INNER DIA. | WITHIN 44T TEETH | WITHIN 405 C.C.(mm)








BBB
71C0



SBB
71A0



SW-7734

www.SUNNYWHEEL.com

SW-799 Chain Guard

- Material: PC
- Finish: Gloss
- Innr Diameter Choice: ø130mm / ø170mm / ø190mm / ø212mm.

TRIPLE | WITHIN 50T TEETH | WITHIN 436 C.C.(mm)





SBB
71A1



SW-CG-133A Chain Guard

- Material: PC
- Finish: Etched

SINGLE | WITHIN 44T TEETH | WITHIN 433 C.C.(mm)



INNER DIAMETER SPEC.

MODEL	MIDDLE HOLE DIAMETER
CG-1331A	ø80mm
CG-1332A	ø102mm
CG-1333A	ø112mm
CG-1334A	ø120mm

SW-CG-131 Chain Guard

- Material: PC
- Finish: Gloss
- Weight: 164g

SINGLE | ø155 INNER DIA. | WITHIN 46T TEETH | WITHIN 403 C.C.(mm)



Streamline Look on Bike





71A0
BB Bracket





SW-CG-153A / CG-153B / CG-153C Chain Guard

- Material: Aluminum
- Finish: Coated / Anodized

CARGO | SINGLE | ø130 INNER DIA. | WITHIN 590 C.C.(mm)





Customizable Service

E-BIKE (SHIMANO)


Type	Bracket
DU-E6001 DU-E6010 DU-E6050	71H0
DU-E5000 DU-E6100	71H2

E-BIKE (BAFANG)


Type	Bracket
MM G 333.250 (M410) MM G 332.250 (M420)	71H3 71H4

E-BIKE (BOSCH)


Type	Bracket
Gen4 2025 Gen4	71H1 71H6



SW-CG-153A
WITHIN 38T TEETH



SW-CG-153B
WITHIN 44T TEETH



SW-CG-153C
WITHIN 48T TEETH

CHAIN GUARD

SW-772(7724) Chain Guard

• Material: PC
• Finish: Gloss
SW-772: Inner ø150mm / Max. Crank Fit: 50T.
SW-7724: Max. Crank Fit: 48T.

TRIPLE | ø150 INNER DIA. | WITHIN 50T TEETH | WITHIN 405 C.C.(mm)





BBB 71C0 **SBB** 71A0





SW-7724

SW-777 Chain Guard

• Material: PC
• Finish: Gloss

SINGLE | ø120 INNER DIA. | WITHIN 38T TEETH | WITHIN 412 C.C.(mm)





BBB 71C0 **SBB** 71A0




SW-761 Chain Guard

• Material: PC
• Finish: Gloss

TRIPLE | ø170 INNER DIA. | WITHIN 48T TEETH | WITHIN 407 C.C.(mm)





SW-70A BB / Bracket Spacer

• Material: Aluminum
• Threaded ring to ensure BB clamp is well fixed to BB.
• Avaliable Size: ø35 x 40 x 1.5mm.
ø35 x 40 x 2.64mm.





SW-CG-175 Chain Guard

- Material: PC
- Finish: Gloss

EBIKE | SINGLE | ø132 INNER DIA. | WITHIN 38T TEETH | WITHIN 445 C.C.(mm)







71I0
MM G330.250
MM G360.250



71J0
Active Line
Active Line Plus



71K2
DU-E6001 / DU-E6010 / DU-E6050



71K3
DU-E7000
DU-E8000



71K6
DU-E5000 / DU-E6100

71H1
Gen4
Performance Line

71H2
DU-E5000 / DU-E6100


71H3
MM G335,250
M410

SW-CF-513 Aluminum Chain Guard

- Material: Aluminum
- Finish: Ano Matt BK

SINGLE | WITHIN 38&44T TEETH | WITHIN 390 C.C.(mm)








CF-513
BB Bracket



70C Seat Stay Clamp

70C1 ø1/2" (12.7mm)
70C2 ø5/8" (15.8mm)
70C3 ø3/4" (19mm)
70C4 ø7/8" (22mm)



SW-CX-111A Universal Aluminum Chain Guard

- Material: Aluminum / PC
- Designed for Road-bike (52T) and MTB (44T).
- Universal strap to fit all sizes/shapes of Down-tubes and Seat-stays.
- L 515~585 x W 160 x H 40 mm / Weight: 180g.
- Finish: Ano Silver w / sandblast

ALL BIKE | WITHIN 44~52T TEETH | WITHIN 585 C.C.(mm)



Stylish Look



Universal Down-tube Strap



Universal Seat-stay Strap





Universal Brackets

SW-CG-151 Chain Guard

- Material: PC / ABS
- Finish: Gloss
- Stylish look on bike.


SINGLE | WITHIN 48T TEETH | WITHIN 410 C.C.(mm)



Decorative Reflector



Decorative Reflector





70C Seat Stay Clamp

70C1 ø1/2" (12.7mm)
70C2 ø5/8" (15.8mm)
70C3 ø3/4" (19mm)
70C4 ø7/8" (22mm)

788 CLAMPS



Ø 25.4mm



Ø 28.6mm



Ø 31.8mm



Ø 35mm




Ø 38.1mm

CHAIN GUARD

SW-CG-155A / CG-155B Chain Guard

- Material: (Standard) ABS or PC
- For ISO8089:2023 Standard
- Finish: Gloss





S
Fit inner chainguard
of B.B. size ø35.5mm

M
Fit inner chainguard
of B.B. size ø43.5mm

L
Fit inner chainguard
of B.B. size ø51.5mm

CG-155 Chain-Stay
L=30~50mm

SPECIFICATION LIST OF SW-CG-155A / CG-155B SERIES

MODEL	TEETH	R.C. RANGE	SUITABLE INNER CHAIN GUARD MODEL NUMBER					
			SW-CG-155A S	SW-CG-155A M	SW-CG-155A L	SW-CG-155B S	SW-CG-155B M	SW-CG-155B L
SW-CG-155A1	28T	215 ~ 245 mm	●	●	●			
SW-CG-155A2		245 ~ 275 mm						
SW-CG-155A3		275 ~ 305 mm						
SW-CG-155A4		305 ~ 335 mm						
SW-CG-155B1	36T	270 ~ 300 mm				●	●	●
SW-CG-155B2		300 ~ 330 mm						
SW-CG-155B3		330 ~ 360 mm						
SW-CG-155B4		360 ~ 390 mm						

SW-788 Series

- Material: PP
- Finish: Gloss
- Exclusive for BMX.

SINGLE





788 CLAMPS


Ø 25.4mm


Ø 28.6mm


Ø 31.8mm


Ø 35mm


Ø 38.1mm



SW-788
- Fit within 44T.
- Length: 330mm.



SW-788A
- Fit within 28~36T.
- Length: 330mm.



SW-788C
- Fit within 23~28T.
- Length: 335mm.



SW-788D
- Fit within 36~44T.
- Length: 450mm.



SW-788E
- Fit within 32~44T.
- Length: 406mm.

CHAIN GUARD

SW-70D(D1/D2/D3) Chain-stay Clamp

• Material: ED Steel
• Fit ø1/2″~7/8″ chain stay.
SW-70D: for single or multi-speed chainguards.
SW-70D1: for multi-speed and SHIMANO Megarange freewheel chainguards.
SW-70D2: fit all tubes (ø17~ø23.2mm).

SW-70D3/D3-1~4:Chain stay must have M5 screw hole.





SW-70D3 Series



SW-70D3 Series



SW-70D




SW-70D1




SW-70D2



SW-70D3/D3-1



SW-70D3-3



SW-70D3-2



SW-70D3-4

SW-70C Seat-stay Clamp

• Material: PA
70C1: fit ø1/2″ (12.7mm)
70C2: fit ø5/8″ (15.8mm)
70C3: fit ø3/4″ (19mm)
70C4: fit ø7/8″ (22mm)







SW-70G(G1/G2) Universal Seat-stay Strap

• Material: PA
70G1: ø12.7mm~ø25.4mm
70G2: ø19mm~ø65mm



Universal Seat-stay Strap



70G2

70G1

CHAIN GUARD

SW-CE-111 Bicycle Clip-On Chain Cover

- Material: POM
- Fit 1/2" x 1/8" Single Speed Bike
- Easy clip on chain.
- This Bicycle clip-on chain cover can be installed on general type except quick release chain.

SINGLE





Customization Colour Available



Flexible On Chain



STANDARD COLOUR TABLE





Packaged Size:
L 112 x W 37 x H 183mm.
Q'ty:120pcs per pack.

SW-DG-115 Dress-guard

- Material: PC / PP (clip)
- Clip to fit 26" / 700C bikes.
- Light-weight with maximized protection.
- For All Plastic-made and FA-513 Aluminum Fender.

CTB

FITTING 26"~700C SIZE



Max Protection



Seat-stay Brackets

L ø19~22.2mm

M ø15.8mm

S ø12.8mm







Packaged Size:
L 450 x W 25 x H 210mm.

SW-AP-111 Spoke Protector

- Material: ABS
- Prevents spokes from getting damaged.
- Not suitable for Campagnolo hubs.

ROAD

WITHIN 24~28T TEETH



For Cassette Freehub

SW-AP-115 Spoke Protector

- Material: ABS
- Prevents spokes from getting damaged.

WITHIN 24~28T TEETH



For Threaded Hub




SW-AP-113 Spoke Protector

- Material: ABS
- Prevents spokes from getting damaged.
- Not suitable for Campagnolo hubs.

MTB

WITHIN 30~34T TEETH



For Cassette Freehub



SW-AP-135 Spoke Protector

- Material: ABS
- Clip-mounted to prevent spokes from getting damaged.
- Not suitable for Campagnolo hubs.

WITHIN 32~34T TEETH



For Spoke Fitting



CHAIN GUARD

SW-903 Front Basket

- Material: PP
- Suitable for 24″ / 26″ bikes.

weight 520 g





SW-909 Front Basket

- Material: PP
- Suitable for 26″ / 700C bikes.
- Avaliable with/without handle.

weight 730 g







Optional Basket Handle

SW-507 Basket Bracket

Choosing the suitable basket bracket is also a quite important factor, which needs to be considered. Because of various bicycle frames with different angles and sizes on the market, multiple bracket styles from Sunny Wheel are not only with the advantage of easy installation, but it can also meet the customers' requirements on the beauty and style for whole bicycle.

SW-507
Basket back bracket
• Material: ED Steel



SW-507A
Basket bottom bracket
• Material: ED Steel



SW-507B
Fitting parts for basket back bracket
• Material: ED Steel



SW-507C
Fitting parts for basket bottom bracket
• Material: ED Steel




SW-507F
Plastic parts for basket bottom bracket.



SW-507G/H
Plastic parts for basket bottom bracket.





Basket back bracket for cantilever
w. adjustable screw & nut set

MODEL	for stem ø25.4	for stem ø25.4 & w. Cantilever	for stem ø28.6	for stem ø28.6 & w. Cantilever	A°	B°	C
SW-507	•				118°	98°	75
SW-5071		•					
SW-5072	•				110°	106°	56
SW-5073A	•				96°	120°	121
SW-5073B		•					
SW-5073C			•				
SW-5073D				•			
SW-5074A	•				118°	98°	74
SW-5074B		•					
SW-5074C			•				
SW-5074D				•			
SW-5075A	•				123°	93°	97
SW-5075B		•					
SW-5075C			•				
SW-5075D				•			
SW-5076A	•				110°	106°	94
SW-5076B		•					
SW-5076C			•				
SW-5076D				•			

A: for ø25.4mm stem **B:** for ø25.4mm stem & w. cantilever **C:** for ø28.6mm stem **D:** for ø28.6mm stem & w. cantilever

SW-CB-111 Rear-carrier Lockable Case

- Material: PP
- Capacity: 12 L.

CR-111: Quick-release adaptor without lock.
CR-111B: Quick-release adaptor with integrated lock on button.
CR-113: Quick-release adaptor.


Lockable


Fast Attach & Remove


Portable


Spacious


CB-111 (Standard)


SW-NKC-004


CR-111
without Lock




CR-111B
Integrated-Lock on Button.


CR-113

SW-KC-113A/B Furkids joie

- Material: PP
- L 430 x W 290 x H 235 mm. / Weight: 1295g.
- Adapt Stay: **SW-QR-113A / SW-QR-113B**




Ergonomic design


Portable


Adapt Stay SW-QR-113A SW-QR-113B




SW-KC-113A


SW-KC-113B


Colorful

SW-RBK-ST1 Rear Basket

- Material: PP
- Rear carrier fixation.

* Exclusive distribution: Japan by BRIDGESTONE.

weight 1090 g


Maximized Capacity





COLOR CHOICE


Light Gray


Beige


Brown

SW-RBK-ST2 Rear Basket

- Material: S.T.P.P.
- Rear carrier fixation.

* Exclusive distribution: Japan by BRIDGESTONE.

weight 1190 g


Maximized Capacity





COLOR CHOICE


Light Gray


Beige


Brown

SW-914-4 Front Basket

- Material: Steel / Vynil
- Suitable for 26″ / 700C bikes.
- Easy-install and disassemble basket cover included.
- Basket cover included to prevent loads from falling out.
- Quick-release hardware avaliable.
- Optional upgraded handle(BKG-11) to select.

weight 1000 g



Upgraded Handle (BKG-11)



SW-914-5 Front Basket

- Material: Steel / Vynil
- Suitable for 26″ / 700C bikes.
- Easy-install and disassemble shopper bag included.
- Shopper bag included to prevent loads from falling out.
- Quick-release hardware avaliable.

weight 940 g



Removable Shopper Bag

SW-915 Front Basket

- Material: PP
- Suitable for 24″ / 26″ bikes.
- Avaliable with/without handle.

weight 710 g





Optional Basket Handle

SW-912S(M) Front Basket

- Material: Hand-woven PP
  SW-912S: for 12″ / 16″ Kid's bikes.
  SW-912M: for 16″ / 20″ Kid's bikes.

weight 110 g S

weight 150 g M






SW-914 Front Basket

- Material: Steel
- Suitable for 26″ / 700C bikes.
- Standard handle included.
- Quick-release hardware avaliable.
- Optional upgraded handle(BKG-11) to select.

weight 830 g



Upgraded Handle (BKG-11)



SW-914-3 Front Basket

- Material: Steel
- Suitable for 24″ / 26″ bikes.
- Standard handle included.
- Quick-release hardware avaliable.
- Optional upgraded handle(BKG-11) to select.

weight 680 g



Upgraded Handle (BKG-11)



BASKET

SW-920 Front Basket

- Material: PP
- Suitable for 24″ / 26″ bikes.
- With Panel.


weight 440 g



SW-920-2 Front Basket

- Material: PP
- Suitable for 24″ / 26″ bikes.
- Without Panel.

weight 460 g



SW-919 Front Basket

- Material: PP
- Suitable for 24″ / 26″ bikes.

weight 650 g






For SW-919 & SW-919-1


Suitable for Carrying Pets


Optional Basket Base

SW-KA-113 Front Basket (For Kid's Bike)

- Material: PP
- For 12" ~ 20" kids bikes.
- Bracket option: SW-5072 / SW-5072A / SW-507B / SW-507C.

weight 240 g


Lovable Look on Kid's Bike


Weave-like Injection




SW-KA-113A

COLOR CHOICE


White


Orange



Purple

SW-919-1 Front Basket

- Material: PP
- Suitable for 24″ / 26″ bikes.
- To fit front reflector.

weight 630 g






For SW-919 & SW-919-1


Suitable for Carrying Pets


Optional Basket Base

SW-KA-117R Rear Basket


- Material: PP
- Fix to rear carrier.

weight 1160 g


Max. Capacity: 27 L.


Woven-like Injection


Reflective Sticker




Optional Basket Lid

SW-KA-115

Front Basket (For Kid's Bike)

- Material: PP
- Fit 16"~18" kid's bikes
- Colors customizable upon request

weight 300 g



KA-115
Duotone-Color Injection


Lovable Look on Kid's Bike


KA-115

SW-KA-115A

Front Basket (For Kid's Bike)

- Material: PP
- Fit 16"~18" kid's bikes
- Colors customizable upon request

weight 300 g



KA-115A
Single-Color Injection


Lovable Look on Kid's Bike



KA-115A

SW-KA-119 Front Basket

- Material: PP
- Fit 24"~26" City bikes

weight 730 g


Suitable for City Bikes


Woven-like Injection




Optional Basket Lid & Handle

COLOR CHOICE


Yellow


Light Brown



Black

SW-KA-117 Front Basket

- Material: PP
- Fit 24"~26" City bikes
- W 389 x D 297 x H 260 mm.

weight 700 g


Suitable for City Bikes


Woven-like Injection




Optional Basket Lid & Handle

COLOR CHOICE


Yellow


Light Brown



Dark Brown


Black

SW-KA-133 Front Basket


- Material: PP
- Suitable for 16″ / 18″ kid's bikes.
- Duo-woven texture.

weight 550 g



Duo-woven Injection








Optional Basket Lid

SW-KA-151 Front Basket

- Material: PP
- Suitable for 24″ / 26″ / 700C bikes.

weight 525 g





SW-KA-125 Front Basket

- Material: PP
- Suitable for 26″ / 700C bikes.

weight 480 g





Woven-like Texture





Optional Basket Lid

SW-KA-131 Front Basket

- Material: PP
- Suitable for 24″ / 26″ city bikes.
- Extra-wide space for easier load of briefcase & school bags etc.
- * Exclusive distribution: Japan by BRIDGESTONE.

weight 740 g





oven-like Injection



SW-906A Rear-carrier Lockable Case

- Material: PP
- Capacity: 13.5 L.
- With flat base.
- Colour:
- Customized colour available with MOQ:500 sets.










SW-NKC-003






SW-DC01/M Doll Carrier


- Material: PP
- Conforms to CE saety regulation.
- Fixable to seat stay bridge(wih bracket-R) & fork(wih bracket-F) .

weight 200 g



SW-DC01





SW-DC01M



SW-NKC-001 Braket-R

SW-NKC-002 Braket-F

SW-KC-111 Rear-carrier Lockable Case

- Material: ABS
- Capacity: 12 L.
- Optional Laptop Holder avaliable (Fit Laptop size: L 280~320 x W 200~250 mm.)
- L 485 x W 315 x H 190 mm. / Weight: 1.6 kg.
- Colour:
- Customized colour available with MOQ:500 sets.
  KC-111: Case only.
  KC-111A: Optional Laptop Holder only.
  KC-111-01: Case with Laptop Holder included.



Elastic Secure Net



Optional Laptop Holder



Reflective Sticker



Lockable



KC-111A Laptop Holder





SW-NKC-004



Large-capacity

SW-KC-117

- Material: PP / ABS
- L 530 x W 360 x H 385mm. / Weight: 2618g.
- Adapt Stay: SW-NKC-003 / SW-CR-111 / SW-CR-111B / SW-CR-113




























Group 1.
- SW-NKC-003
- MIK
- Racktime
- KLICKfix
- AtranVelo

Group 2.
- SW-CR-111
- SW-CR-111B
- SW-CR-113

Group 3.
- AUTHOR
- XLC

SW-KC-115/KC-115A/KC-115B

Rear-carrier Lockable Case

- Material: Box / PCR-rPP Pad / EVA
- Capacity: 15 L.
- L 465 x W 333 x H 217mm
- 3M reflective sticker (Color：red / silver)
- Adapt with：SW-NKC-003 / SW-CR-111 / SW-CR-111B / SW-CR-113
- Available for E-commute bike
- Colour：●

KC-115A
- Power: Lithium Battery 2450
- Charging: Micro USB
- Lighting Modes: Steady, Flashing
- Usage Time: Steady approximately 8 hours


Reflective Sticker



Lockable



SW-KC-115





Pad: L 369.5 x W 243mm

SW-KC-115A



SW-KC-115B







Press


Reflector Light





Group 1.
- SW-NKC-003
- MIK
- Racktime
- KLICKfix
- AtranVelo

Group 2.
- SW-CR-111
- SW-CR-111B
- SW-CR-113

Group 3.
- AUTHOR
- XLC


SW-NKC-003


CR-111
without Lock


CR-111B
Integrated-Lock on Button.


CR-113



MIK

BASKET

SW-CH-117 Handlebar Mount for Bottle Holder

- Material: PA6
- Fix on handlebar to hold bottle cage.
- Angle adjustable.
- Fit ø22.2~ø35mm handlebars.

* Bottle cage not included.









Packaged Size
L 145 x W 110mm.

SW-CH-117A Handlebar Mount

- Material: PA6
- Fit ø22.2~ø35mm handlebars.



Angle-adjustable







Packaged Size
L 145 x W 110mm.

SW-CH-117B Handlebar QR Mount for Bottle Holder

- Material: PA6
- Fit ø22.2~ø35mm handlebars.



Works on Handlebar



Quick-Release





Packaged Size
L 145 x W 110mm.

SW-CR-111/CR-111B Quick-release Adaptor

- **CR-111**: Quick-release adaptor without lock.
- Material: PP
- Adapt with: SW-KC-111 / SW-KC-115 / CB-111 / SW-906A

- **CR-111B**: Quick-release adaptor with integrated lock on button.
- Material: PP
- Adapt with: SW-KC-111 / SW-KC-115 / CB-111 / SW-906A





CR-111
without Lock






CR-111B
Integrated-Lock on Button.

SW-CR-113 Quick-release Adaptor Patented

- Material: PA+GF / PCR-PA+GF
- L 250 x W 160 x H 25mm / Weight：680g
- Adapt with: SW-KC-115 / SW-KC-111 / CB-111 / SW-906A / SW-906
- Fit ø8 ~ 25mm (shelf tube)
- Width: 70~160 mm / 130~200 mm



360º



Release unlock



GPS Trackers
storage space



SW-QRB(1/3/5) Handlebar Quick-release Adaptor

- Material: PA6
- Multi-angle adjustable.
- Adapt all Sunny Wheel baskets and bags.
- German Patent #20300747.6

QRB: fit ø22.2 / ø25.4mm handlebars.
QRB1: fit ø25.4 / ø28.6 / 31.8mm handlebars.
QRB3: fit ø22.2 / Tapered ø22.2~25.4mm handlebars.
QRB5: fit ø22.2 / ø25.4 / ø28.6 / ø31.8mm / Tapered ø22.2~25.4mm handlebars.

5kg MAX LOAD



Multi-angle Adjustable



SW-QRF2 Upright-post Quick-release Adaptor

- Material: PA6
- With Press release system.
- Fit ø25~32mm upright head tube or seat posts.
- Adapt all Sunny Wheel baskets and bags.

QRF2: Medium-length arm with adjustable angle.

5kg MAX LOAD



QRF2
Medium-length Arm with Adjustable Angle
QRF2-1
fit ø35~ø38mm upright head tube or seat posts.



SW-QC-111A Saddle Rail Mount

- Material: Nylon / Aluminum





SW-QC-113A Saddle Rail QR Mount for Mudguard

- Material: Nylon / Aluminum



with PS1R Fender



SW-QC-115A Saddle Rail QR Mount for Bottle Holder

- Material: Nylon / Aluminum



Fits most Bottle Holder



QUICK-RELEASE ADAPTOR

SW-QA-111 series

Aluminum Handlebar Quick-release Adaptor


Patented





- Material: Aluminum / PA6
- **QA-111E**: Fit ø22.2 ~ 31.8mm handlebars / Compatible with SW-QRB5
- L 135 x W 54 x H 75 mm / Weight: 290g

- **QA-111E1**: Fit ø22.2 ~ 31.8mm handlebars / Width: 75 mm (For E-bike)
- **QA-111E2**: Fit ø22.2 ~ 31.8mm handlebars / Width: 95 mm (For E-bike)
- **QA-111E3**: Fit ø22.2 ~ 31.8mm handlebars / Width: 120 mm (For E-bike)
- Color Choice: Sandblasted Silver / Sandblasted Black



Angle-adjustable



Customizable Laser Logo




SHIMANO system



BOSCH system

QA-111E





QA-111E3



QA-111E1



QA-111E2

SW-QRD

Upright-post Quick-release Adaptor

- Material: PA6
- Adapt all Sunny Wheel baskets and bags.
- Selective QR01(S) steel clamp to fix upright head tube or seat post.
  QRD: with Press release system.





QRD (Press button)

SW-QR01(S)

Upright-post Quick-release Adaptor Clamp

- Material: ED Steel
- Adapt with SW-QRD.
  QR01: fit ø25.4~32mm upright head tube or seat post.
  QR01S: fit ø22.2~25.4mm upright head tube or seat posta





Adapt with QRD

SW-QRE

Upright-post Quick-release Adaptor

- Material: PA6
- With Push-back release system.
- Fit ø25~32mm upright head tube or seat posts.
- Adapt all Sunny Wheel baskets and bags.
  QRE: Short arm with fixed angle.







QRE
Short Arm with Fixed angle

SW-QRE2

Upright-post Quick-release Adaptor

- Material: PA6
- With Push-back release system.
- Fit ø25~32mm upright head tube or seat posts.
- Adapt all Sunny Wheel baskets and bags.
  QRE2: Medium-length arm with adjustable angle.







QRE2
Medium-length Arm with Adjustable Angle

SW-QRE3
SW-QRE3-1

Upright-post Quick-release Adaptor

- Material: PA6
- With Push-back release system.
- **QRE3**:Fit ø25~32mm upright head tube or seat posts.
- **QRE3-1**:Fit ø35~38mm upright head tube or seat posts.
- Adapt all Sunny Wheel baskets and bags.
  QRE3: Longest arm with adjustable angle.
  QRE3-1: Longest arm with adjustable angle.







QRE3
Longer Arm with Adjustable Angle

QUICK-RELEASE ADAPTOR

SW-QR-113A

Handlebar Quick-release Adaptor

Patented

- Material: PA6
- L 140 x W 60 x H 70 mm / Weight: 245g

- **QR-113A**: Fit ø22.2 ~ 31.8mm handlebars / Width: 60 mm



Angle-adjustable



Quick-release for Basket



SW-QR-113B

Handlebar Quick-release Adaptor

- Material: PA6
- L150 x W 90 x H 95 mm / Weight: 272g

- **QR-113B**: Fit ø22.2 ~ 31.8mm handlebars / Width: 90 mm (For E-bike)



Fit E-BIKE panel



Angle-adjustable



SW-QA-113 series

Aluminum Handlebar Quick-release Adaptor

Patented

- Material: Aluminum / PA6
- **QA-113E**: Fit ø22.2 ~ 31.8mm handlebars / Compatible with SW-QRB5
- L 169 x W 54 x H 90 mm / Weight: 310g

- **QA-113E1**: Fit ø22.2 ~ 31.8mm handlebars / Width: 75 mm (For E-bike)
- **QA-113E2**: Fit ø22.2 ~ 31.8mm handlebars / Width: 95 mm (For E-bike)
- **QA-113E3**: Fit ø22.2 ~ 31.8mm handlebars / Width: 120 mm (For E-bike)
- Color Choice: Sandblasted Silver / Sandblasted Black



Quick-release for Basket



Angle-adjustable



Customizable Laser Logo

QA-113E





QA-113E3




QA-113E1



QA-113E2

SW-GC-113 Bicycle Grip

- Material: TPR
- Length: 112mm
- Design for ø22.2mm handlebar
- Anit Slip



FL-GC-137 Bicycle Grip

- Material: TPR / Aluminum Bar-end
- Length: 135mm
- Design for ø22.2mm handlebar
- Duotone colour design





FL-GC-139 Bicycle Grip

- Material: TPR / PP
- A clean and modern look.
- Length: 138mm
- Design for ø22.2mm handlebar
- Duotone colour design






GRIP


SW-GC-171A Patented Bicycle Grip

- Material: TPR / PP
- Length: 138mm
- Design for ø22.2mm handlebar
- Duotone colour design




SW-GC-171B Patented Bicycle Grip

- Material: TPR
- Length: 138mm
- Design for ø22.2mm handlebar
- Duotone colour design




SW-GC-159A Patented Bicycle Grip

- Material: TPR / PP
- A clean and modern look.
- Length: 138mm
- Design for ø22.2mm handlebar
- Duotone colour design



SW-GC-159B Patented Bicycle Grip

- Material: TPR
- A clean and modern look.
- Length: 138mm
- Design for ø22.2mm handlebar
- Duotone colour design



GRIP


SW-BM-115 Mirror

- Material: ABS+Coating / PA / Glass
- Fit ø20.5~ ø22.2mm Inner Diameter bar-end.
- Multi-angle adjustable.
- Convex mirror.
- Avaliable in single item (BM-115R / BM-115L).
- Color:


ROAD



Mirror Size


Angle-adjustable


360° Multi-angle Adjustable


Convex Mirror



SW-BM-115A Mirror Patented

- Material: ABS+Coating / PA6 / Glass / Silicone
- Fit ø18~ø21mm Inner Diameter bar-end.
- Multi-angle adjustable.
- Convex mirror.
- Avaliable in single item (BM-115AR / BM-115AL).
- Color:

MTB



Mirror Size


360° Multi-angle Adjustable


Angle-adjustable


Convex Mirror



SW-BM-111A Mirror Patented

- Material: ABS+Coating / PA / Glass
- Fit ø14.5 ~ ø19.5mm handlebar-end.
- Multi-angle adjustable.
- Convex mirror.
- Avaliable in single item (BM-111R / BM-111L) or a set.
- Color:

MTB CTB EBIKE



Mirror Size


Angle-adjustable


360° Multi-angle Adjustable


Convex Mirror




SW-BM-113A Mirror Patented

- Material: ABS+Coating / PA / Glass
- Fit ø14.5 ~ ø19.5mm handlebar-end.
- Multi-angle adjustable.
- Convex mirror.
- Avaliable in single item (BM-113R / BM-113L) or a set.
- Color:

MTB CTB EBIKE




Mirror Size


Angle-adjustable


360° Multi-angle Adjustable


Convex Mirror



MIRROR

SW-BM-117A Mirror

- Material: PP / PA6 / POM / Glass
- Fit ø 22.2mm handlebar.
- Multi-angle adjustable.
- Convex mirror.
- Avaliable in single item (BM-117AR / BM-117AL) or a set.
- E-Mark: LE24000036

LE24000036 MTB CTB EBIKE



Mirror Size


Easy Assembly


BM-117AL


BM-117AR


360° Multi-angle Adjustable



Convex Mirror


SW-BM-117A-1
Anti-Glare Coating (Blue)

SW-BM-117B Mirror Patented


- Material: PP / PA6 / POM / Glass
- Fit ø 16.2~20.2mm handlebar-end.
  Smaller Plug : Fit ø 16.2~18.2mm.
  Larger Plug : Fit ø 18.2~20.2mm.
- Multi-angle adjustable.
- Convex mirror.
- Avaliable in single item (BM-117BR / BM-117BL) or a set.
- E-Mark: LE24000052

LE24000052 MTB CTB EBIKE



Mirror Size


360° Bracket Suitable Angle



BM-117BL

BM-117BR

SW-BM-117B-1
Anti-Glare Coating (Blue)





360° Multi-angle Adjustable


Convex Mirror

SW-BM-115B Mirror Patented

- Material: PA6 / Glass
- Fit ø16~ ø21mm Inner Diameter bar-end.
- Multi-angle adjustable.
- Convex mirror.
- Color:


ROAD




Mirror Size


Convex Mirror


Reducing aerodynamic drag



Multi-angle Adjustable




SW-BM-117 Mirror

- Material: PP / PA6 / POM / Glass
- Fit ø 16.2~20.2mm handlebar-end.
  Smaller Plug : Fit ø 16.2~18.2mm.
  Larger Plug : Fit ø 18.2~20.2mm.
- Multi-angle adjustable.
- Convex mirror.
- Avaliable in single item (BM-117R / BM-117L) or a set.
- E-Mark: LE24000026

LE24000026 MTB CTB EBIKE



Mirror Size


360° Bracket Suitable Angle


Multi-angle Adjustable


Convex Mirror


BM-117L



BM-117R

SW-BM-117-1
Anti-Glare Coating (Blue)



SW-BM-131 Mirror

- Material: PP / PA6 / POM / Glass
- Fit ø22.2 mm handlebar.
- Multi-angle adjustable.
- Convex mirror.
- Charging: Type-C USB
- Usage Time: Steady approximately 8 hours
- Waterproof Rating: IP44




360° Multi-angle Adjustable







BM-131L


BM-131R

SW-BM-133A Mirror Patented


- Material: PP / PA6 / POM / Glass
- Fit ø 16.2~20.2mm handlebar-end.
  Smaller Plug : Fit ø 16.2~18.2mm.
  Larger Plug : Fit ø 18.2~20.2mm.
- Multi-angle adjustable.
- Convex mirror.
- Avaliable in single item (BM-133AR / BM-133AL) or a set.
- E-Mark: LE24000089




360° Bracket Suitable Angle



360° Multi-angle Adjustable


Convex Mirror



SW-BM-133B-01 Mirror

- Material: PP / PA6 / POM / Glass
- Fit ø 22.2mm handlebar.
- Multi-angle adjustable.
- Convex mirror.
- Avaliable in single item or a set.
- E-Mark: LE24000089




180° Bracket Suitable Angle


360° Bracket Suitable Angle



360° Multi-angle Adjustable




Convex Mirror

SW-BM-117D Mirror

- Material: PP / PA6 / POM / Glass
- Fit ø22.2 mm handlebar.
- Multi-angle adjustable.
- Convex mirror.
- According by JIS D9451 standard, sound above 75dB.
- Rotatable clapper position.
- Japan-made bell spring.
- E-Mark: LE24000101




360° Multi-angle Adjustable




BM-117DL



BM-117DR

MIRROR

SW-BM-117E-01 Mirror

- Material: PP / PA6 / POM / Glass
- Fit ø 22.2mm handlebar.
- Multi-angle adjustable.
- Convex mirror.
- Avaliable in single item (BM-117E-01 L / BM-117E-01 R) or a set.
- E-Mark: LE24000036

LE24000036 MTB CTB EBIKE



Mirror Size


360° Bracket Suitable Angle


360° Multi-angle Adjustable


Convex Mirror


BM-117E-01 L


BM-117E-01 R

SW-BM-133B Mirror Patented

- Material: PP / PA6 / POM / Glass
- Multi-angle adjustable.
- Convex mirror.
- Avaliable in single item (BM-133BR / BM-133BL) or a set.

CARGO



Mirror Size


360° Bracket Suitable Angle


360° Multi-angle Adjustable


Convex Mirror


BM-133BL


BM-133BR

MIRROR

SW-RIN-810 Bicycle Ring

- Material : PP / Aluminum
- According by JIS D9451 standard, sound above 75dB.
- Rotatable clapper position.
- Fit ø19~31.8mm handlebar.
- Strike can rotatable in 360°
- Elastic material strip to fit all tubes. (secure the bell in tighten)
- Bell color : Brass (Clear-coated / Silver / ED Black) Aluminum (Silver / ED Black)
- Body color : Black / Gray



SW-RIN-900 Bicycle Ring

- Material : PP / Aluminum
- According by JIS D9451 standard, sound above 75dB.
- Fit ø19~22mm handlebar.
- Bell color : Silver / Black.

5.6mm



SW-RIN-950 Bicycle Ring

- Material : PP / Aluminum
- According by ISO 7636 standard, sound above 85dB.
- Fit ø19~22mm handlebar.
- Bell color : Silver / Black.

5.6mm



SW-RIN-960 Bicycle Ring

- Material : PP / Aluminum
- According by JIS D9451 standard, sound above 75dB.
- Fit ø19~22mm handlebar.
- Bell color : Silver / Black.

2mm



SW-RIN-1000 Bicycle Ring

- Material: Brass
- According by JIS D9451 standard, sound above 75dB.
- Rotatable clapper position.
- Fit ø22.2 / 25.4mm handlebar.
- Bell color: Clear-coated Brass / Silver
- Body color: Black / Gray.



360° Rotatable Clapper

SW-RIN-1050 Bicycle Ring

- Material: Brass
- According by JIS D9451 standard, sound above 75dB.
- Rotatable clapper position.
- Drop handlebar.
- Bell color: Black(Brass)
- Body color: Black.





360° Rotatable Clapper



SW-RIN-050 Bicycle Ring

- Material : PP / Aluminum
- According by JIS D9451 standard, sound above 75dB.
- Fit ø19~22mm handlebar.
- Bell color : Silver / Black.



SW-Wind Bell Bicycle Ring

- Material: PP / Brass
- According by JIS D9451 standard, sound above 75dB.
- Japan-made bell spring.
- Fit ø22.2 mm handlebar.
- Brass bell finish: Silver / Gold.



SW-RIN-100 Bicycle Ring

- Material: PP / Aluminum
- According by JIS D9451 standard, sound above 75dB.
- Japan-made bell spring.
- Fit ø19~22mm handlebar.
- Bell color: Silver / Black.



SW-RIN-150 Bicycle Ring

- Material: PP / Aluminum
- According by JIS D9451 standard, sound above 75dB.
- Japan-made bell spring.
- Fit ø19~22mm handlebar.
- Bell color: Silver / Black.



SW-RIN-650 A/B Bicycle Ring

- Material: PP / Aluminum / Brass
- According by JIS D9451 standard, sound above 75dB.
- Rotatable clapper position.
- Fit ø19~22.2mm / 22.2~25.4mm handlebar.
- Choice of Aluminum & Brass bell. Aluminum finish: ED / Anodize (Silver). Brass finish: Silver / Gold.



SW-RIN-700 Bicycle Ring

- Material: PP / Aluminum / Brass
- According by JIS D9451 standard, sound above 75dB.
- Fit ø19~22.2mm handlebar.
- Choice of Aluminum & Brass bell. Aluminum finish: ED / Anodize (Silver). Brass finish: Silver / Gold.



RING BELL

SW-RIN-1200P Bicycle Ring

- Material: Brass / Aluminum
- According by JIS D9451 standard, sound above 75dB.
- Fit ø 22.2mm handlebar.
- The same as RIN-1200 bell cap & strike.
- Strike can rotatable in 360°
- Bell color: Brass (Clear-coating / sliver)



SW-RIN-1300P Bicycle Ring

- Material: Brass / Aluminum
- According by JIS D9451 standard, sound above 75dB.
- Fit ø 22.2mm handlebar.
- The same as RIN-1300 bell cap & strike.
- Bell color: Brass (Clear-coating / sliver)



SW-RIN-1400P Bicycle Ring

- Material: Brass / Aluminum
- According by JIS D9451 standard, sound above 75dB.
- Rotatable clapper position.
- Fit ø19~22.2mm handlebar.
- Bell color: Brass (Clear-coated)
  Aluminum (Silver / ED Black)



SW-RIN-1400P1 Bicycle Ring

- Material: Brass / Aluminum
- According by JIS D9451 standard, sound above 75dB.
- Rotatable clapper position.
- Fit ø22.2mm handlebar.
- Bell color: Brass (Clear-coated)
  Aluminum (Silver / ED Black)



SW-Grip Bell Bicycle Ring

- Material: Brass / Aluminum
- According by JIS D9451 standard, sound above 75dB.
- Japan-made bell spring.
- Fit ø22.2 mm handlebar.
- Bell color: Black (Brass) / Silver & Black (Aluminum).



Rotate to make a sound
(*short grip only)





- According by JIS D9111 standard.

SW-RIN-1100 Bicycle Ring

- Material: Brass
- According by JIS D9451 standard, sound above 75dB.
- Rotatable clapper position.
- Adjustable clamp strap to fit ø22.2 ~ 31.8mm handlebar.
- Bell color: Clear-coated Brass / Silver
- Body color: Black / Gray.




360° Rotatable Clapper





SW-RIN-1200 Bicycle Ring

- Material: Brass / Aluminum
- According by JIS D9451 standard, sound above 75dB.
- Rotatable clapper position.
- Fit ø22.2 / 25.4mm handlebar.
- Bell color: Brass (Clear-coated / Silver)
  Aluminum (Glossy / ED Black)



360° Rotatable Clapper





SW-RIN-1300 Bicycle Ring

- Material: Brass / Aluminum
- According by JIS D9451 standard, sound above 75dB.
- Rotatable clapper position.
- Fit ø22.2 / 25.4mm handlebar.
- Bell color: Clear-coated (Brass) / Silver (Aluminum).



Lever Design



SW-BC-179 Quick-release Child Seat

- Material: (Seat) PP / TPR (Clamp frame) Steel
- Safety features ensure child passenger's safety.
- Easy installation.
- Best comfort and appearance.
- Color choice: Black / Red / Blue / Gray.
- Max load: 22 kg.


Adjustable Foot-rest



Safety Lock


Holder for Frame (HDA)
ø28~32mm



COLOR CHOICE


Gray Black Red Blue




After connecting the steel stay and bracket, the red button must be pushed down. Ensure the bracket is locked correctly and check that the safety device is pushed down.

SW-BC-157 Quick-release Child Seat

- Material: (Seat) PP (Clamp frame) Steel
- Safety features ensure child passenger's safety.
- Easy installation.
- Best comfort and appearance.
- Color choice: Black / Red / Blue / Gray.
- Max load: 22 kg.


Adjustable Foot-rest


Holder for Frame (HDA)
ø28~32mm


3-position Backrest


Backrest Adjust System



Ergonomic Seat Design


Foldable



COLOR CHOICE


Gray Black Red Blue



After connecting the steel stay and bracket, the red button must be pushed down. Ensure the bracket is locked correctly and check that the safety device is pushed down.

CHILD SEAT

SW-BC-195 Child Seat (Excluded Bicycle Rack)

- Material: PP / EVA
- Safety features ensure child passenger's safety.
- Easy installation with simple fitting system to the carrier.
- Spoke protection, preventing feet from touching spokes.
- Best comfort and appearance.
- Max load: 15 kg.


Ventilation Design


Adjustable Strap



Comfortable Cushion





COLOR CHOICE


White Black



SW-BC-193 Child Seat with Easy-lock Frame


- Material: (Seat) PP / TPR (Clamp frame) Nylon
- Safety features ensure child passenger's safety.
- Reliable Alloy holder installation with easy-release child-seat holding frame.
- Suitable for 2 years above or 9 kgs to max. 22 kgs child.
- Best comfort and elegant apperance.
- D 540 x W 440 x H 725 / Weight: 5 kg.
- Max load: 22kg.


Install on Seat-tube




Tool-free Release


Shoulder & Arm Protect



Adjustable Headrest


Easy Adjusting Knob


Comfortable Cushion




Ventilation Design


2-steps Safety Lock


Removable Pad


Easy-adjusting Strap


Adjusting Footrest

CHILD SEAT

HOLDING FRAME SELECTION

SW-RM-111

- Material: Aluminum / PA6 / GF.
- Fits 26"~28" bike frames.
- Compatible with SW-BC-193 child seat.
- L 500 x W 135 x H 242 mm.



SW-RM-111A

- Material: Aluminum / PA6 / GF.
- Fits 26"~28" bike frames.
- Compatible with SW-BC-137 / SW-BC-157 / SW-BC-179 child seat.
- L 500 x W 170 x H 261 mm.




SW-BC-133 Child Seat

- Material: PP
- Designed and manufactured according to strict safety regulations.
- Safety features ensure child passenger's safety.
- Easy installation.
- Best comfort and appearance.
- Color choice: Black / Red / Blue / Gray.
- Max load: 22 kg.



Standard Steel Stay Fitting




SW-BC-137 Quick-release Child Seat

- Material: (Seat) PP (Clamp frame) Steel
- Designed and manufactured according to strict safety regulations.
- Safety features ensure child passenger's safety.
- Easy installation.
- Best comfort and appearance.
- Color choice: Black / Red / Blue / Gray.



Quick-release
Mounting System (HDB)
ø28~32mm



www.SUNNYWHEEL.com

CHILD SEAT



www.SUNNYWHEEL.com

CHILD SEAT

SW-225 Training Wheel

- Material: Steel Stay / Rubber Tire
- Fit 12″ ~ 20″ bikes.








SW-225F
with Plastic Rim



SW-225G
with Steel Rim



Brace Profile

SW-229 Training Wheel

- Material: Steel Stay / Rubber Tire
- Fit 16″~20″ bikes.








SW-229F
with Plastic Rim



SW-229G
with Steel Rim



Brace Profile

SW-238 Training Wheel

- Material: Steel Stay / Rubber Tire
- Fit 20″ bikes.








SW-238F
with Plastic Rim



SW-238G
with Steel Rim



Brace Profile

SW-222 Training Wheel

- Material: Steel Stay / Rubber Tire
- Fit 12″~ 20″ / 16″~20″ bikes.
- Standard steel stay thickness: 2.8mm.
- TÜV approved steel stay thickness: 3.5mm.
  (SW-222F**ISO** / SW222G**ISO**)








SW-222F
with Plastic Rim



SW-222G
with Steel Rim

ISO 8098
(t: 3.5mm)
12”~ 20”only



Brace Profile

SW-223 Training Wheel

- Material: Steel Stay / Rubber Tire
- Fit 12″~16″ / 12″~20″ bikes.








SW-223F
with Plastic Rim



SW-223G
with Steel Rim



Brace Profile

SW-224 Training Wheel

- Material: Steel Stay / Rubber Tire
- Fit 12″~20″ BMX / 12″~16″ MTB.
- Standard steel stay thickness: 2.8mm.
- TÜV approved steel stay thickness: 3.5mm.
  (SW-224F**ISO** / SW224G**ISO**)








SW-224F
with Plastic Rim



SW-224G
with Steel Rim

ISO 8098
(t: 3.5mm)
12”~20” only



Brace Profile

TRAINING WHEEL

Brackets of Training Wheel

FIT MODEL: SW-222, 223, 228, 230, 231 & 233.



J1
For attaching on the flange nut of rear hub axle.



J2
Standard bracket.



J3 (Standard)
For attaching on the thicker hexagonal nut of rear hub axle.



JS
For attaching on the thinner hexagonal nut of rear hub axle.



N1
Short cross bracket fixed on the chain stay, for MTB with coaster brake.



N2
Longer cross bracket fixed on the chain stay, for MTB with hand brake.



N3
Cross bracket fixed on the chain stay, for MTB bike.



J5R / J5L
For attaching on the dropout of MTB bike. For right & left two sides.



L
For outside attaching on the convex "C" shape stay.

FIT MODEL: SW-303



A
Standard bracket.




A2
For easy pushing upwards and no conflict with the seat stay.



D
Attaching on the dropout of MTB bike.

WHEEL SIZE & SCREW CAP



D 126mm



E 126mm



F 131mm



F3 131mm



G 131mm



Screw Cap

FIT MODEL: SW-A011



A011
Bracket fixed on the chain stay 19mm.



A011-1
Bracket fixed on the chain stay 26mm.




A011L
Bracket fixed on the chain stay 20mm.

SW-303D(E) Training Wheel

- Material: Steel Stay / Plastic Rim / PVC Tire
- Fit 12″ / 14″ / 16″ / 18″ / 20″ bikes.



SW-303D





SW-303E






SW-303D
with Decorative Rim



SW-303E
with Regular Rim




Brace Profile

SW-323D(E) Training Wheel

- Material: Steel Stay / Plastic Rim / PVC Tire
- Fit 12″~14″ / 14″~16″ / 16″~18″ / 18″~20″ bikes.



SW-323D





SW-323E






SW-323D
with Decorative Rim



SW-323E
with Regular Rim



Brace Profile

SW-A011 Training Wheel

- Material: Steel Stay / Rubber Tire
- Fit 12″~20″ BMX / 12″~16″ MTB.
- Standard steel stay thickness: 2.8mm.
- TÜV approved steel stay thickness: 3.5mm.
  (SW-A011F**ISO** / SWA011G**ISO**)







SW-A011F
with Plastic Rim



SW-A011G
with Steel Rim



ISO 8098
(t: 3.5mm)
12”~20” only

Brace Profile

TRAINING WHEEL

SW-414 Cable Guide Flange

• Material: PA6



SW-414A
Clip guide for 2-way cable
Fit ø5mm cable.



SW-414B
Clip guide for 1-way cable
Fit ø5mm cable.



SW-414C
Clip guide for 2-way cable
with security cap
Fit ø5mm cable.



SW-414D
Clip guide for 1-way cable
with security cap
Fit ø5mm cable.



SW-414E
1 or 2-way cable joint
Fit ø5mm cable.



SW-414F
Clip guide for 2-way cable
with security cap
Fit ø5mm cable.



SW-414F1-1
Clip guide for 2-way cable
with single rib
Fit ø4/ ø5mm cable.



SW-414F2
Clip guide for 2-way cable
with double rib
Fit ø4mm cable.



SW-414G
Clip guide for 1-way cable
with security cap
Fit ø5mm cable.



SW-414 I
Clip guide for 2-way cable
Fit ø5mm cable.



SW-414H
Seattube clamp with
cable-guard

SW-415 On-frame Cable Guide



SW-415
• Material: TPR
• Fit ø4.3mm cable.
• Frame tube: t 2mm

SW-415A On-frame Cover



SW-415A
• Material: TPR
• Frame tube: t 2mm

SW-416 On-frame Cable Guide



SW-416
• Material: TPR
• Fit ø4.3 / ø6mm cable.
• Frame tube: t 2.9mm


SW-417 On-frame Cable Guide



SW-417
• Material: TPR + PP
• Fit ø4.3mm cable.
• Frame tube: t 2mm

SW-412(A/B) Handlebar Price / Information card Holder

• Material: PP
• Fix on handlebar to hold price card.



SW-412



SW-412A(B)



SW-412
Regular Price-card Holder
(fit ø7/8" handlebar)

SW-412A
Wider Price-card Holder
(fit ø7/8" handlebar)

SW-412B
Wider Price-card Holder
(fit ø3/4" handlebar)

HUB CAP Hub & Seat Clamp Cap

• Material: PP



HUB CAP E
• Fit 3/8" hub nuts.
• Size: 15mm.



HUB CAP F
• Fit 5/16" hub nuts.
• Size: 14mm.



SEAT CLAMP CAP G
• Fit M8 nuts.
• Size: 13mm.

ACCESSORY HARDWARE

SW-RH1 Reflector Connector

• Vertical angle adjustable.
• Fit all Sunny Wheel reflector brackets on fork & seat stay bridge.








Fit reflector with
screw or nut fixing.



Fit Cateye / Sate-lite
reflector with slide-in fixing.

SW-RH3 Reflector Connector

• Vertical angle adjustable.
• Fit all Sunny Wheel reflector brackets on handlebar.







Fit reflector with
screw or nut fixing.



Fit Cateye / Sate-lite
reflector with slide-in fixing.

SW-608C

Wall-mount Bicycle Hanger

• Material: Steel / TPR
608C: for MTB / Tire width within 2.5".

25kg MAX LOAD





SW-608C

SW-608C

SW-608D

Wall-mount Bicycle Hanger

• Material: Steel / TPR
608D: for Roadbike / Tire width within 35C.

25kg MAX LOAD





SW-608D

SW-608D

SW-608F

Wall-mount Bicycle Hanger

• Material: Steel / TPR
608F: for E-BIKE / Tire width within 3".

30kg MAX LOAD



SW-608F

REFLECTOR HOLDER

• Material: PA66 + 33%GF
• Angle adjustable.



SW-508 Series

REFLECTOR POST CLAMPS



SW-508A
FIT TO VARIES SIZES OF SEAT STAY TUBES
• 15mm screw to fit ø14.2-15mm tube
• 18mm screw to fit ø15-15.6mm tube
• 20mm screw to fit ø15.8-16.2mm tube



SW-508E
FIT TO VARIES SIZES OF SEAT POST & HEAD TUBES
• 15mm screw to fit ø27.2-28.6mm tube
• 18mm screw to fit ø28.4-29.2mm tube
• 20mm screw to fit ø29-30mm tube



SW-508B
FIT TO VARIES SIZES OF SEAT STAY TUBES
• 15mm screw to fit ø18~19.4mm tube
• 18mm screw to fit ø19.2~20mm tube
• 20mm screw to fit ø19.8~20.4mm tube



SW-508F
FIT TO VARIES SIZES OF SEAT POST & HEAD TUBES
• 15mm screw to fit ø30.2~31.6mm tube
• 18mm screw to fit ø31.4~32.2mm tube
• 20mm screw to fit ø32~33mm tube



SW-508C
FIT TO VARIES SIZES OF SEAT POST & HEAD TUBES
• 15mm screw to fit ø20.4~22.6mm tube
• 18mm screw to fit ø22.6~23.2mm tube
• 20mm screw to fit ø23.2~23.8mm tube



SW-508G
FIT TO VARIES SIZES OF SEAT POST & HEAD TUBES
• 15mm screw to fit ø20.4~21.4mm tube
• 18mm screw to fit ø21.2~21.8mm tube
• 20mm screw to fit ø21.8~22.6mm tube



SW-508D
FIT TO VARIES SIZES OF SEAT POST & HEAD TUBES
• 15mm screw to fit ø25.2~26.4mm tube
• 18mm screw to fit ø26.4~27mm tube
• 20mm screw to fit ø27~27.6mm tube




SW-508H
FIT TO VARIES SIZES OF SEAT POST & HEAD TUBES
• 15mm screw to fit ø24.0~25.2mm tube
• 18mm screw to fit ø25.2~25.8mm tube
• 20mm screw to fit ø25.8~26.6mm tube

ACCESSORY HARDWARE

SW-PT01 Front-wheel Alignment Gear

- Material: PA6 / POM / PP / ED Steel
- Fit ø28.6~32mm downtube to align front wheel straight.






Spring Length 110mm








SW-PT01-62 Front-wheel Alignment Gear

- Material: PA6 / POM / PP / ED Steel
- Adjustable strap to fit ø38~62mm downtube to align front wheel straight.





Spring Length 110mm



SW-PT02 Front-wheel Alignment Gear


- Material: PP / SUS304
- Fit on built-in bracket of downtube to align front wheel straight.



Spring Length 112mm







SW-AQ-111 Chain Jam Protector

- Material: Nylon
- Keeps the chain on the chain rings and prevents chain jam in case of an over-shift.
- For seat-tube ø28.6 / ø31.8 / ø34.9mm.



Prevents Chain Jam



AQ-111A1
ø28.6mm



AQ-111B1
ø31.8mm



AQ-111C1
ø34.9mm

SW-BN Valve Caps

Material: Brass



SW-BNA
Tube valve E/V to A/V



SW-BNB
Tube valve F/V to E/V



SW-BNC
Tube valve A/V to hand-pump E/V



SW-BND
Tube valve F/V to A/V



SW-BNE
Tube valve A/V to E/V



SW-BNF
Tube valve A/V to E/V



SW-BNI
Tube valve E/V 90° elbow

ACCESSORY HARDWARE


SW-AC-513 Can Holder

- Material: PP
- Fit ø19~ø22.2mm handlebar



Fit Most Regular Cans





SW-AC-511A Aluminum Cup Holder


- Material: Aluminum
- Costomizable colors.
- Fit ø22.2~ø35mm handlebar
- L 130 x H 40 mm / Weight: 80g.



Fit Most Regular Cups



Silver
Dark Gray
Black
Gold
Brown
Orange
Red
Purple
Blue
Green



SW-PT03 Front-wheel Alignment Gear

- Material: PP / SUS304
- Fit on built-in bracket of downtube to align front wheel straight.



Spring Length 83mm



SW-PT03-B Front-wheel Alignment Gear

- Material: PP / SUS304
- Fit on built-in bracket of downtube to align front wheel straight.



Spring Length 115mm




SW-PT05 Front-wheel Alignment Gear

- Material: PA6 / POM / PP / ED Steel
- Adjustable strap to tit ø38~62mm downtube to align front wheel straight.
- Exclusively designed for front-suspension bikes.





SB1 Connector
Fit ø18.5~25.4mm
Inner Head-tube.



Spring Length 110mm





ACCESSORY HARDWARE

SW-BH-115 Bottle Cage Patented

- Material:PA6
- Fit ø74~76mm bottle.
- For Right-handed & Left-handed.


Flexibility in Use


Water Bottle


Customized Logo Available


Customized Shape Available










SW-MH-111 Phone Holder Patented

- Material: TPE / PA6
- Fit length 145~190mm smart phone.
- For ø22.2~ø31.8 handlebar.
- Easy assembly tool free.


Fit various size


Straight or horizontal


High stability



SW-BH-113L Bottle Cage Patented

- Material: PC / ABS / Aluminum
- Fit ø72~ø80mm PET bottle
- For ø72.5 ~ ø81mm Stainless Water Bottle (27oz Classic and insulated bottle)



Adjustable length and width


Length Adjustable


Stainless Water Bottle (27oz)



SW-BH-113 Bottle Cage Patented

- Material: PC / ABS / Aluminum
- Fit ø72~ø80mm PET bottle
- For ø72.5 ~ ø81mm Stainless Water Bottle (18oz Classic and insulated bottle)



Length Adjustable


PET Water Bottle


Stainless Water Bottle (18oz)



ACCESSORY HARDWARE

SW-KS-111 Portable Bicycle Side Stand Patented

- Bicycle wheel size only for 26"~29" include (700C)
- Length adjustable
- Soft edge design preventing scratch on the chainstay
- L 240 x W 40 x H 25mm / Weight : 128.5g

LIGHT

ROAD

TOOL FREE

TAIPEI CYCLE d&i awards 2022















ACCESSORY HARDWARE

ACCESSORY
HARDWARE